

TecTake 400705

TecTake Garden Trolley User Manual

Model: 400705

PRODUCT OVERVIEW

The TecTake Garden Trolley is a robust and versatile utility cart designed for various tasks, from gardening and landscaping to transporting items at festivals or the beach. It features quick-release folding sides, a removable inner lining, a padded handle, and pneumatic tyres for easy navigation over different terrains. Its high load capacity makes it suitable for heavy-duty use.



Figure 1: The TecTake Garden Trolley, showcasing its green metal frame, pneumatic tyres, and padded handle. The image also displays the quick-release folding sides and the removable inner lining.

SETUP AND ASSEMBLY

Your TecTake Garden Trolley requires assembly. While the process is generally straightforward, attention to detail is key. It is recommended to lay out all components before beginning.

Assembly Steps:

- 1. Unpack Components:** Carefully remove all parts from the packaging. Verify that all components listed in the parts diagram (if provided) are present. Small parts like nuts, bolts, and washers may be grouped together.
- 2. Assemble the Frame:** Begin by connecting the main frame sections. Ensure all connections are secure.
- 3. Attach Wheels:** Mount the pneumatic tyres to the axles. Ensure the ball bearings are properly seated. You will need a 1/2" or 13mm spanner for most nuts and a 19mm spanner for the wheel nuts. A ratchet spanner can significantly ease this step.

4. **Install Side Panels:** Attach the quick-release folding side panels to the main frame. Confirm that the quick-release mechanisms operate smoothly.
5. **Connect Steering Mechanism and Handle:** Assemble the steering mechanism and attach the padded handle. The handle can also be detached for towing.
6. **Insert Inner Lining:** Place the removable inner lining into the trolley bed.
7. **Final Check:** Before first use, double-check all nuts and bolts for tightness to ensure stability and safety.



Figure 2: An illustrative diagram highlighting key features such as high load capacity, XXL volume, foldable sides, quick-release fasteners, removable cover, robust tyres, padded handle, and versatile use. This image provides a visual guide to the trolley's main components and functionalities.



1. **Highly stable construction** ensures secure transport of the load, even on rough terrain



2. **4 practical, quick-release fasteners** are easy to operate and ensure reliable locking of the side panels



3. **Versatile use** with foldable sides, ensuring even heavy and large items can be loaded easily



4. **Large pneumatic tyres with tread** and ball bearings on robust steel rims allow for smooth and comfortable transport

Figure 3: Detailed views of the trolley's stable construction, quick-release fasteners, versatile use with foldable sides for easy loading, and large pneumatic tyres with tread and ball bearings. This image emphasizes the practical design elements.

OPERATING INSTRUCTIONS

The TecTake Garden Trolley is designed for ease of use and versatility in various outdoor tasks.

Manual Operation:

- **Loading:** Utilize the quick-release folding sides to easily load bulky or heavy items. The sides can be lowered to create a flatbed for oversized objects.
- **Transporting:** Use the padded handle for comfortable pulling. The pneumatic tyres provide smooth mobility over uneven surfaces.
- **Capacity:** Do not exceed the maximum load capacity of 544 kg to ensure safe operation and prevent damage to the trolley.

Towing Operation:

- **Attaching to Vehicle:** The handle is detachable and can be replaced with a tow coupling (included) to attach the trolley to a towing vehicle, such as a lawn tractor.
- **Maneuvering:** Be aware that reversing with the trolley attached to a mower can be challenging due to the trolley's turning wheels.



Figure 4: The garden trolley effectively loaded with firewood, demonstrating its capacity for transporting bulky items for work or leisure activities.




Figure 5: The versatile garden trolley shown attached to a lawn tractor, illustrating its capability as a towable trailer for larger transport tasks.

MAINTENANCE

Regular maintenance will extend the life and performance of your garden trolley.

- **Cleaning the Inner Lining:** The inner canvas lining is removable and washable. Remove it periodically for cleaning, especially after transporting soil, leaves, or other debris, to keep the trolley tidy.
- **Tyre Care:** Check the pneumatic tyres regularly for proper inflation. Maintain recommended tyre pressure for optimal performance and to prevent premature wear. Inspect for any punctures or damage.
- **Metal Frame:** The trolley's frame is made of metal. If stored outdoors, consider covering it or applying a rust-preventative treatment to prolong its lifespan. Wipe down any dirt or moisture after use.
- **Fasteners and Joints:** Periodically inspect all nuts, bolts, and quick-release mechanisms to ensure they are tight and functioning correctly. Tighten any loose fasteners.

EXTRA-LONG & TALL FOR **XXL STORAGE**



READY FOR ALL CHALLENGES

For gardening tasks, the durable inner lining proves very useful in preventing soil, sand, leaves, and clippings from falling out of the trolley. When not in use, it can be easily removed in just a few steps, thanks to the practical snap fasteners.

Figure 6: The garden trolley showcasing its extra-long and tall design for XXL storage, with a focus on the durable and removable inner lining, useful for gardening tasks and easy cleaning.

TROUBLESHOOTING

This section addresses common issues you might encounter with your garden trolley.

Problem	Possible Cause	Solution
Difficulty with Assembly	Instructions may be unclear or diagrams small.	Refer to product images online for visual guidance. Lay out all parts and identify their positions before starting. Use appropriate tools (e.g., ratchet spanner).
Wobbly Wheel / Ball Bearing Failure	Wear and tear, especially under heavy loads or rough terrain.	Inspect the wheel and axle for damage. If ball bearings are failing, replacement of the wheel may be necessary. Contact customer support for replacement parts.

Problem	Possible Cause	Solution
Side Panels Do Not Fold Completely Flat	Design characteristic; panels may protrude slightly when folded.	This is a design aspect. Be mindful of the slight protrusion when maneuvering or storing the trolley.
Strong Odor from Materials	New product off-gassing from plastics/rubber.	Allow the trolley to air out in a well-ventilated area (e.g., garage or outdoors) for several days before extensive indoor use. The smell will dissipate over time.

SPECIFICATIONS

Brand	TecTake
Model Number	400705
Product Dimensions (LxWxH)	102 x 54 x 79.5 cm
Total Length with Handle	210 cm (approx.)
Overall Height with Handle	104 cm (approx.)
Load Bed Height	35 cm (approx.)
Item Weight	21.3 kg
Maximum Loading Weight	544 kg
Tyre Size	26 cm pneumatic tyres
Material	Metal, mesh
Colour	Green
Special Features	Foldable sides, Pneumatic wheels, Removable inner lining, Tow coupling

MEASUREMENTS



Dimensions

54 x 108 x 79.5 cm

Loading area

49 x 87 x 50 cm

Height with raised drawbar

103.5 cm

Tyre size

26 cm



Load capacity

544 kg

Volume

215 l

Weight

19 kg



Removable
inner lining



Measurements are approximate

Figure 7: A detailed measurement diagram of the TecTake Garden Trolley, indicating its dimensions, loading area, height with raised drawbar, tyre size, load capacity, volume, and weight. This provides precise specifications for the product.

WARRANTY AND SUPPORT

For any issues not covered in this manual, or for warranty claims, please contact the manufacturer or seller directly.

- **Customer Service:** Refer to your purchase documentation for specific contact details for TecTake customer support.
- **Online Resources:** Visit the official TecTake store on Amazon for additional product information and support: [TecTake Store](#).
- **Replacement Parts:** If specific parts, such as wheels or fasteners, require replacement, inquire with customer support about availability and purchasing options.

