MAHLE LA 241/3

MAHLE LA 241/3 Cabin Air Filter User Manual

1. Introduction

This manual provides essential information for the proper installation, operation, and maintenance of your MAHLE LA 241/3 Cabin Air Filter. The MAHLE Original cabin air filter is designed to enhance air quality inside your vehicle by filtering out exhaust fumes, odors, and pollen, ensuring a cleaner breathing environment for occupants.

2. Product Overview

The MAHLE LA 241/3 Cabin Air Filter is engineered to meet original equipment specifications for design, materials, and performance. It serves as a critical component in your vehicle's ventilation system.




Image 2.1: Front view of the MAHLE LA 241/3 Cabin Air Filter, showing its pleated design.

Key Features:

- Original equipment design, materials, and performance for reliable filtration.
- Filters dust, pollen, and smog particulates to improve in-cabin air quality.
- Protects the heating and air conditioning system from contamination.
- Enhances air circulation and helps prevent window fogging.
- Designed for a long service life.

3. Setup and Installation

Replacing your cabin air filter is a routine maintenance task. Refer to your vehicle's specific service manual for exact location and removal procedures, as these can vary significantly between vehicle models. The following steps provide a general guide:

1. **Locate the Cabin Air Filter Housing:** In most vehicles, the cabin air filter is located behind the glove compartment, under the dashboard, or sometimes under the hood near the windshield cowl. Consult your vehicle's owner's manual for the precise location.
2. **Access the Filter:** Depending on the location, you may need to open or remove the glove compartment, or unclip a cover. Use appropriate tools if necessary.
3. **Remove the Old Filter:** Carefully pull out the old cabin air filter. Note the direction of the airflow arrow on the old filter before removal. This is crucial for correct installation of the new filter.
4. **Inspect the Housing:** While the housing is open, it is advisable to clean any debris or leaves that may have accumulated.
5. **Install the New Filter:** Insert the MAHLE LA 241/3 Cabin Air Filter into the housing. Ensure the airflow arrow on the new filter points in the same direction as the old filter, typically towards the rear of the vehicle or as indicated by the vehicle manufacturer. The filter media is designed to be flexible for easier installation into tight spaces.



Image 3.1: Top-down view of the MAHLE LA 241/3 Cabin Air Filter, highlighting the pleated structure.

6. **Secure the Housing:** Reattach any covers or reinstall the glove compartment.

If you are unsure about the installation process, it is recommended to seek assistance from a qualified automotive technician or refer to vehicle-specific online tutorials.

4. Operating the Cabin Air Filter

The MAHLE LA 241/3 Cabin Air Filter operates passively as part of your vehicle's heating, ventilation, and air conditioning (HVAC) system. Once installed, it continuously filters the air entering the passenger cabin. No user interaction is required for its operation.

5. Maintenance

Regular maintenance of your cabin air filter is essential for optimal performance and air quality. The MAHLE LA 241/3 is designed for long service life, but replacement intervals depend on driving conditions and vehicle manufacturer recommendations.

Recommended Maintenance:

- **Inspection:** Inspect the cabin air filter at least once a year or every 15,000 miles (24,000 km), or more frequently if you drive in dusty or polluted environments.
- **Replacement:** Replace the filter when it appears dirty, discolored, or if you notice a decrease in

airflow or persistent odors from the HVAC system. Typical replacement intervals range from 12,000 to 30,000 miles (19,000 to 48,000 km), but always follow your vehicle manufacturer's guidelines.



Image 5.1: Close-up view of the filter media, illustrating its fibrous construction.

6. Troubleshooting

If you experience issues related to your vehicle's cabin air quality or HVAC system, consider the following:

- **Reduced Airflow:** A significant reduction in air coming from the vents often indicates a clogged cabin air filter. Inspect the filter and replace it if it appears dirty.
- **Unpleasant Odors:** Musty or stale odors can be a sign that the filter is saturated with contaminants or that mold/mildew is growing within the HVAC system. Replacing the filter is the first step.
- **Increased Allergies/Respiratory Issues:** If occupants experience increased allergy symptoms, the filter may be ineffective or overdue for replacement, allowing more allergens into the cabin.
- **Whistling Noises:** Incorrectly installed filters or damaged filter housing can sometimes cause whistling noises. Recheck the filter's seating and housing integrity.

If these steps do not resolve the issue, consult a professional automotive technician.

7. Specifications

Specification	Detail
Brand	MAHLE
Model	LA 241/3
Item Weight	4 ounces
Material	Fiberglass, Paper
Compatible Devices	Air Conditioner (HVAC systems)
Manufacturer Part Number	LA 241/3
Global Trade Identification Number (GTIN)	00027067876485
UPC	403480887787, 027067876485

8. Warranty and Support

For information regarding product warranty or technical support, please contact MAHLE customer service directly. Details can typically be found on the official MAHLE website or through your product retailer.

© 2023 MAHLE. All rights reserved.