MAHLE OX 790D

MAHLE OX 790D Oil Filter User Manual

Model: OX 790D | Brand: MAHLE

Introduction

The MAHLE OX 790D Oil Filter is engineered to prevent dirt particles from entering the lubricant circuit, thereby maintaining the quality, performance, and efficiency of your engine. This manual provides essential information for the proper installation, operation, and maintenance of your MAHLE oil filter.

Product Overview

The MAHLE OX 790D Oil Filter is designed with superior components to ensure optimal filtration and engine protection. Key features include:

- **Superior Embossed and Pleated Filter Media:** Provides high dirt holding capacity and low pressure drop, ensuring efficient filtration.
- **Robust Construction:** Features high-quality sheet metal, endplates, and seaming for superior structural integrity.
- **Pressure Relief Valve:** Ensures continuous lubrication to the engine, even under extreme conditions.
- **Anti-Drain Check Valve:** (Where applicable) Prevents oil from draining back into the oil pan when the engine is off, ensuring immediate lubrication upon startup.



Figure 1: MAHLE OX 790D Oil Filter showing the filter element, O-rings, and a plastic component.



Figure 2: Top view of the MAHLE OX 790D Oil Filter, showing the central opening.



Figure 3: Bottom view of the MAHLE OX 790D Oil Filter, displaying manufacturing details.

Understanding Your MAHLE Oil Filter

Watch this video for a detailed explanation of MAHLE Original Oil Filters and their internal components, highlighting the advanced filtration technology.

Your browser does not support the video tag.

Video 1: An animated breakdown of a MAHLE oil filter, illustrating its internal structure and the function of each component, including the steel housing, filter element, internal support frame, bypass valve, anti-drain valves, and sealing ring.

Setup and Installation

Proper installation is crucial for the optimal performance and longevity of your MAHLE OX 790D Oil Filter. Always refer to your vehicle's service manual for specific instructions and torque specifications.

1. **Safety First:** Ensure the engine is cool and the vehicle is safely lifted and supported on jack stands or a lift. Wear appropriate personal protective equipment (PPE) such as gloves and eye protection.

2. **Drain Old Oil:** Place a drain pan under the oil drain plug. Remove the drain plug and allow all old engine oil to drain completely.
3. **Locate and Remove Old Filter:** Identify the old oil filter. Use an appropriate oil filter wrench to loosen and remove it. Be prepared for residual oil to drain from the filter.
4. **Prepare New Filter:** Apply a thin film of new engine oil to the rubber gasket of the new MAHLE OX 790D filter. This ensures a proper seal and prevents the gasket from sticking or tearing during installation.
5. **Install New Filter:** Carefully thread the new oil filter onto the engine by hand. Once the gasket makes contact with the engine block, tighten it according to your vehicle manufacturer's specifications (usually a specific number of turns past hand-tight, or a torque specification). *Do not overtighten.*
6. **Replace Drain Plug:** Reinstall the oil drain plug with a new crush washer (if required by your vehicle manufacturer) and tighten it to the specified torque.
7. **Refill Engine Oil:** Add the recommended type and amount of new engine oil to your vehicle's engine.
8. **Check for Leaks:** Start the engine and let it run for a few minutes. Check for any oil leaks around the new filter and the drain plug. Turn off the engine and recheck the oil level.

Note: Dispose of used oil and filters responsibly at an authorized recycling center.

Operating Principles

The MAHLE OX 790D Oil Filter operates by continuously filtering engine oil as it circulates through the lubrication system. Its primary function is to remove contaminants such as dirt, metal particles, sludge, and unburned carbon that can accumulate in the oil over time. This ensures that clean oil reaches all critical engine components, reducing wear and extending engine life.
The filter's design, including its pleated media and internal support frame, allows for efficient flow of oil while maximizing the capture of harmful particles. The bypass valve acts as a safety mechanism, allowing unfiltered oil to circulate if the filter becomes clogged, preventing oil starvation to the engine. The anti-drain back valve (if present) ensures that the filter remains full of oil when the engine is off, providing immediate lubrication upon startup.

Maintenance

Regular oil and oil filter changes are vital for maintaining engine health. The MAHLE OX 790D Oil Filter is designed for standard replacement intervals.

- **Replacement Interval:** Always follow your vehicle manufacturer's recommended oil and filter change intervals, typically found in your vehicle's owner's manual. These intervals can vary based on driving conditions (e.g., severe duty vs. normal driving).
- **Signs of a Clogged Filter:** While modern oil filters are highly efficient, a severely clogged filter can lead to reduced oil pressure or activation of the bypass valve, potentially causing engine wear. Symptoms might include a flickering oil pressure light (though this is rare with proper maintenance).
- **Quality Oil:** Always use high-quality engine oil that meets your vehicle manufacturer's specifications in conjunction with your MAHLE oil filter.

Troubleshooting

Most issues related to oil filters are preventable with proper installation and regular maintenance. However, if you encounter problems, consider the following:

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Oil Leak from Filter Area	Gasket not properly seated or damaged. Filter not tightened to specification (too loose or overtightened). Old gasket stuck to engine block.	Ensure old gasket is removed. Apply thin film of oil to new gasket. Tighten filter to vehicle manufacturer's specifications.
Low Oil Pressure Light On	Incorrect oil level. Severely clogged filter (rare with proper maintenance). Faulty oil pressure sensor.	Check oil level and add if necessary. Replace filter if it's past its service interval. Consult a qualified mechanic.

Specifications

The following are key specifications for the MAHLE OX 790D Oil Filter:

- **Brand:** MAHLE
- **Model:** OX 790D
- **Material:** Metal
- **Product Grade:** Performance Part
- **Vehicle Service Type:** Car, Sports Utility Vehicle, Truck
- **Item Weight:** 2.4 ounces
- **UPC:** 027067846945
- **Manufacturer Part Number:** OX 790D
- **ASIN:** B00AFVTLFY

Warranty and Support

MAHLE products are manufactured to high-quality standards. For specific warranty information, please refer to the warranty documentation included with your purchase or visit the official MAHLE website. For technical support or further inquiries, please contact MAHLE customer service.
You can find more information and contact details on theMAHLE Store on Amazon.

© 2023 MAHLE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question