

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Kool-It](#) /

› [Kool-It KBSF-1 Stainless Steel Single Door Freezer User Manual](#)

Kool-It KBSF-1

Kool-It KBSF-1 Stainless Steel Single Door Freezer User Manual

Model: KBSF-1 | Brand: Kool-It

PRODUCT OVERVIEW

The Kool-It KBSF-1 is a commercial-grade, single-door freezer designed for demanding kitchen environments. It features a durable stainless steel interior and exterior, a bottom-mounted compressor for energy efficiency and ease of service, and a digitally controlled temperature system. This unit is equipped with features such as adjustable shelving, automatic defrost, and an open door alert system to ensure optimal performance and convenience.





Image: Front view of the Kool-It KBSF-1 Stainless Steel Single Door Freezer, showcasing its sleek design, top-mounted digital control panel, and bottom-mounted compressor grille with swivel casters.

SAFETY INFORMATION

Please read all safety instructions carefully before operating the appliance. Failure to follow these instructions may result in property damage, injury, or death.

- Ensure the unit is properly grounded to prevent electrical shock.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- Keep ventilation openings in the appliance enclosure or in the built-in structure clear of obstruction.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Do not damage the refrigerant circuit.
- Only qualified service personnel should perform repairs.

SETUP AND INSTALLATION

1. **Unpacking:** Carefully remove all packaging materials. Inspect the freezer for any shipping damage. Report any damage to

your supplier immediately.

2. Placement:

- Place the unit on a strong, level surface capable of supporting its weight (approximately 723 lbs).
- Ensure adequate air circulation around the unit. Maintain a minimum of 4 inches of clearance from walls and other obstructions on all sides, especially around the bottom-mounted compressor section.
- Avoid direct sunlight or proximity to heat-generating equipment.

3. **Caster Installation:** The unit comes with 4-inch swivel casters, two of which have brakes. Securely attach the casters to the bottom of the unit. Ensure the brakes are engaged when the unit is in its final position.

4. **Initial Cleaning:** Before first use, clean the interior and exterior surfaces with a mild detergent and warm water. Rinse thoroughly and dry.

5. **Power Connection:** This unit requires a 115 Volt power supply and is equipped with a NEMA 5-15 plug. Plug the unit directly into a dedicated grounded electrical outlet. Do not use extension cords or adapter plugs. Allow the unit to stand for at least 2 hours before plugging it in to allow refrigerants to settle.

OPERATING INSTRUCTIONS

- **Temperature Control:** The freezer features a digital temperature display and control system. The factory preset holding temperature range is 5°F to -9.4°F. Refer to the control panel instructions for adjusting the temperature settings.
- **Loading and Shelving:** The unit includes three height-adjustable, heavy-duty, PE coated wire shelves. These shelves can be easily adjusted to accommodate various product sizes, including full-size bun sheet pans. Distribute products evenly on shelves to ensure proper air circulation and cooling. The internal storage capacity is 20.5 cubic feet.
- **Door Features:**
 - The self-closing door includes a "stay open" feature for convenient loading and unloading.
 - The door seals tightly with a magnetic vinyl gasket, ensuring energy efficiency.
 - An open door alert will beep if the door remains open for 5 minutes, helping to prevent temperature fluctuations.
 - The door is equipped with a lock and key for secure storage.
 - The easy-grip handle provides comfortable access.
- **Interior Lighting:** The incandescent interior lighting illuminates the cabinet for clear visibility of contents.
- **Automatic Defrost:** The unit is equipped with an automatic defrost system, minimizing the need for manual defrosting and ensuring consistent performance.

MAINTENANCE

Regular maintenance is crucial for the longevity and efficient operation of your freezer.

- **Cleaning Interior and Exterior:**
 - Clean the stainless steel interior and exterior surfaces regularly with a soft cloth and mild, non-abrasive cleaner.
 - Do not use steel wool or abrasive pads, as they can scratch the stainless steel.
 - Wipe down door gaskets to ensure they remain pliable and seal properly.
- **Condenser Coil Cleaning:** The bottom-mounted compressor section includes condenser coils that should be cleaned regularly (at least monthly, or more frequently in dusty environments) to maintain efficiency.
 - Disconnect the unit from power before cleaning.
 - Use a stiff brush or vacuum cleaner to remove dust and debris from the condenser fins.
- **Door Gasket Inspection:** Periodically inspect the magnetic vinyl door gasket for cracks, tears, or signs of wear. A damaged gasket can lead to air leaks and reduced efficiency. Replace if necessary.

TROUBLESHOOTING

Before calling for service, please check the following common issues and solutions:

Problem	Possible Cause	Solution
Unit not operating	No power supply; tripped circuit breaker; faulty power cord.	Check power connection; reset circuit breaker; contact qualified technician if cord is damaged.
Temperature too high	Dirty condenser coils; blocked airflow; door not sealing properly; excessive door openings; overloaded unit.	Clean condenser coils; ensure proper clearance; check door gasket; reduce door openings; do not overload.
Excessive noise	Loose components; unit not level; fan motor issue.	Check for loose parts; level the unit; contact service if fan noise persists.
Door alert beeping constantly	Door left open for more than 5 minutes; door not fully closed.	Ensure door is fully closed; check for obstructions preventing door closure.

If the problem persists after attempting these solutions, please contact a qualified service technician.

SPECIFICATIONS

Feature	Detail
Model Number	KBSF-1
Dimensions (L x W x H)	31 inches x 26-51/64 inches x 82-89/128 inches
Weight	Approximately 723.11 Pounds (shipping weight)
Internal Storage Capacity	20.5 cubic feet
Material	Stainless Steel Interior & Exterior
Compressor	Bottom Mount, 1/3 HP
Holding Temperature Range	5°F to -9.4°F
Voltage	115 Volts
Plug Type	NEMA 5-15
Shelving	3 Height Adjustable, PE Coated Wire Shelves
Certifications	ETL, Energy Star
Defrost System	Automatic
Mobility	4-inch Swivel Casters with 2 Brakes

WARRANTY AND SUPPORT





For warranty information and technical support, please contact the manufacturer, MVP Group, or your authorized dealer. Keep your purchase receipt and model number (KBSF-1) handy when contacting support.

For general inquiries or to locate a service provider, refer to the contact information provided with your purchase documentation or visit the official Kool-It website.

© 2024 Kool-It. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Related Documents - KBSF-1

	<p>KOOL-IT KBSF-3 Signature Triple Solid Door Bottom Mount Freezer - Technical Specifications</p> <p>Detailed technical specifications, key features, dimensions, refrigeration performance, electrical requirements, and contact information for the KOOL-IT KBSF-3 Signature triple solid door bottom mount freezer.</p>
	<p>Kool-It KBSR-KBSF Series Parts Catalog and Identification Guide</p> <p>Comprehensive parts catalog for Kool-It KBSR and KBSF series refrigeration units, detailing components, specifications, and model compatibility for efficient maintenance and repair.</p>
	<p>Fisher & Paykel RF170WDRUX5 N Freestanding Refrigerator Freezer - 32", 17.1 cu ft</p> <p>Explore the Fisher & Paykel Series 5 Freestanding Refrigerator Freezer in Contemporary Stainless Steel. This 32-inch, 17.1 cu ft model features a right hinge, bottom freezer drawer, ActiveSmart™ Foodcare for optimal freshness, and a convenient water dispenser. Learn about its dimensions, features, specifications, and warranty.</p>
	<p>DEMA PX Ware Wash Chemical Dispensing System - Installation, Specifications, and Service</p> <p>Comprehensive guide to the DEMA PX Ware Wash Chemical Dispensing System, covering installation, electrical wiring, chemical connections, pump priming, programming, replacement parts, and warranty information. Features include digital programming, probeless concentration control, and configuration for liquid or dry detergent.</p>
	<p>Fisher & Paykel RF201ADJSX5 Freestanding French Door Refrigerator Freezer: Quick Reference Guide</p> <p>Quick reference guide for the Fisher & Paykel RF201ADJSX5 Freestanding French Door Refrigerator Freezer, detailing dimensions, features, specifications, and performance.</p>
	<p>Fisher & Paykel 17.1 cu ft Series 5 Refrigerator Freezer with Ice - Quick Reference Guide</p> <p>A quick reference guide for the Fisher & Paykel 17.1 cu ft Series 5 Refrigerator Freezer with Ice, covering features, specifications, and dimensions. This guide highlights ActiveSmart™ Foodcare, humidity control, and an internal ice maker.</p>



[\[pdf\]](#) User Manual Installation Guide Instructions Specifications Guide Label

KOOLIT 2 Refrigerator Freezer Installation and Operation Manual this manual completely before attempting to install or operate equipment! **IMPORTANT SAFETY INSTRUCTIONS OR SAVE THESE**
KBSR 1 KBSF KOOL iom v 1532002638530 static pt modelManual |||
Refrigerator Freezer Installation and Operation Manual **CAUTION PLEASE KEEP**
POWER SWITCH ON BEFORE OPERATING THE UNIT ATTENTION GARDEZ EN
BOUTON ALLUME AVANT D OPERER L UNITE Please read this manual completely before attempting to install or operate this equipment KBSR-1 **KBSF-1** KBSR-2 **KBSF-2** ...

lang:en score:36 filesize: 168.43 K page_count: 12 document date: 2015-04-21




[\[pdf\]](#) User Manual Installation Guide Instructions Specifications Guide Label

KOOLIT 2 View Manual Kool It KBSF 1 Parts Manuals Townv1partstown modelManual KOOL KBSR iom
v 1655476595920 Refrigerator Freezer Installation and Operation Manual TownView Manual Evaporator
fan motor s will run after all doors are completely closed 3 FREEZER Page 8 Kool Townv1v1partstown
srsltid AfmBOooZcGfXOJxYYUzyZQhm4EUMV8b4gtLeTzLSoEQx YQ7LyFVviU2partstown

Townv1KOOL iomv1partstown ca AfmBOoqM7j J2eeQDdE 2UVGXvqaT65vO1cKjcPkwppAgB42MTLSw
Ytpartstown |||

Refrigerator Freezer Installation and Operation Manual CAUTION PLEASE KEEP POWER SWITCH ON BEFORE OPERATING THE UNIT ATTENTION GARDEZ EN BOUTON ALLUME AVANT D OPERER L UNITE Please read this manual completely before attempting to install or operate this equipment KBSR-1 **KBSF-1** KBSR-2 KBSF-2 ...

lang:en score:28 filesize: 168.43 K page_count: 12 document date: 2015-04-21



[\[pdf\]](#) User Manual Specifications

KBSR 3 Guaranteed Parts Manual of Kool It guaranteedparts picture library |||

KBSR-3 No. MVP ITEM NO. 1 KB3449 Part Name ASSY DOOR RH BM

Specification SOLID DOOR R10_MVP 2 K ... TOM MID STS304 T4 130*80.7 KBSR-
KBSF Photo Bottom Mount Model Refrigerator KBSR-1 KBSR-2 KBSR-3 **KBSF-1**

Freezer KBSF-2 KBSF-3 1 1 2 1 1 2 1 1 1 1 1 2 3 1 2 3 1 1 1 1 1 2 ...

lang:it score:28 filesize: 4.32 M page count: 18 document date: 2025-03-05

Part Number	Part Name	Spec Number	Photo	Part Description	Part Type	Part Status	Part Availability	Part Count
KB3449	ASSY DOOR RH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3450	ASSYDOORLH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3451	SOLID DOOR BM	SOLID DOOR RH,LENS/DOOR		SOLID DOOR RH,LENS/DOOR		+	+	1
KB3456	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3457	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3458	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3459	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3479	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1

KBSR-KBSF

[pdf] User Manual Specifications

CINDY DAVIS KBSF 3 Guaranteed Parts Manual of Kool It kbsf guaranteedparts picture library ||| No. M VP ITEM NO. 1 KB3449 Part Name ASSY DOOR RH_BM Specification SOLID DOOR R10_MVP 2 KB3450 A ... 04 T4 130*80.7 KBSR-KBSF Photo Bottom Mount Model Refrigerator Freezer KBSR-1 KBSR-2 KBSR-3 **KBSF-1** KBSF-2 KBSF-3 1 1 2 1 1 2 1 1 1 1 1 1 2 3 1 2 3 1 1 1 1 1 1 2 1 1 2 ...

lang:it score:27 filesize: 2.2 M page_count: 17 document date: 2022-04-26

Part Number	Part Name	Spec Number	Photo	Part Description	Part Type	Part Status	Part Availability	Part Count
KB3449	ASSY DOOR RH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3450	ASSYDOORLH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3451	SOLID DOOR BM	SOLID DOOR RH,LENS/DOOR		SOLID DOOR RH,LENS/DOOR		+	+	1
KB3456	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3457	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3458	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3459	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3479	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1

KBSR-KBSF

KOOL-IT KBSR-KBSF Parts Catalog

Comprehensive parts catalog for KOOL-IT KBSR and KBSF refrigerator and freezer models, detailing components, specifications, and model applicability across various configurations.

lang:it score:27 filesize: 2.19 M page_count: 17 document date: 2022-04-26

Part Number	Part Name	Spec Number	Photo	Part Description	Part Type	Part Status	Part Availability	Part Count
KB3449	ASSY DOOR RH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3450	ASSYDOORLH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3451	SOLID DOOR BM	SOLID DOOR RH,LENS/DOOR		SOLID DOOR RH,LENS/DOOR		+	+	1
KB3456	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3457	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3458	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3459	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3479	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1

KBSR-KBSF

Kool-It KBSR-KBSF Series Parts Catalog and Identification Guide

Comprehensive parts catalog for Kool-It KBSR and KBSF series refrigeration units, detailing components, specifications, and model compatibility for efficient maintenance and repair.

lang:it score:27 filesize: 2.18 M page_count: 17 document date: 2022-04-26

Part Number	Part Name	Spec Number	Photo	Part Description	Part Type	Part Status	Part Availability	Part Count
KB3449	ASSY DOOR RH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3450	ASSYDOORLH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3451	SOLID DOOR BM	SOLID DOOR RH,LENS/DOOR		SOLID DOOR RH,LENS/DOOR		+	+	1
KB3456	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3457	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3458	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3459	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3479	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1

KBSR-KBSF

[pdf] Specifications Warranty

kool it signature kbsf 1 freezer reach in specsheet 2507038v19jf MVP KBSF Joe Harding

d1619pqyg4l7my cloudfont net img product 40 4034760c 1aba 4e74 9cfa 0f32928c0d2b |||

KBSF-1 SINGLE SOLID DOOR BOTTOM MOUNT FREEZER All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality. Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant has low Global Warming Potential ...

lang:en score:26 filesize: 349.73 K page_count: 2 document date: 2024-05-02

Part Number	Part Name	Spec Number	Photo	Part Description	Part Type	Part Status	Part Availability	Part Count
KB3449	ASSY DOOR RH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3450	ASSYDOORLH_BM	SOLID DOOR RH,BM		SOLID DOOR RH,BM		+	+	1
KB3451	SOLID DOOR BM	SOLID DOOR RH,LENS/DOOR		SOLID DOOR RH,LENS/DOOR		+	+	1
KB3456	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3457	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1
KB3458	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3459	ARMY Hinge BOTTOM/FM	ARMY Hinge BOTTOM/FM		ARMY Hinge BOTTOM/FM		+	+	1
KB3479	ARMY Hinge TOP/FM	ARMY Hinge TOP/FM		ARMY Hinge TOP/FM		+	+	1

KBSR-KBSF

Kool-It Refrigerator and Freezer Parts List

Comprehensive parts list for Kool-It refrigerators and freezers, detailing components for various models including KBSR and KBSF series. Find part names, specifications, and item numbers for easy identification and replacement.

lang:it score:26 filesize: 2.17 M page_count: 17 document date: 2022-04-26

KOOL-IT
Signature

KBSF-1
SINGLE SOLID DOOR
BOTTOM MOUNT FREEZER

All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality.

KEY FEATURES

- Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant. Has low Global Warming Potential (GWP). Meets all USA, California & Canada refrigerant & energy standards.
- Digital Control Digital temperature controls and display with automatic defrost system.
- High-Power Reliable Refrigeration System Easy pull down, optional interior air circulation and temperature control for food preservation.
- Standard LED Lighting System Ultra-bright LED interior light system provides optimal merchandise visibility.
- Double Self-Contained System Standard self-contained and self-contained compressor for an efficient bottom mount compressor.

Signature 40/80 Warranty
40 months on parts and labor
80 months on compressor (part only)

MVP GROUP

1010 Raymond Ave.
Torrance, CA 90509 USA
Telephone: 310.343.8000 / Toll Free: 888.275.4358
Fax: 310.343.3854 / Toll Free: 877.433.4832
www.mvpgroupcorp.com

[\[pdf\]](#) **Specifications Warranty**

KBSF 1 Specs Index of 2021 12 restaurantandmore |||

KBSF-1 SINGLE SOLID DOOR BOTTOM MOUNT FREEZER All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality. Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant has low Global Warming Potential ...

lang:en score:24 filesize: 318.69 K page_count: 2 document date: 2021-11-29

KOOL-IT
Signature

KBSF-1
SINGLE SOLID DOOR
BOTTOM MOUNT FREEZER

All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality.

KEY FEATURES

- Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant has low Global Warming Potential (GWP). Meets all USA, California & Canada refrigerant & energy standards.
- Digital Control Digital temperature controls and display with automatic defrost system.
- High-Power Reliable Refrigeration System Easy pull down, optional interior air circulation and temperature control for food preservation.
- Standard LED Lighting System Ultra-bright LED interior light system provides optimal merchandise visibility.
- Double Self-Contained System Standard self-contained and self-contained compressor for an efficient bottom mount compressor.

Signature 40/80 Warranty
40 months on parts and labor
80 months on compressor (part only)

MVP GROUP

1010 Raymond Ave.
Torrance, CA 90509 USA
Telephone: 310.343.8000 / Toll Free: 888.275.4358
Fax: 310.343.3854 / Toll Free: 877.433.4832
www.mvpgroupcorp.com

[\[pdf\]](#) **Specifications Warranty**

Specification SheetKool It Signature KBSF 1 26 Bottom Mount Single Solid Door Reach In F Maple Leaf Restaurant EquipmentKBSF Specscdn shopify s files 0091 3152 4151 Specs v 1737044089 |||

KBSF-1 SINGLE SOLID DOOR BOTTOM MOUNT FREEZER All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality. Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant has low Global Warming Potential ...

lang:en score:21 filesize: 349.73 K page_count: 2 document date: 2024-05-02

KOOL-IT

KBSR-1 / KBSF-1

Durable Design

- Stainless steel interior & exterior
- Strong, durable, heavy duty, PE coated wire shelves
- LED interior lighting
- Digital temperature display
- Door lock with keys
- Simple plug-in installation
- Oversized bottom mount compressor section

Superior Quality

- Self-closing door with stay open feature
- Self-closing magnetic vinyl gasket
- Open alert beeps when has been open for 3 minutes
- Front mounted compressor
- Front mounted condenser for quick cooling and greater efficiency
- Bottom mount compressor provides energy savings and ease of service

Energy Efficient

- Designed for mobility, reliability & efficiency in commercial kitchens
- Continuous monitoring energy star guaranteeing quality standards and energy efficiency
- 4" swivel casters with 2 front brakes
- Easy grip handle
- Door lock system
- Automatic defrost system
- Digital temperature control system
- Accommodates full-size bun sheet pans
- Door lock with keys
- Internal storage capacity in 205 cu. ft
- Compressor - 1/3 HP
- Freezer - 1/2 HP
- High efficiency - Refrigerator - 39°F to -39°F / Freezer 5°F to -94°F

Project Name: _____
Location: _____
Item: _____
Model: _____

Tel: 314.737.8700 / Toll Free: 888.275.4358
Fax: 314.342.3854 / Toll Free: 877.433.4832
www.mvpgroupcorp.com

MVP GROUP

[\[pdf\]](#)

Kool it KBSR 1 KBSF MVP Group Corp Self closing door with stay open feature Seals tight magnetic vinyl gasket Open alert beeps when has been for 3 minutes mvpgroupcorp 2016 02 |||

KBSR-1 / KBSF-1 Durable Design - Stainless steel interior exterior - 3 height adjustable, heavy duty, PE coated wire shelves - LED interior lighting - Digital temperature display - Door lock with keys - Simple plug-in installation - Oversized bottom mount compressor section Single Door Series R...

lang:en score:20 filesize: 2.18 M page_count: 2 document date: 2016-05-12

KOOL-IT
Signature

KBSF-1
SINGLE SOLID DOOR
BOTTOM MOUNT FREEZER

All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality.

KEY FEATURES

- Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant. California & Canada refrigerant standards.
- Digital Control Digital temperature controls and display with automatic defrost controls.
- High Power Reliability Refrigeration system pull down, optional internal air circulation and optional external air circulation for food preservation.
- Ultra-quiet LED Lighting System Ultra-bright LED interior light (LED alternative to incandescent) LED lighting provides even illumination.
- Double Self-contained System Standard sheet exterior and interior, control evaporator and air circulation bottom compressor.

Signature 40/89 Warranty
40 months parts and labor
89 months on compressor (not apply)

MVP GROUP

1000 Appliance Ave.
Westmont, IL 60559 USA
Phone: 844-218-4687 Fax: 844-218-4688
Email: info@mvpgroupcorp.com www.mvpgroupcorp.com

[pdf] Specifications Warranty

Kool It Signature KBSF 3 Upright Bottom Mount Freezer Ancaster Food Equipment 1 Specs v 1719329900 cdn shopify s files 0676 7565 2318 |||

KBSF-1 SINGLE SOLID DOOR BOTTOM MOUNT FREEZER All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality. Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant has low Global Warming Potential ...

lang:en score:20 filesize: 370.86 K page_count: 2 document date: 2024-05-02

KOOL-IT

Refrigerator & Freezer
Bottom Mount Compressor
Single Door Series
KBSR-1 | KBSF-1

Durable Design

- Stainless steel interior & exterior
- Coated evaporator coil
- 3 height adjustable shelves
- 120° interior lighting
- Digital temperature display
- Door lock with key
- Adjustable temperature
- Door vent with filter
- Self-closing door with stay open feature
- Seals tight with magnetic vinyl gasket
- Open door alert beeper when door has been open for 3 minutes.
- Large capacity & condenser for quick cooling and greater efficiency
- Bottom mount compressor provides energy savings and ease of service

Energy Efficient

- Self-closing door with stay open feature
- Seals tight with magnetic vinyl gasket
- Open door alert beeper when door has been open for 3 minutes.
- Large capacity & condenser for quick cooling and greater efficiency
- Bottom mount compressor provides energy savings and ease of service

Superior Quality

- Designed for reliability & efficiency in commercial kitchens
- Certified with ETL & Energy Star guaranteeing quality standards and energy efficiency
- 4" service casters with 2 front swivel
- Top vent
- Extruded self-contained system
- Adjustable temperature
- Digital controlled temperature system
- Adjustable temperature and parts
- Easy adjustable shelf height
- Interior light with 120° angle
- NEMA 5-15 plug
- 1/4 HP defrost
- Compressor defroster - 1/4 HP. Freezer - 1/2 HP. Holding temperature: 0°F to 21°F

Project Name:
Location:
Phone:
Email:
Model:

06-2019

MVP GROUP

1000 Appliance Ave.
Westmont, IL 60559 USA
Phone: 844-218-4687 Fax: 844-218-4688
Email: info@mvpgroupcorp.com www.mvpgroupcorp.com

[pdf] Specifications

Specifications Kool It Signature Commercial 27 Single Door Reach In Freezer Bo Appliance Guys 2 ac039f0c 6af4 4911 9567 addc365706d1 v 1658773096 cdn shopify s files 1 0645 0767 4848 |||

Durable Design Stainless steel interior exterior Coated evaporator coil 3 height adjustable, he ... ible with kit # KB-BLHK Refrigerator Freezer Bottom Mount Compressor Single Door Series KBSR-1 **KBSF-1** Energy Efficient Self-closing door with stay open feature Seals tight with magnetic vinyl ga...

lang:en score:20 filesize: 7.73 M page_count: 2 document date: 2019-07-05

KOOL-IT

FEBRUARY 2021 PRICE LIST

MVP GROUP

786-600-4687 844-218-4687 MVPGROUPCORP.COM
786-661-4700 SALES@mvpgroupcorp.com

KOOL-IT February 2021 Price List - Commercial Refrigeration

Official February 2021 price list for KOOL-IT commercial refrigeration units. Browse upright refrigerators and freezers, prep tables, chef bases, undercounter units, open air merchandisers, display cases, and more. Includes product specifications, model numbers, and pricing.

lang:en score:20 filesize: 5.18 M page_count: 5 document date: 2021-01-10

Kool-It Signature

KBSF-1
SINGLE SOLID DOOR
BOTTOM MOUNT FREEZER

All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality.

KEY FEATURES

- Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant, California & Canada refrigerant & ozone friendly
- Digital Control Digital temperature controls display with illuminated digital panel
- High Power Reliability Refrigeration system Full frost defrost, optional remote air circulation and optional remote condenser coil for food preservation
- Wireless LCD Display System Ultra bright LCD display screen with LED illumination for remote monitoring and control available
- Double Self-contained Systems Standard sheet defrost and remote, control evaporator and air circulation system with remote condenser

Signature 40/80 Warranty
40 months parts & labor
80 months on compressor (not apply)

MVP GROUP

4000 Executive Park Ave.
Herndon, VA 20171 USA
Phone: 800.271.4539
Fax: 514.242.3847 / Toll Free: 877.433.8822
info@mvpgroup.com / www.mvpgroup.com

[pdf] Specifications Warranty

SPEC SHEET Kool It KGR 52 Double Glass Door Merchandiser Refrigerator Pizza Solutions KBSF1cdn shopify s files 1 0549 2958 8446 KBSF1 v 1654707238 Solutions Kool Signature KBSF 2 DOUBLE SOLID DOOR BOTTOM MOUNT FREEZER KBSF Specscdn 1654707238cdn 0379 1801 5627 Specs 1704353106 SHEET Spec Sheet Kool Commercial Kitchen Freezer USA Equipment Direct Kool Specs KBSF 1654707238usaequipmentdirect assets images ||| ||| KBSF-1 SINGLE SOLID DOOR BOTTOM MOUNT FREEZER All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality. Eco-Friendly Refrigerant Environmentally friendly R290 ||| KBSF-1 SINGLE SOLID DOOR BOTTOM MOUNT FREEZER All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality. Eco-Friendly Refrigerant Environmentally friendly R290

KBSF-1 SINGLE SOLID DOOR BOTTOM MOUNT FREEZER All-stainless steel construction, heavy-duty refrigeration system that delivers reliable and efficient cold storage with superior quality. Eco-Friendly Refrigerant Environmentally friendly R290 hydrocarbon refrigerant has low Global Warming Potential ...

lang:en score:20 filesize: 318.69 K page_count: 2 document date: 2021-11-29

Kool-It

FEBRUARY 2021 PRICE LIST

514-297-9701 800-271-4539 12 WORLDSERVICES.COM
877-433-8822 877-433-8822
info@mvpgroup.com www.mvpgroup.com

Kool-It February 2021 Price List - Commercial Refrigeration Equipment

Official February 2021 price list for Kool-It commercial refrigeration equipment, including upright refrigerators and freezers, prep tables, chef bases, undercounter units, and display cases. Provided by MVP Group Corp.

lang:en score:19 filesize: 6.71 M page_count: 5 document date: 2021-01-10

Kool-It

KTSR-1
Refrigerator & Freezer
Bottom Mount Compressor
Single Door Series

Durable Design

- Stainless steel interior & exterior
- Coated evaporator coil
- 150mm thick insulation
- 100% heavy duty PE coated wire shelves
- Door lock
- Digital temperature display
- Door alarm
- Simple plug-in installation
- Compressor with remote compressor section
- Door swing is field reversible with kit # KB-82-9K

Energy Efficient

- Self-closing door with stay open feature
- Full frost defrost system
- Open door alert beeper when door has been open for 2 minutes
- Door alarm
- Large evaporator & condenser for quick cooling and greater efficiency
- Thermal insulation provides energy savings and low of noise

Superior Quality

- Designed for mobility, reliability & efficiency in commercial kitchens
- Certified with ETL & Energy Star guaranteeing quality standards and energy efficiency
- 4" service casters with 2 front brakes
- Easy to clean
- Entirely self-contained system
- Adjustable temperature control
- Digital controlled temperature system
- Adjustable wire shelves
- Easy adjustable shelf height
- Universal door swing (left or right)
- NEMA 5-15 plug
- 1/4 HP compressor
- Compressor (Refrigerant - 1/4 HP / Freezer - 1/2 HP Holding temperature: Refrigerant 23°F to 40°F / Freezer 17°F to 44°F)

Project Name: _____
Address: _____
Item: _____ Qty: _____
Model: _____

09-2019

4000 Executive Park Ave.
Herndon, VA 20171 USA
Phone: 800.271.4539
Fax: 514.242.3847 / Toll Free: 877.433.8822
info@mvpgroup.com / www.mvpgroup.com

MVP GROUP

[pdf] Specifications

Kool It KTSR 1 26 Top Mount Solid Door Reach In Refrigerator — Nella Online KBSF 1cdn shopify s files 1204 5544 KBSR 9607 Spec Sheet Kool it 27 Single Freezer Bottom Kitchenall Kool Onlinev1 KBSR 1 kitchenallcdn content kool kbsf kbsr series specsheetscdn Compressor Series Spec Sheet Self closing door with stay open feature Seals tight magnetic vinyl gasket Open alert beeps when has been for 3 minutes Kool Onlinev1v1 KBSR 1 seikous product mvp speec sheet srstid AfmBOoq8PBLd7qYod7kQYgxzim S5pKx2ksJEFRb RR5kjld7hlwni13 kitchenall Sheet View Self Kitchenall Kool IT Freezer One Section 18 9cu ft Capacity Field Reversible Locking Stainless Steel Seiko Kool Onlinev1v1 kbsf sheet KBSR specsheets seikous sheetcdn |||

Durable Design Stainless steel interior exterior Coated evaporator coil 3 height adjustable, he ... bble with kit # KB-BLHK Refrigerator Freezer Bottom Mount Compressor Single Door Series KBSF-1 **KBSF-1** Energy Efficient Self-closing door with stay open feature Seals tight with magnetic vinyl ga...

lang:en score:19 filesize: 7.73 M page_count: 2 document date: 2019-07-05



[\[pdf\] Price List](#)

KOOL IT PRICE LIST CAD 2019 indd NEW FILE REFRIGERATION mvpgroupcorp 2020 09 |||
2019 PRICE LIST 514-737-9701 TOLL FREE: 888-275-4538 FAX: 514-342-3854
MVPGROUPCORP.COM SALES M ... glass door * - Voltage : 115/60/1 208-
230/60/1, 4 wire NEMA-5-15P *KBSR-1 6,460 KBSR-1G 7,790 ***KBSF-1** 7,300
*KBSR-2 8,670 KBSR-2G 11,330 *KBSF-2 11,010 *NEMA-L14-20P *KBSR-3 12,970
*KBSF-3...

lang:en **score:19** filesize: 4.44 M page_count: 5 document date: 2020-09-28



[\[pdf\] Specifications Warranty Price List](#)

KOOL IT USA mvpgroupcorp 80 pricelist US Price List Back Bars MVP Group Corp |||
Page 8 back cover w models in warranty chart FOB Plattsburgh, Teterboro, NJ NY
Miami, FL ge 6 KGH, KGL, KGV L, KGV h, Teterboro, NJ NY Miami, FL need to in-
Page rranty chart over 2015 Price List Commercial Refrigeration MVP Group
Corporation Head Offices: 5659 Royalmount Ave., Montreal...

lang:en **score:18** filesize: 698.84 K page_count: 4 document date: 2016-06-01



[\[pdf\] Specifications Price List](#)

KOOL IT CANADA mvpgroupcorp 80 pricelist Canada Price List Back Bars MVP Group Corp |||
L, KGV h, Teterboro, NJ NY Miami, FL need to in-Page rranty chart over JUNE 2016
Price List Commercial Refrigeration MVP Group Corporation 5659 Royalmount Ave.,
Montreal, Qc, Canada H4P 2P9 TEL: 514 737-9701 TOLL FREE: 888 275-4538 FAX:
514 342-3854 TOLL FREE FAX: 877 453-8832 mvpgro...

lang:en **score:18** filesize: 943.91 K page_count: 4 document date: 2016-05-25

KOOL-IT

JULY 2019
PRICE LIST

MVP 786-600-4687
786-218-8477
786-661-4100
MVPGROUPCORP.COM
SALES@MVPGROUPCORP.COM

**ISO 9001
ISO 14001
ASME
NSF**

[\[pdf\] Price List](#)

JULY 2019 PRICE LIST KOOL IT USA July mvpgroupcorp 07 |||

JULY 2019 PRICE LIST 786-600-4687 TOLL FREE: 844-218-8477 FAX: 786-661-4100 MVPGROUPCORP.COM SA ... glass door * - Voltage : 115/60/1 208-230/60/1, 4 wire NEMA-5-15P *KBSR-1 4,730 KBSR-1G 5,640 ***KBSF-1** 5,350 *KBSR-2 6,360 KBSR-2G 8,290 *KBSF-2 8,080 *NEMA-L14-20P *KBSR-3 9,510 *KBSF-3* ...

lang:en **score:18** filesize: 9.01 M page_count: 8 document date: 2019-06-21

KOOL-IT

2019
PRICE LIST

MVP 514-737-9701
514-275-4338
514-342-3854
SALES@MVPGROUPCORP.COM

**ISO 9001
ISO 14001
ASME
NSF**

[\[pdf\] Price List](#)

KOOL IT PRICE LIST CAD 2019 indd mvpgroupcorp 2020 07 |||

2019 PRICE LIST 514-737-9701 TOLL FREE: 888-275-4538 FAX: 514-342-3854 MVPGROUPCORP.COM SALES M ... glass door * - Voltage : 115/60/1 208-230/60/1, 4 wire NEMA-5-15P *KBSR-1 6,460 KBSR-1G 7,790 ***KBSF-1** 7,300 *KBSR-2 8,670 KBSR-2G 11,330 *KBSF-2 11,010 *NEMA-L14-20P *KBSR-3 12,970 *KBSF-3...

lang:en **score:18** filesize: 7.32 M page_count: 8 document date: 2020-02-21

KOOL-IT

MARCH 1, 2020
PRICE LIST

MVP 786-600-4687
786-218-8477
786-661-4100
MVPGROUPCORP.COM
SALES@MVPGROUPCORP.COM

**ISO 9001
ISO 14001
ASME
NSF**

[\[pdf\] Price List](#)

KOOL IT PRICE LIST USA March 2020 mvpgroupcorp 03 |||

MARCH 1, 2020 PRICE LIST 786-600-4687 TOLL FREE: 844-218-8477 FAX: 786-661-4100 MVPGROUPCORP.CO ... glass door * - Voltage : 115/60/1 208-230/60/1, 4 wire NEMA-5-15P *KBSR-1 4,730 KBSR-1G 5,640 ***KBSF-1** 5,350 *KBSR-2 6,360 KBSR-2G 8,290 *KBSF-2 8,080 *NEMA-L14-20P *KBSR-3 9,510 *KBSF-3* ...

lang:en **score:18** filesize: 7.86 M page_count: 8 document date: 2020-02-21

Part Number	Part Name	Item Number	Price	Unit	Approximate Weight	Approximate Volume	Approximate Dimensions
K00248	KOOL DOOR SW_BM	SOLO DOOR SW_BM					
K00249	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00251	ASSY DOOR SW	SOLO DOOR SW					
K00258	ASSY DOOR TOP_BM	SOLO DOOR TOP_BM					
K00259	ASSY DOOR TOP_BM	SOLO DOOR TOP_BM					
K00260	ASSY DOOR BOTTOM	SOLO DOOR BOTTOM					
K00261	ASSY DOOR BOTTOM	SOLO DOOR BOTTOM					
K00262	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00263	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00264	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00265	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00266	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00267	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00268	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00269	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00270	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00271	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00272	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00273	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00274	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00275	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00276	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00277	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00278	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00279	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00280	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00281	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00282	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00283	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00284	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00285	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00286	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00287	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00288	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00289	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00290	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00291	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00292	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00293	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00294	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00295	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00296	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00297	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00298	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00299	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00300	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00301	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00302	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00303	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00304	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00305	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00306	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00307	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00308	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00309	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00310	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00311	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00312	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00313	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00314	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00315	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00316	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00317	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00318	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00319	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00320	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00321	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00322	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00323	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00324	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00325	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00326	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00327	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00328	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00329	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00330	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00331	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00332	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00333	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00334	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00335	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00336	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00337	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00338	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00339	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00340	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00341	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00342	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00343	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00344	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00345	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00346	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00347	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00348	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00349	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00350	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00351	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00352	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00353	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00354	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00355	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00356	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00357	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00358	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00359	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00360	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00361	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00362	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00363	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00364	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00365	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00366	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00367	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00368	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00369	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00370	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00371	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00372	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00373	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00374	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00375	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00376	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00377	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00378	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00379	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00380	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00381	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00382	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00383	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00384	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00385	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00386	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00387	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00388	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00389	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00390	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00391	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00392	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00393	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00394	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00395	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00396	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00397	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00398	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00399	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00400	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00401	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00402	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00403	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00404	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00405	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00406	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00407	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00408	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00409	ASSY DOOR SW_BM	SOLO DOOR SW_BM					
K00410	ASSY DOOR SW_BM	SOLO DOOR SW_BM					</td

Durable Design

- Stainless steel interior & exterior
- Coated evaporator coil
- 3 height adjustable, heavy duty, PE coated wire shelves
- LED interior lighting
- Door lock with key
- Door self-closing system
- Simple plug in installation
- Door swing in field reversible with kit # KB-BLHK

Energy Efficient

- Self-closing door with stay open feature
- Seals tight with magnetic vinyl ga...
- Open door alert beeps when door has been open for 3 minutes.
- Large evaporative condenser for quick cooling and greater efficiency
- Bottom mount compressor provides energy savings and ease of service

Superior Quality

- Designed for mobility, reliability & efficiency in commercial kitchens
- Certified with ETL & Energy Star performance quality standards and energy efficiency
- 4 series colors with front handle
- Easy grip handle
- Digitally controlled temperature system
- Accommodates full-size bun & sheet pans
- Internal storage capacity is 18 cu. ft.
- 8-200伏特 Refrigerator
- Compressor 230V 39°F / 18°F Freezer - 1/2 HP Holding temperature: Refrigerator 39°F to 39°F / Freezer 19°F to -9°F



Single Door Series
Refrigerator & Freezer
Bottom Mount Compressor
KBSR-1 | KBSF-1

Project Name: _____

Item: _____ Qty: _____

Model: _____

Project Name: _____

Item: _____ Qty: _____

Model: _____

IEC
Inertek
Intertek
Intertek Group

1010 Woodward Ave.
Bldg. 100, Suite 1000
Montvale, NJ 07645 USA
Tel: 973.270.1200 | Fax: 973.270.4538
Email: salesgroupcorp.com | mvpgroupcorp.com

12-2020

IEC
Inertek
Intertek
Intertek Group

1010 Woodward Ave.
Bldg. 100, Suite 1000
Montvale, NJ 07645 USA
Tel: 973.270.1200 | Fax: 973.270.4538
Email: salesgroupcorp.com | mvpgroupcorp.com

12-2020

Durable Design

- Stainless steel interior & exterior
- Coated evaporator coil
- 3 height adjustable, heavy duty, PE coated wire shelves
- LED interior lighting
- Door lock with key
- Door self-closing system
- Simple plug in installation
- Door swing in field reversible with kit # KB-BLHK

Energy Efficient

- Self-closing door with stay open feature
- Seals tight with magnetic vinyl ga...
- Open door alert beeps when door has been open for 3 minutes.
- Large evaporative condenser for quick cooling and greater efficiency
- Bottom mount compressor provides energy savings and ease of service

Superior Quality

- Designed for mobility, reliability & efficiency in commercial kitchens
- 4 series colors with front handle
- Easy grip handle
- Digitally controlled temperature system
- Accommodates full-size bun & sheet pans
- Easy adjustable shelf height
- Internal storage capacity is 18 cu. ft.
- 8-200伏特 Refrigerator
- Compressor 230V 39°F / 18°F Freezer - 1/2 HP Holding temperature: Refrigerator 39°F to 39°F / Freezer 19°F to -9°F



Single Door Series
Refrigerator & Freezer
Bottom Mount Compressor
KBSR-1 | KBSF-1

Project Name: _____

Item: _____ Qty: _____

Model: _____

Project Name: _____

Item: _____ Qty: _____

Model: _____

IEC
Inertek
Intertek
Intertek Group

1010 Woodward Ave.
Bldg. 100, Suite 1000
Montvale, NJ 07645 USA
Tel: 973.270.1200 | Fax: 973.270.4538
Email: salesgroupcorp.com | mvpgroupcorp.com

07-2020

IEC
Inertek
Intertek
Intertek Group

1010 Woodward Ave.
Bldg. 100, Suite 1000
Montvale, NJ 07645 USA
Tel: 973.270.1200 | Fax: 973.270.4538
Email: salesgroupcorp.com | mvpgroupcorp.com

07-2020

KOOL-IT® Signature

CAUTION
PLEASE KEEP POWER SWITCH ON BEFORE OPERATING THE UNIT

ATTENTION!
GARDEZ EN BOUTON ALLUME AVANT D OPERER L UNITE

Please read this manual completely before attempting to install or operate this equipment!

IMPORTANT SAFETY INSTRUCTIONS

R0109-162




1010 Woodward Ave.
Bldg. 100, Suite 1000
Montvale, NJ 07645 USA
Tel: 973.270.1200 | Fax: 973.270.4538
Email: salesgroupcorp.com | mvpgroupcorp.com

For service call 1-800-270-4538

2460 10th Street, Suite 100
Miami Lakes, FL 33166 USA
Tel: 305.235.9702 | Fax: 305.235.4477
Email: service@mvpgroupcorp.com

[\[pdf\]](#)

KBSR1 KBSF1 spec ai KBSR 1 KBSF SERIES DEC 2020 mvpgroupcorp 12 |||

Durable Design Stainless steel interior exterior Coated evaporator coil 3 height adjustable, h ... able with kit # KB-BLHK Single Door Series Refrigerator Freezer Bottom Mount Compressor KBSR-1 **KBSF-1** Energy E cient Self-closing door with stay open feature Seals tight with magnetic vinyl ga...

lang:en **score:16** filesize: 6.44 M page_count: 2 document date: 2020-12-15

[\[pdf\]](#)

KBSR1 KBSF1 spec ai KBSR 1 KBSF mvpgroupcorp 2020 07 |||

Durable Design Stainless steel interior exterior Coated evaporator coil 3 height adjustable, h ... able with kit # KB-BLHK Single Door Series Refrigerator Freezer Bottom Mount Compressor KBSR-1 **KBSF-1** Energy E cient Self-closing door with stay open feature Seals tight with magnetic vinyl ga...

lang:en **score:16** filesize: 5.94 M page_count: 2 document date: 2020-07-08

[\[pdf\]](#) User Manual Installation Guide Instructions Specifications Guide

KOOLIT 2 Kool It KBSR 3 Reach In Refrigerator 72 Cu Ft Silver B2081245O static globalindustrial products 22766 mvp group |||

Refrigerator Freezer Installation and Operation Manual **CAUTION PLEASE KEEP POWER SWITCH ON BEFORE OPERATING THE UNIT ATTENTION GARDEZ EN BOUTON ALLUME AVANT D OPERER L UNITE** Please read this manual completely before attempting to install or operate this equipment KBSR-1 **KBSF-1** KBSR-2 KBSF-2 ...

lang:en **score:15** filesize: 1.78 M page_count: 12 document date: 2021-10-19

[pdf]

Sizemore Taylor CenterPoint CHEF QPL 2024 Customer 03 25 FREEZERS centerpointenergy en us
Documents Program |||

Freezers v.2024 ENERGY STAR Unique ID 2405029 2405768 2405035 2406386
2405051 3387993 2402415 240241 ... HC LTF23 HC LTF23 R2 KCHGM48F
KCHRI27R1DFE KCHRI27R2HDF KCHRI54R2DFE KCCF140WH KCCF170WH
KCCF210WH **KBSF-1** KBSF-2 KBSF-3 KTSF-1 KTSF-2 KTSF-3 MCF-23FDHC
MCF-49FDHC MCF-72FDHC MCFT-23FDHC MCFT-49FDHC M...

lang:de score:14 filesize: 36.66 K page_count: 6 document_date: 2024-08-19

CenterPoint Energy CHEF Program Qualified Freezer List

List of ENERGY STAR certified commercial high-efficiency foodservice freezers participating in the CenterPoint Energy CHEF Program, including model details and incentive amounts.

lang:da score:13 filesize: 125.73 K page count: 13 document date: 2021-02-22



[\[pdf\]](#)

KOOL IT KSB gafar Spec Sheet KBSF 1 Single Solid Door Reach In Freezer Bottom Mount Restaurant
And More Wholesale Supplies Foodservice Equipment KBSR restaurantandmore 2020 05 |||

1

lang:da score:11 filesize: 390.16 K page_count: 2 document date: 2020-05-30



[pdf]

Hector Lefbad schussid@energy solution Freezers pse media REBATES Commercial Foodservice Equipment sc lang en rev 5d6b37900d12495e86a43593ad2bfc4b modified 20240318211145 hash 1766870060A92108666F5A73A264519A |||

Updated February 2024 QUALIFIED PRODUCTS LIST: FREEZERS commercial products only Manufacturer AC ... WH KCCF170WH KCCF210WH KCHGM48F KCHRI27R1DFE KCHRI27R2HDF KCHRI54R2DFE KCHUC48F KCHUCWT48F BD-100CT **KBSF-1** KBSF-2 KBSF-3 KTSF-1 Volume cu. ft. 13.86 14.07 14.07 21.59 21.43 21.59 21.46 46.82 46.5 4...

lang:i-klingon score:10 filesize: 186.66 K page_count: 8 document date: 2024-03-07

[\[pdf\]](#)

Hector Lefbad schussid@energy solution Commercial freezers pse media REBATES Foodservice Equipment |||

QUALIFIED PRODUCTS LIST: FREEZERS commercial only Manufacturer
ACCUCOLD ACCUCOLD ACCUCOLD ACCUCOL ... WH KCCF170WH
KCCF210WH KCHGM48F KCHRI27R1DFE KCHRI27R2HDF KCHRI54R2DFE
KCHUC48F KCHUCWT48F BD-100CT **KBSF-1** KBSF-2 KBSF-3 KTSF-1 KTSF-2
KTSF-3 KUTF1SS KUTF2SS** GFT50S2HC MCF-23FDHC MCF-49FDHC MCF-
72FD...

lang:i-klingon score:10 filesize: 185.55 K page_count: 8 document date: 2023-12-29

[\[pdf\]](#)

2024 Q2 PSE CFS QPLs v2.xlsx Shayna Choulet Freezers pse media REBATES Commercial
Foodservice Equipment sc lang en rev 7a250fd04d6941bb8c900f22629538bd modified 20240628191731
hash 9A253D6E2D3BB4F72C69AE6E9C7C2EFB |||

QUALIFIED PRODUCTS LIST: FREEZERS commercial only Manufacturer
ACCU COLD ACCU COLD ACCU COLD ACCU COL ... WH KCCF170WH
KCCF210WH KCHGM48F KCHRI27R1DFE KCHRI27R2HDF KCHRI54R2DFE
KCHUC48F KCHUCWT48F BD-100CT **KBSF-1** KBSF-2 KBSF-3 KTSF-1 KTSF-2
KTSF-3 KUTF1SS KUTF2SS** GFT50S2HC MCF-23FDHC MCF-49FDHC MCF-
72FD...

lang:i-klingon score:10 filesize: 561.56 K page_count: 8 document date: 2024-06-27

[pdf]

PSE FS Instant Rebates QPL Q4 2022 xlsx schoulet Commercial freezers Foodservice Equipment Incentives nec media PERATES as long as modified 20221220202020 hash

F086700AE10084BCDFFBEEA81B00CEAE III

Freezers - Qualifying Products | Update

Accucold Accucold Accuco ... Forty Minus Forty Minus Forty Minus Forty Model Number Volume cu. ft. Door Type BD-100CT 3.46 **KBSF-1** 18.62 KBSF-2 41.83 KBSF-3 65.2 KTSF-1 19.04 KTSF-2 42.52 KTSF-3 66.11 GFB19S1HC ...
lang:es **score:10** filesize: 1.1 M page_count: 13 document date: 2022-12-30