

Kool-It KGM-13

Kool-It KGM-13 Refrigerated Merchandiser User Manual

Model: KGM-13

Brand: Kool-It

INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your Kool-It KGM-13 Single Door Refrigerated Merchandiser. Please read this manual thoroughly before operating the unit and retain it for future reference. The KGM-13 offers 11.6 cubic feet of refrigerated display space, featuring a modern design, double-pane glass door, and precise digital temperature control.

SAFETY INFORMATION

Always follow basic safety precautions when using this appliance to reduce the risk of fire, electric shock, or injury. This unit uses R290a refrigerant, which is flammable. Ensure proper ventilation and avoid ignition sources. This product can expose you to chemicals including Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

- **Electrical Safety:** Ensure the unit is connected to a properly grounded electrical outlet with the correct voltage (115V). Do not use extension cords.
- **Ventilation:** Maintain adequate clearance around the unit for proper airflow and heat dissipation.
- **Flammable Materials:** Do not store explosive substances or flammable materials inside or near the unit.
- **Children:** Keep children away from the appliance.

UNPACKING AND SETUP

Unpacking

1. Carefully remove all packaging materials, including tape and protective film.
2. Inspect the merchandiser for any shipping damage. Report any damage immediately to the carrier.
3. Remove all internal packing materials, shelves, and accessories.

Placement

Place the merchandiser on a firm, level surface capable of supporting its weight when fully loaded. Ensure the unit is

not exposed to direct sunlight or placed near heat-generating appliances. Allow at least 4 inches of clearance from walls and other objects for proper ventilation of the condenser unit.

Initial Cleaning

Before first use, clean the interior and exterior of the merchandiser with a mild detergent and warm water. Rinse thoroughly and dry completely. Ensure the unit is completely dry before plugging it in.



Image: The Kool-It KGM-13 Single Door Refrigerated Merchandiser, black exterior with a glass door, showcasing its sleek design.

OPERATING INSTRUCTIONS

Power Connection

Plug the merchandiser into a dedicated 115V, 60Hz, 15A grounded electrical outlet. Avoid using multi-outlet adapters or extension cords.

Temperature Control

The unit is equipped with a digital thermostat and LED display for precise temperature control. The recommended operating temperature range for optimum preservation of foods and beverages is 33-41°F (0.5-5°C). Refer to the digital display to monitor the internal temperature. Consult the separate digital controller manual (if provided) for detailed instructions on setting and adjusting the temperature.

Loading the Merchandiser

Arrange products on the adjustable wire shelves, ensuring not to block the internal airflow vents. Overloading the unit or blocking airflow can impair cooling efficiency. Allow sufficient space between items for proper air circulation.

MAINTENANCE

Regular Cleaning

- **Interior:** Clean the interior surfaces and shelves regularly with a mild, non-abrasive detergent and warm water. Rinse with clean water and dry thoroughly to prevent odors and maintain hygiene.
- **Exterior:** Wipe down the black baked enamel steel exterior with a soft cloth and mild cleaner. Avoid abrasive cleaners that may damage the finish.
- **Glass Door:** Use a glass cleaner for the double-pane glass door to ensure clear visibility.

Condenser Coil Cleaning

The condenser coils should be cleaned every 3-6 months, or more frequently in dusty environments. Accumulated dust and debris on the coils can reduce cooling efficiency and increase energy consumption. Disconnect power before cleaning. Use a stiff brush or vacuum cleaner to remove dust from the condenser fins.

Gasket Inspection

Regularly inspect the magnetic door gaskets for cracks, tears, or signs of wear. Damaged gaskets can lead to air leaks, reducing efficiency. Clean gaskets with warm, soapy water to maintain their flexibility and sealing ability.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit not cooling	No power; Thermostat set too high; Dirty condenser coils; Door not sealing properly	Check power supply/breaker; Adjust thermostat; Clean condenser coils; Inspect/clean door gaskets
Excessive noise	Unit not level; Fan obstruction; Loose components	Level the unit; Check for obstructions around fan; Contact service if noise persists
Door not closing/sealing	Gasket dirty/damaged; Unit not level; Obstruction	Clean/replace gasket; Level the unit; Remove any obstructions

Problem	Possible Cause	Solution
Water on floor/inside	Drain line clogged; Excessive humidity; Door left open	Clear drain line; Ensure proper ventilation; Close door promptly

SPECIFICATIONS

- **Model:** KGM-13
- **Capacity:** 11.6 Cubic Feet
- **Product Dimensions (D x W x H):** 23.8" x 22.7" x 78"
- **Weight:** 176 Pounds
- **Color:** Black
- **Voltage:** 115 Volts
- **Number of Doors:** 1
- **Refrigerant:** R-290
- **Defrost System:** Automatic
- **Manufacturer:** MVP Group




Image: The Kool-It KGM-13 Refrigerated Merchandiser with key dimensions (78" height, 23.8" depth, 22.7" width) indicated.


WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation provided at the time of purchase or contact your authorized Kool-It dealer or the manufacturer directly. Ensure you have your model number (KGM-13) and serial number ready when contacting support.

© 2024 Kool-It. All rights reserved.

Related Documents


	KOOL-IT Glass Door Coolers: Specifications and Features Comprehensive guide to KOOL-IT Glass Door Coolers, featuring detailed specifications for Sliding Door and Swing Door series. Includes information on durable design, energy efficiency, superior quality, and model dimensions for commercial use.
	Kool-It Upright Display Cooler Instruction Manual Comprehensive instruction manual for Kool-It Upright Display Coolers, covering safety precautions, usage, cleaning, troubleshooting, and technical specifications.
	KOOL-IT KBSF-3 Signature Triple Solid Door Bottom Mount Freezer - Technical Specifications Detailed technical specifications, key features, dimensions, refrigeration performance, electrical requirements, and contact information for the KOOL-IT KBSF-3 Signature triple solid door bottom mount freezer.
	Kool-It February 2021 Price List - Commercial Refrigeration Equipment Official February 2021 price list for Kool-It commercial refrigeration equipment, including upright refrigerators and freezers, prep tables, chef bases, undercounter units, and display cases. Provided by MVP Group Corp.



[pdf] Label

CINDY DAVIS kgm 13 guaranteedparts picture library Kool It |||

KGM-13 LABEL NO. EXPLODED VIEW 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45
MVP ITEM NO. 1130735 113K042 1131832 1137574 1131379 1137609 1131353 1131357 1131359 1130009B 1131337 1131348 1132372 1131864 1131305 1130...
lang:en score:23 filesize: 460.57 K page_count: 2 document date: 2022-04-25



[pdf] Specifications Borchure


1 Glass door collers brochure june 25 Spec Sheet Kool It KGM 13 23 Door Merchandiser Refrigerator 12 Cu Ft Kitchenall kgm specsheet kitchenall cdn content kool it |||

Glass Door Coolers SWING DOOR SERIES Durable Design Modern attractive appearance for any kitchen, ... onic thermostatic control LED interior lighting for total product display ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT KGM-7 **KGM-13** KGM-23 KGM-36 KGM...
lang:en score:21 filesize: 12.62 M page_count: 1 document date: 2020-09-10

[pdf] Specifications Warranty

KGM 13 23 KSM 36 42 50 HI RES KOOL IT is a registered trademark of MVP Group Specifications subject to 27 6 x31 1 x81 44 5 x28 3 x79 36°F 43°F 115V v1mcdonaldpaper media srslltd
AfmBOOpjTPsYPEoqY pec 5klRtQwo3TwrMrr oLdRnTC8XjUXftOgtz 115V KSM 115V 60 Glass Door Merchandiser Series Refrigerators K GM Kv1v1mcdonaldpaper oLdRnTC8XjUXftOgtzmcdonaldpaper
AfmBOOp8wiBBTOFBdEV9TWrwOJBuUwKH1MLv5PK7itRm5YBZ3eEwgqT0 KKOOL
Hzv1v1v1mcdonaldpaper
AfmBOOp8wiBBTOFBdEV9TWrwOJBuUwKH1MLv5PK7itRm5YBZ3eEwgqT0mcdonaldpaper
AfmBOOrE52eDz0DzJFMBjkH1WkOskQp4l3KzMsG6BliA 8DOsXLzN9q7 |||

KGM / KSM SERIES Glass Door Merchandiser Series Refrigerators KSM-42 KSM-50
Features **KGM-13** KGM-23 KSM-36 - Two-layer hollow glass, front side tempered, self-closing side-by-side or sliding door - 4 universal wheels, 2 with brakes - Black powder coated steel exterior and white painted aluminum...
lang:en score:20 filesize: 295.27 K page_count: 1 document date: 2015-07-24






[pdf] User Manual

Administrator KGM 13 23 KOOL iom v 1532002627440 static pt modelManual

KGM-13.KGM-23 ambient ...

lang:en score:19 filesize: 2.68 M page_count: 8 document date: 2011-09-16



[pdf] Specifications Warranty

KGM 13 23 KSM 36 42 50 HI RES Glass Door Coolers MVP Group Corp Modern attractive appearance

for any kitchen C Store service station etc Black exterior baked enamel steel finish Specs sheet

globalindustrial site images Food Service |||

KGM / KSM SERIES Glass Door Merchandiser Series Refrigerators KSM-42 KSM-50

Features **KGM-13** KGM-23 KSM-36 - Two-layer hollow glass, front side tempered, self-closing side-by-side or sliding door - 4 universal wheels, 2 with brakes - Black powder coated steel exterior and white painted aluminum...

lang:en score:19 filesize: 295.27 K page_count: 1 document date: 2015-07-24



[pdf] Price List

KOOL IT PRICE LIST CAD 2019 indd NEW FILE REFRIGERATION mvpgroupcorp 2020 09 |||

2019 PRICE LIST 514-737-9701 TOLL FREE: 888-275-4538 FAX: 514-342-3854

MVPGROUPCORP.COM SALES M ... lable for all models by special order. S denotes

sliding doors. G denotes swing door. KGM-7 and **KGM-13** not ETL sanitation

approved NEMA-5-15P KGM-7 2,380 **KGM-13** 2,770 KGM-23 3,900 KSM-36 ...

lang:en score:18 filesize: 4.44 M page_count: 5 document date: 2020-09-28



[\[pdf\]](#) Price List

JULY 2019 PRICE LIST KOOL IT USA July mvpgroupcorp 07 |||

JULY 2019 PRICE LIST 786-600-4687 TOLL FREE: 844-218-8477 FAX: 786-661-4100 MVPGROUPCORP.COM SA ... lable for all models by special order. S denotes sliding doors. G denotes swing door. KGM-7 and **KGM-13** not ETL sanitation approved NEMA-5-15P KGM-7 2,020 **KGM-13** 2,640 KGM-23 3,730 KSM-36 ...
lang:en score:18 filesize: 9.01 M page_count: 8 document date: 2019-06-21



[\[pdf\]](#) Price List

KOOL IT PRICE LIST CAD 2019 indd mvpgroupcorp 2020 07 |||

2019 PRICE LIST 514-737-9701 TOLL FREE: 888-275-4538 FAX: 514-342-3854 MVPGROUPCORP.COM SALES M ... lable for all models by special order. S denotes sliding doors. G denotes swing door. KGM-7 and **KGM-13** not ETL sanitation approved NEMA-5-15P KGM-7 2,380 **KGM-13** 2,770 KGM-23 3,900 KSM-36 ...
lang:en score:18 filesize: 7.32 M page_count: 8 document date: 2020-02-21



[\[pdf\]](#) Warranty

KOOL IT Glass Door Coolers Sliding Swing March 2024

99c972f2ace0356285b1e48c2cfd4e3fd859bac5131f88557ad5f9b55799e92 media chefsdeal |||

Glass Door Coolers Warranty: 24 months parts and labor. Additional 36 months on compressor part on ... self-closing with easy grab handles Plastic upper sign panel with light ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT Entire cabinet structure engineer...

lang:en score:18 filesize: 694.88 K page_count: 2 document date: 2024-03-29



[\[pdf\]](#) Price List

KOOL IT PRICE LIST USA March 2020 mvpgroupcorp 03 |||

MARCH 1, 2020 PRICE LIST 786-600-4687 TOLL FREE: 844-218-8477 FAX: 786-661-4100 MVPGROUPCORP.CO ... lable for all models by special order. S denotes sliding doors. G denotes swing door. KGM-7 and **KGM-13** not ETL sanitation approved NEMA-5-15P KGM-7 1,750 **KGM-13** 2,280 KGM-23 3,190 KSM-36 ...
lang:en score:18 filesize: 7.86 M page_count: 8 document date: 2020-02-21



[Kool-IT February 2021 Price List - Commercial Refrigeration](#)

Official February 2021 price list for KOOL-IT commercial refrigeration units. Browse upright refrigerators and freezers, prep tables, chef bases, undercounter units, open air merchandisers, display cases, and more. Includes product specifications, model numbers, and pricing.

lang:en **score:18** filesize: 5.18 M page_count: 5 document date: 2021-01-10




[\[pdf\] Specifications](#)

KGM 7 13 23 Specs Kool It Single Door CoolerKGM 6 Jan24cdn shopify s files 1 0379 1801 5627 Jan24 v 1704443222 |||

Durable Design Modern attractive appearance for any kitchen, C-Store, service station, etc. Gla ... splay with electronic thermostatic control LED interior lighting for total product display KGM-6 **KGM-13** KGM-23 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIR...

lang:en **score:18** filesize: 297.97 K page_count: 2 document date: 2024-01-05



[\[pdf\] Specifications Warranty Price List](#)

KOOL IT USA mvpgroupcorp 80 pricelist US Price List Back Bars MVP Group Corp |||

Page 8 back cover w models in warranty chart FOB Plattsburgh, Teterboro, NJ NY Miami, FL ge 6 ... ectric thermostat KGM-7 KSM-36 1 350 3 600 Digital temperature display LED internal lighting **KGM-13** KSM-42 1 720 3 950 Voltage : 115/60/1 KGM-23 R-134-a refrigerant 2 740 Powder-coat...

lang:en **score:18** filesize: 698.84 K page_count: 4 document date: 2016-06-01



[\[pdf\]](#) Specifications Price List

KOOL IT CANADA mvpgroupcorp 80 pricelist Canada Price List Back Bars MVP Group Corp ||| L, KGV h, Teterboro, NJ NY Miami, FL need to in-Page rranty chart over JUNE 2016 Price List Co ... cial order. Self closing door KGM-7 Electric thermostat 1 700 Digital temperature display **KGM-13** LED internal lighting 2 200 Voltage : 115/60/1 R-134-a refrigerant Powder-coated bla...

lang:en **score:18** filesize: 943.91 K page_count: 4 document date: 2016-05-25



[Kool-It February 2021 Price List - Commercial Refrigeration Equipment](#)

Official February 2021 price list for Kool-It commercial refrigeration equipment, including upright refrigerators and freezers, prep tables, chef bases, undercounter units, and display cases. Provided by MVP Group Corp.

lang:en **score:17** filesize: 6.71 M page_count: 5 document date: 2021-01-10

[\[pdf\]](#) Specifications Warranty

DownloadspecsheetMVP Group KSM 50 40 8 Cu Ft Black 2 Section Kool It Refrigerated Merchandiser 115 Volts Culinary DepotMVP 50culinarydepot s3 amazonaws MVP Glass Door CoolersDownloadspecsheetWarranty 24 months parts and labor Additional 36 on compressor part only KOOL IT is a registered trademark of Specifications subject to MVP Depotv1MVP 50mcdonaldpaper media KGM srsItid AfrmBOop35H1M4HpXtybD2JNprW3T4YFWkSoU uql rKvUBplZZ38Gu8zculinarydepot ||| ||| Glass Door Coolers Warranty: 24 months parts and labor. Additional 36 months on compressor part only KOOL-IT is a registered trademark of MVP Group. Speci cations subject to change without notice.

5659 Royalmount Ave. Montreal, QC, Canada H

Glass Door Coolers Warranty: 24 months parts and labor. Additional 36 months on compressor part on ... ronicthermostatic control LED interior lighting for total product display ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT Glass Door Coolers SWING DOOR SERI...

lang:en **score:17** filesize: 20.37 M page_count: 2 document date: 2020-05-11





[pdf] Price List

KOOL IT PRICELIST FEB2022 CAN CANADA MARCH 15 2023 mvpgroupcorp 03 |||

MARCH 15, 2023 PRICE LIST 786-600-4687 TOLL FREE: 844-218-8477 FAX: 786-661-4100 MVPGROUPCORP.C ... e for all models by special order. S denotes sliding doors. G denotes swing door. NEMA-5-15P **KGM-13** 3,160 KGM-23 4,180 KSM-36 5,730 KGM-36 5,550 KSM-40 6,060 KSM-42 6,200 KGM-42 6,00...

lang:en score:17 filesize: 2.94 M page_count: 4 document date: 2023-03-09




[pdf] Specifications

KGM 7 13 23 Specs Glass Door Coolers MVP Group Corp 115 60 Hz 1 NEMA 5 15P DEDICATED CIRCUIT 5659 Royalmount Ave KOOL IT is a registered trademark of Specifications subject to 6 mvpgroupcorp 2023 10 |||

Durable Design Modern attractive appearance for any kitchen, C-Store, service station, etc. Gla ... splay with electronic thermostatic control LED interior lighting for total product display KGM-6 **KGM-13** KGM-23 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIR...

lang:en score:17 filesize: 626.38 K page_count: 2 document date: 2023-10-25



[pdf] Specifications Warranty

JPtVLg SpecSheetViewer.aspx Kool It KSM 36 Refrigerated Merchandiser 2 Glass Doors Cu Ft Black 79 1 H x 44 W KGM SPECSHEET globalindustrial site images MVP pt2 |||

KGM / KSM SERIES Glass Door Merchandiser Series Refrigerators KSM-42 KSM-50 Features **KGM-13** KGM-23 KSM-36 - Two-layer hollow glass, front side tempered, self-closing side-by-side or sliding door - 4 universal wheels, 2 with brakes - Black powder coated steel exterior and white painted aluminum...

lang:en score:17 filesize: 219.15 K page_count: 1 document date: 2015-04-21



[pdf] Specifications

KGM 7 13 23 Specs Download Kool It Single Glass Door 22 10 Wide Merchandiser Refrigerera Prime Kitchen Supply Restaurant Equipment KF Enterprises FL LLC 6 Jan24 v 1738258359 cdn shopify s files 1 0726 8279 9399 |||

Durable Design Modern attractive appearance for any kitchen, C-Store, service station, etc. Gla ... splay with electronic thermostatic control LED interior lighting for total product display KGM-6 **KGM-13** KGM-23 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIR... lang:en score:17 filesize: 14.82 M page_count: 2 document date: 2024-01-04



[pdf] Warranty

KOOL IT Glass Door Coolers Sliding Swing March 2024 Spec SheetKool It KGM 23 27 3 5 One Section Merchandiser 1 Right Hinge Black 115v124 KGM23res katom products 124 KGM23 ||| Glass Door Coolers Warranty: 24 months parts and labor. Additional 36 months on compressor part on ... self-closing with easy grab handles Plastic upper sign panel with light ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT Entire cabinet structure engineer... lang:en score:17 filesize: 694.88 K page_count: 2 document date: 2024-03-29



[pdf] Specifications

KGM 7 13 23 Specs Glass Door Coolers Ancaster Food Equipment Oct 31 2021 — Modern attractive appearance for any kitchen C Store service station etc Black exterior baked enamel steel finish kool it kgm specification sheet s2 img b compactappliance mediabase specifications 1301195 ||| Durable Design Modern attractive appearance for any kitchen, C-Store, service station, etc. Bla ... splay with electronic thermostatic control LED interior lighting for total product display KGM-7 **KGM-13** KGM-23 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIR... lang:en score:17 filesize: 574.9 K page_count: 2 document date: 2021-06-11



[pdf] Specifications Warranty

KGM7 13 23 36 42 50 75 KSM SPEC SHEET 05112020 tasha yat Spec sheet Kool It KGM Glass Door Merchandiser Refrigerator SilverChef USA smaller v 1676852977 cdn shopify s files 1 0693 7804 8292 ||| Glass Door Coolers Warranty: 24 months parts and labor. Additional 36 months on compressor part on ... ronicthermostatic control LED interior lighting for total product display ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT MBTT PPS PPMFST 48* / 0034 3* 4 D... lang:en score:16 filesize: 1.25 M page_count: 2 document date: 2023-02-20



[pdf] Specifications

KGM 36 42 50 75 Specs DOWNLOAD SPEC SHEET Kool It 78 Triple Glass Door Display Cooler Cu Ft iFoodEquipment ca 2022 v 1641847923 cdn shopify s files 1 1643 3881 |||

Durable Design Modern attractive appearance for any kitchen, C-Store, service station, etc. Bla ... interior lighting for total product display KGM-36 KGM-42 KGM-50 KGM-75 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT 3560 NW 56th St Fort Lauderdale, F... lang:en score:15 filesize: 726.76 K page_count: 2 document date: 2021-06-11



[pdf] Specifications

KSM 36 42 50 Specs Glass Door Coolers Ancaster Food Equipment 2021 10 31 — Durable Design Modern attractive appearance for any kitchen C Store service station etc Black exterior baked enamel steel finish kool it ksm specification sheet s1 img b compactappliance mediabase specifications 1301234 ||| Durable Design Modern attractive appearance for any kitchen,C-Store, service station, etc. Blac ... I LED interior lighting for total product display KSM-36 KSM-42 KSM-50 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT 3560 NW 56th St Fort Lauderdale, F... lang:en score:15 filesize: 626.37 K page_count: 2 document date: 2021-06-11



[pdf]

New Branding KGM 6 13 23 Swing Glass door merch Spec Sheet Single Door Cooler MVP Group Corp mvpgroupcorp 2016 09 ||| Glass Door Coolers Single Swing Door KGM-6 **KGM-13** KGM-23 KGM-23 **KGM-13** KGM-6 The KGM Single Swing Glass Door Coolers from Kool-it are designed to strike the perfect balance between style and functionality. These reliable glass door refrigerators o er optimal refrigeration performance, making th... lang:en score:15 filesize: 1.16 M page_count: 2 document date: 2025-05-25



[pdf] Specifications

KGM 7 13 23 Specs Spec Sheet Single Door Cooler MVP Group Corp 6 1 mvpgroupcorp 2016 03 ||| Durable Design Modern attractive appearance for any kitchen, C-Store, service station, etc. Gla ... splay with electronic thermostatic control LED interior lighting for total product display KGM-6 **KGM-13** KGM-23 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIR... lang:en score:13 filesize: 14.72 M page_count: 2 document date: 2023-10-26



[pdf] Specifications

KGM 7 13 23 Specs Glass Door Freezers 6 Jan24 1bb37c0f 2ad4 4607 90bd 1d14a3ba9438 v

1704885715 cdn shopify s files 1 0379 1801 5627 |||

Durable Design Modern attractive appearance for any kitchen, C-Store, service station, etc. Gla ... splay with electronic thermostatic control LED interior lighting for total product display KGM-6 **KGM-13** KGM-23 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIR...

lang:en score:13 filesize: 297.97 K page_count: 2 document date: 2024-01-10



KOOL-IT Glass Door Coolers: Specifications and Features

Comprehensive guide to KOOL-IT Glass Door Coolers, featuring detailed specifications for Sliding Door and Swing Door series. Includes information on durable design, energy efficiency, superior quality, and model dimensions for commercial use.

lang:en score:13 filesize: 20.37 M page_count: 2 document date: 2020-05-11



[pdf] Warranty Borchure

JUN 27 V 3 Glass door coolers brochure 06272019 C 1 mvpgroupcorp 2019 07 |||

Glass Door Coolers Warranty: 24 months parts and labor. Additional 36 months on compressor part on ... ronicthermostatic control LED interior lighting for total product display ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT Glass Door Coolers SWING DOOR SERI...

lang:en score:13 filesize: 20.36 M page_count: 2 document date: 2019-06-27




[pdf] Specifications

Kool It Glass Door Merchandiser Refrigerator KGM 13 — Kitchen Equipped Nella MKC58 MKC68 MKC90

specs 824 cdn shopify s files 1 1204 5544 |||

...

lang:en score:12 filesize: 4.06 M page_count: 2 document date: 2019-03-22



[pdf]

Kool It Glass Door Merchandiser Refrigerator KGM 13 — Kitchen Equipped MGF8401GR MGF8402GR

MGF8403GR MGF8404GR UnderCounter Refrigeration Spec Sheet 7151 cdn shopify s files 1 1204 5544

|||

...

lang:en score:11 filesize: 1.93 M page_count: 2 document date: 2019-07-19



[pdf] Catalog

printing MVP ProductCatalog 2022 JAN 21 eric Kool It Johnson Pike johnsonpike b cdn net |||
 1SJOUFE FCPSrVinBtSeZdFebruary 15, 2022 2022 PRODUCT CATALOG Open Air
 Merchandisers KOM-24SS - St ... II models by special order. S denotes sliding doors.
 G denotes swing door. NEMA-5-15P KGM-7 **KGM-13** KGM-23 KSM-36 KGM-36
 KSM-40 KSM-42 KGM-42 KSM-50 KGM-50 8,300 KGM-75 Glass Door Free...
 lang:en **score:11** filesize: 773.3 K page_count: 5 document date: 2022-09-27




[pdf] Specifications

KGM 36 42 50 75 Specs Specification SheetKool It 52 Wide Double Glass Door Display Refrigerator
 Maple Leaf Restaurant Equipmentcdn shopify s files 1 0091 3152 4151 v 1738062963 EquipmentKool
 Triple Coolercdn 1738062963cdn 0379 1801 5627 1704443845 ||| ||| Durable Design Modern attractive
 appearance for any kitchen, C-Store, service station, etc. Black exterior baked enamel steel nish Glass
 Door Coolers White interior baked enamel steel nish Double Triple Swing Doors Interior base in painted
 Durable Design Modern attractive appearance for any kitchen, C-Store, service
 station, etc. Bla ... interior lighting for total product display KGM-36 KGM-42 KGM-50
 KGM-75 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1
 NEMA 5-15P DEDICATED CIRCUIT 3560 NW 56th St Fort Lauderdale, F...
 lang:en **score:11** filesize: 726.76 K page_count: 2 document date: 2021-06-11

[pdf] Specifications

KSM 36 42 50 Specs Specification SheetKool It 44 Wide Double Glass Door Display Refrigerator Maple
 Leaf Restaurant Equipmentcdn shopify s files 1 0091 3152 4151 v 1738065218 EquipmentKool Reach In
 Cooler Sliding 37 Cu FtB2081241SScdn 1738065218static globalindustrial products 25150 global
 industrial B2081241SS FtKool Coolercdn B2081241SScdn 0379 1801 5627 1704444512 ||| ||| Durable
 Design Modern attractive appearance for any kitchen,C-Store, service station, etc. Black exterior baked
 enamel steel nish Glass Door Coolers White interior baked enamel steel nish Double Sliding Doors
 Interior base in painted steel ||| Durable Design Modern attractive appearance for any kitchen,C-Store,
 service station, etc. Black exterior baked enamel steel nish Glass Door Coolers White interior baked
 enamel steel nish Double Sliding Doors Interior base in painted steel
 Durable Design Modern attractive appearance for any kitchen,C-Store, service
 station, etc. Blac ... I LED interior lighting for total product display KSM-36 KSM-42
 KSM-50 ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1
 NEMA 5-15P DEDICATED CIRCUIT 3560 NW 56th St Fort Lauderdale, F...
 lang:en **score:11** filesize: 626.37 K page_count: 2 document date: 2021-06-11






[pdf] Borchure

1 Glass door collers brochure june 25 Spec Sheet Kool It KSM 36 Door Merchandiser Refrigerator 571

245 centralrestaurant pub media |||

Glass Door Coolers SLIDING DOOR SERIES Durable Design Modern attractive appearance for any kitche ... ronithermostatic control LED interior lighting for total product display ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT KSM-36 44.5 KSM-42 52.3 KSM-50... lang:en score:11 filesize: 11.54 M page_count: 1 document date: 2020-05-06




[pdf] Borchure

1 Glass door collers brochure june 25 Download Spec Sheet Kool It KSM 36 45 inch Double Door

Merchandising Refrigerator McDonald Paper Restaurant Supplies mcdonaldpaper media |||

Glass Door Coolers SLIDING DOOR SERIES Durable Design Modern attractive appearance for any kitche ... ronithermostatic control LED interior lighting for total product display ALL MODELS EXCEPT KGM-7 **KGM-13** ALL MODELS 115 / 60 Hz / 1 NEMA 5-15P DEDICATED CIRCUIT KSM-36 44.5 KSM-42 52.3 KSM-50... lang:en score:11 filesize: 11.82 M page_count: 1 document date: 2020-09-10



[pdf] User Manual Instructions

D 3 0MY WDM 8a 6 Suzuki Ignis RB413 Service and Repair Manual jdmfsm info Auto Japan |||

IMPORTANT WARNING / CAUTION / NOTE Please read this manual and follow its instructions carefully. To emphasize special information, the words **WARNING**, **CAUTION** and **NOTE** have special meanings. Pay special attention to the messages highlighted by these signal words. **WARNING:** Indicates a potential hazard... lang:en score:9 filesize: 178.02 M page_count: 6855 document date: 2002-08-23