

Hytera TC-320

Hytera TC-320U-1 UHF Analog 2-Watt Radio User Manual

Model: TC-320

1. INTRODUCTION

This manual provides detailed instructions for the proper use and maintenance of your Hytera TC-320U-1 UHF Analog 2-Watt Radio. The TC-320 is a cost-effective business two-way radio designed for reliable communication. It features a robust design, long battery life, and user-friendly operation.

2. WHAT'S IN THE BOX

Carefully unpack your radio and check that all items listed below are present and in good condition. If any item is missing or damaged, please contact your dealer.

- Antenna (AN0460H11)
- Li-ion Battery (1700mAh) (BL1715)
- Switching Power Adapter (PS0602)
- Belt Clip (BC16)
- Nylon Strap (RO01)



Image 2.1: Contents of the Hytera TC-320U-1 package, including the radio, antenna, battery, power adapter, belt clip, and nylon strap.

3. PRODUCT OVERVIEW

The Hytera TC-320U-1 radio is designed for ease of use and durability. Key features include 16 channel capacity, wide communication range, double injection molding for anti-skid design, and a long-lasting battery with an indicator. The radio also supports switchable high/low power output.

3.1 Radio Controls and Components



Image 3.1: Front view of the Hytera TC-320U-1 radio, showing the speaker grille and microphone area.



Image 3.2: Side view of the Hytera TC-320U-1 radio, highlighting the orange Push-To-Talk (PTT) button.



Image 3.3: Top view of the Hytera TC-320U-1 radio, showing the channel selector knob (numbered 1-16) and the power/volume knob.

4. SETUP

4.1 Attaching the Antenna

1. Align the threaded end of the antenna with the antenna connector on the top of the radio.

2. Turn the antenna clockwise until it is securely fastened. Do not overtighten.

4.2 Installing the Battery

1. Ensure the radio is powered off.
2. Align the battery pack with the grooves on the back of the radio.
3. Slide the battery pack upwards until it clicks into place.
4. To remove, slide the battery latch (if present) and slide the battery downwards.

4.3 Charging the Battery

Before initial use, fully charge the battery. Use only the provided Hytera switching power adapter (PS0602) and charging accessories.

1. Connect the power adapter to an AC outlet.
2. Insert the charging cable into the radio's charging port or place the radio in its charging cradle.
3. The charging indicator will typically show red during charging and green when fully charged.

4.4 Attaching the Belt Clip and Nylon Strap

1. Align the belt clip with the screw holes on the back of the radio.
2. Secure the belt clip with the provided screws.
3. Thread the nylon strap through the designated loop on the radio for added security.

5. OPERATING INSTRUCTIONS

5.1 Powering On/Off and Volume Adjustment

Rotate the power/volume knob (located on the top of the radio, see Image 3.3) clockwise to power on the radio. Continue rotating clockwise to increase the volume. Rotate counter-clockwise to decrease volume and fully counter-clockwise to power off the radio.

5.2 Selecting a Channel

Rotate the channel selector knob (located on the top of the radio, see Image 3.3) to choose one of the 16 available channels. The selected channel number is indicated on the knob.

5.3 Transmitting and Receiving

- **Receiving:** When the radio receives a signal, the LED indicator will illuminate, and you will hear the audio through the speaker.
- **Transmitting:** To transmit, press and hold the Push-To-Talk (PTT) button on the side of the radio (see Image 3.2). Speak clearly into the microphone, holding the radio approximately 2.5 to 5 cm (1 to 2 inches) from your mouth. Release the PTT button to stop transmitting and return to receive mode.

5.4 High/Low Power Switch

The TC-320U-1 allows you to switch between high and low power output. Refer to your radio's specific controls for the location of this switch, typically a dedicated button or a programmable function. Using low power conserves battery life when communicating over short distances.

6. MAINTENANCE

6.1 General Care

- Keep the radio dry. Avoid exposure to rain, moisture, or corrosive liquids.
- Do not expose the radio to extreme temperatures.
- Clean the radio's surface with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.
- Ensure the antenna and battery contacts are clean and free of debris.

6.2 Battery Care

- Always use genuine Hytera batteries and chargers.
- Do not short-circuit the battery terminals.
- Do not dispose of batteries in fire.
- If the battery is not used for an extended period, store it in a cool, dry place after partially charging it.

7. TROUBLESHOOTING

If you encounter issues with your radio, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Radio does not power on	Battery is depleted or not installed correctly	Charge the battery or re-install it securely.
Cannot transmit or receive	Incorrect channel selected; out of range; antenna loose	Verify channel selection; move closer to other radios; check antenna connection.
Low audio volume	Volume set too low; speaker obstructed	Increase volume; clear any obstructions from the speaker.
Short communication range	Low power mode selected; environmental obstructions	Switch to high power mode; move to an open area.

8. SPECIFICATIONS

The following table outlines the technical specifications for the Hytera TC-320U-1 radio:

Feature	Specification
Model Number	TC-320
Frequency Range	UHF 400-470MHz
Number of Channels	16
Channel Spacing	25/12.5kHz
Output Power	2 Watts
Battery Type	1 Lithium Ion (1700mAh)
Voltage	3.8 Volts (DC)
Product Dimensions	5.91 x 1.57 x 1.57 inches

Feature	Specification
Item Weight	0.71 ounces (20 Grams)
Talking Range Maximum	2 Miles (approximate, varies by terrain)
Water Resistance Level	Not Water Resistant

9. WARRANTY INFORMATION


The Hytera TC-320U-1 radio comes with a **2-Year Manufacturer Warranty**. Please retain your proof of purchase for warranty claims. For specific terms and conditions, refer to the warranty card included with your product or contact Hytera customer service.

10. SUPPORT


For further assistance, technical support, or service inquiries regarding your Hytera TC-320U-1 radio, please contact your authorized Hytera dealer or visit the official Hytera website for contact information and resources.

Related Documents - TC-320

 Radio Communications Supply & Installation Specialist Website www.radiotronics.co.uk Email sales@radiotronics.co.uk Telephone Numbers 0345 0 955 955 02087 190 180 Hytera TC-610 User Guide	Hytera TC-610/TC-610P Two-Way Radio User Guide Comprehensive user guide for the Hytera TC-610 and TC-610P two-way radios, covering safety, operation, features, troubleshooting, and accessories. Learn how to use your professional-grade radio for reliable communication.
 Radio Communications Supply & Installation Specialist Website www.radiotronics.co.uk Email sales@radiotronics.co.uk Telephone Numbers 0345 0 955 955 02087 190 180 Hytera TC-610 User Guide	Hytera TC-610/TC-610P Owner's Manual - User Guide Comprehensive user manual for the Hytera TC-610 and TC-610P two-way radios, covering safety information, product inspection, radio overview, battery, antenna, assembly, operations, functions, settings, troubleshooting, and accessories.
 HYTERA 	Hytera HR106X Digital Repeater Quick Reference Guide A quick reference guide for the Hytera HR106X Digital Repeater, covering product overview, installation, basic operations, and FCC statements.
 HYTERA 	Hytera X1e Digital Covert Radio Service Manual Comprehensive service manual for the Hytera X1e Digital Covert Radio, detailing product controls, circuit descriptions, troubleshooting, parts, and repair procedures for qualified technicians.


	Hytera VM750D Body Worn Camera User Manual This user manual provides comprehensive instructions for operating the Hytera VM750D Body Worn Camera, also known as Hytera Hytalk Sight. It covers product overview, installation, basic operations, and features.
	Hytera HP70X/HP78X Digital Portable Radio Quick Reference Guide This quick reference guide provides essential information for the Hytera HP70X and HP78X digital portable radios. It details product layouts, basic operations like charging and calling, status indicators, and LCD icons for efficient use.

Documents - Hytera – TC-320




[\[pdf\] User Manual](#)

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installation Provided By MANUALSLIB COM manualslib TC 320 HYTERA Πομποδέκτης Μονός PMR446 16Ch 2W Li Ion 1700mAh pilianidis gr images sync products 21 51 150 ||| www.hytera.com Downloaded from www.Manualslib.com manuals search engine Hyte is Ad Po ht Preface Thank you for purchasing Hytera **TC-320** Business Radio. TC320 is unique for its compact and delicate body. It is ergonomically designed to give you exceptional experience of portability. This easy-to-u... lang:en score:47 filesize: 1.97 M page_count: 24 document date: 2015-05-17



[pdf] Troubleshooting Guide Guide

Microsoft Word Hytera Troubleshooting Guide usr005 WF hytera us 80 Download Private file WebFiles 3315 Commerce Parkway Miramar, FL 33025 USA P: 954-846-1011 F: 954-846-1672 info hytera.us Hytera R ... Communicate Ensure Radio is Away from Any Equipment That May Cause Electromagnetic Interference **TC-320** Radio: **TC-320** Battery: Cannot Find Serial Number on Radio/Battery TC-508 Radio: TC-508 Ba... lang:en score:34 filesize: 306.93 K page_count: 1 document date: 2013-06-10



[pdf] Guide

20 23 pryme guide ||| Replaceable Comfort Fit Earpiece LMC-1AT Pro-Grade Lapel Microphone with Acoustic Tube Replaceable ... Motorola CLP Series Motorola CLPe Series MotoTRBO SL7550 SL300 MotoTRBO XPR 3300/3500 HYT/Hytera **TC-320** locking screw HYT/Hytera X1e, X1p and PD6 Series HYT/Hytera PD3 Series 800.666.2654 WWW.P... lang:en score:33 filesize: 1.71 M page_count: 4 document date: 2025-03-11



Radio Communications Supply & Installation Specialist

Website
www.radiotronics.co.uk

Email
sales@radiotronics.co.uk

Telephone Numbers
0345 0 955 955
02087 190 180

Service Manual for:
Hytera TC-320

[pdf] User Manual Specifications Declaration of Conformity

Microsoft Word TC 320 Service Manual doc I06774 v1v1radiotronics co uk hytera tc320 service manualradiotronics manual Radio Communications Supplyv1v1v1radiotronics srsltd AfmBOoo0zRL5Qd2poiNfiPT9WXEx io65Pyj9avK6JA3IQ5WJJoIEww4radiotronics SupplyRadio Supplyhytera manualv1v1v1radiotronics AfmBOOpQccq3dkpyvN3X 9F6cwucpjSJMeB2V9ml1hbjjXZEQuBtw85Xradiotronics manualv1v1v1v1radiotronics AfmBOOpZxOVwgbEfg5522dTTiBYvfWxDetvKZnyAgigpCvRB9EnW0F Mradiotronics ||| Radio Communications Supply Installation Specialist Website www.radiotronics.co.uk Email sales rad ... ----- 66 **TC-320** Service Manual Revision History Part No. 8130032000000 8130032000010 Date of Issue 2009.4 ... lang:en score:33 filesize: 2.91 M page_count: 69 document date: 2016-11-19



Radio Communications Supply &
Installation Specialist

Website
www.radiotronics.co.uk

Email
sales@radiotronics.co.uk

Telephone Numbers
0345 0 955 955
02087 190 180

Service Manual for:
Hytera TC-320

[\[pdf\]](#) User Manual Specifications Declaration of Conformity

Microsoft Word TC 320 Service Manual doc I06774 hytera tc320 service manual In this mode radio functions and adjustment parameters can be set Page 9 6 through the programming software including srsltid AfmBOopRrZ8Auj3nZOvGrECxcYgo4tyOf129Z2aHWcqTERQOryFlmYY radiotronics co uk |||


Radio Communications Supply Installation Specialist Website www.radiotronics.co.uk

Email sales rad ... -----

66 **TC-320** Service Manual Revision History Part No. 8130032000000

8130032000010 Date of Issue 2009.4 ...

lang:en score:32 filesize: 2.91 M page_count: 69 document date: 2016-11-19




[\[pdf\]](#) Guide

22 pryme guide |||

LMC-1EH Pro-Grade Lapel Microphone with Earhook MSRP 20.00 40.00 Multi-Pin Comfortable Earhook ... locking screws Vertex 1-pin screw EVX-S24 Motorola 1-pin radios such as SPIRIT TALKABOUT HYT **TC-320** HYT/Hytera PD5 series, 2-pin, locking screw MotoTRBO SL7550, SL300 MotoTRBO XPR 3300/3500 Mot...

lang:en score:32 filesize: 345.1 K page_count: 1 document date: 2025-03-11




[\[pdf\]](#) Guide

20 pryme guide |||

Replaceable Comfort Fit Earpiece LMC-1AT Pro-Grade Lapel Microphone with Acoustic Tube Replaceable ... Motorola CLP Series Motorola CLPe Series MotoTRBO SL7550 SL300 MotoTRBO XPR 3300/3500 HYT/Hytera **TC-320** locking screw HYT/Hytera X1e, X1p and PD6 Series HYT/Hytera PD3 Series 800.666.2654 WWW.P...

lang:en score:32 filesize: 631.13 K page_count: 1 document date: 2025-03-11




[\[pdf\]](#) Guide Catalog

CATALOG 2023 2024 NOPRICES 22 pryme guide |||

LMC-1EH Pro-Grade Lapel Microphone with Earhook MSRP 20.00 40.00 Multi-Pin Comfortable Earhook ... locking screws Vertex 1-pin screw EVX-S24 Motorola 1-pin radios such as SPIRIT TALKABOUT HYT **TC-320** HYT/Hytera PD5 series, 2-pin, locking screw MotoTRBO SL7550, SL300 MotoTRBO XPR 3300/3500 Mot...

lang:en score:30 filesize: 345.22 K page_count: 1 document date: 2025-03-11




[\[pdf\]](#) Guide Catalog

CATALOG 2023 2024 NOPRICES 23 pryme guide |||

LMC-1GH Pro-Grade Lapel Microphone with G-Hook G-Hook Earpiece - Easy to clean Noise Reduction Mic ... otoTRBO XPR 3300/3500 Motorola CLP1010e and CLP1080e HYT/Hytera 2-pin with locking screw HYT/Hytera **TC-320** locking screw HYT/Hytera X1e, X1p, and PD6 Series HYT/Hytera PD3 Series 800.666.2654 WWW....

lang:en score:30 filesize: 376.8 K page_count: 1 document date: 2025-03-11



[\[pdf\]](#) Guide Catalog

CATALOG 2023 2024 NOPRICES 20 pryme guide |||

Replaceable Comfort Fit Earpiece LMC-1AT Pro-Grade Lapel Microphone with Acoustic Tube Replaceable ... Motorola CLP Series Motorola CLPe Series MotoTRBO SL7550 SL300 MotoTRBO XPR 3300/3500 HYT/Hytera **TC-320** locking screw HYT/Hytera X1e, X1p and PD6 Series HYT/Hytera PD3 Series 800.666.2654 WWW.P...


lang:en score:30 filesize: 631.23 K page_count: 1 document date: 2025-03-11



[\[pdf\]](#)

kasutusjuhend Tehnoturg Täname et olete ostnud endale äriklassi raadiosaatja Hytera TC 320 on ainulaadselt kompaktse ja õhukese korpusega Tänu HYT TC320 EE tehnoturg ee pub media manuals kasutusjuhend www.hytera.com Eesti Eessna Tname, et olete ostnud endale riklassi raadiosaatja Hytera TC320. **TC-320** on ainulaadselt kompaktse ja hukese korpusega. Tnu ergonoomilisele disainile kujuneb raadiosaatja kaasaskandmine suurepraseks kogemuseks. See lihtsalt kasutatav raadiosaatja pakub te...

lang:et **score:30** filesize: 2.34 M page_count: 24 document date: 2014-06-09



[\[pdf\]](#) User Manual

tehnoturg ee pub media hytera storage ua prom st Tehnoturg Contents manual carefully before use The information presented herein can help you to derive optimum performance from your radio MODELS COVERED BY THIS MANUAL TC 320 446MHz Two way Radio 24 Safety Information 1 Product Inspection 2 Please read this HYT TC320 user EN tc manuals 348545 www.hytera.com Preface Thank you for purchasing Hytera **TC-320** Business Radio. TC320 is unique for its compact and delicate body. It is ergonomically designed to give you exceptional experience of portability. This easy-to-use radio will deliver you secure, instant and reliable communication servic...

lang:en **score:30** filesize: 2.06 M page_count: 24 document date: 2012-11-16



[PRYME Resource Guide and Catalog: Two-Way Radio & Mobile Accessories](#)

Explore the PRYME Resource Guide and Catalog featuring a wide range of accessories for two-way radios, cellphones, and tablets, including speaker microphones, headsets, PTT buttons, and adapters. Enhance your communication devices with PRYME's durable and high-performance audio solutions.

lang:en **score:29** filesize: 72.04 M page_count: 58 document date: 2025-03-11



PRYME Resource Guide and Catalog: Two-Way Radio & Mobile Accessories

Explore PRYME's comprehensive resource guide and catalog featuring a wide range of high-quality accessories for two-way radios, cellphones, and tablets, including headsets, microphones, adapters, and more.

lang:en score:29 filesize: 72.03 M page count: 58 document date: 2025-03-11


[illegible]

[\[pdf\]](#) Guide Accessories Price List

FULL MSRP Price List 06012025 09012024 .xlsx Fits Hytera Single pin Right angle connector for TC 310 series Also fits PD362 and 320 radios but no locking screw use H9 version x63Hytera pryme guide |||

Accessories for Two-Way Radios PRYME RADIO PRODUCTS FULL MSRP PRICE LIST Effective June 1, 2025 Prices subject to change without notice. Fits Hytera Single-pin, Right angle connector for TC-310 series. Also fits PD362 and **TC-320** series radios but no locking screw use H9 for locking version . DON...

lang:en score:28 filesize: 239.9 K page count: 2 document date: 2025-06-03



[\[pdf\]](#) Guide Accessories Catalog

Pryme Resource Guide and Catalog 2024 ameradio catalogs |||

PRYME s NEW website makes online ordering easier than ever You can now quickly find every accesso ... Motorola CLP Series Motorola CLPe Series MotoTRBO SL7550 SL300 MotoTRBO XPR 3300/3500 HYT/Hytera **TC-320** locking screw HYT/Hytera X1e, X1p and PD6 Series HYT/Hytera PD3 Series 20 800.666.2654 W...

lang:en score:28 filesize: 71.5 M page count: 0 document date: 0000-00-00



HYT
Two-way Radio

TC-320

Cost-effective Business Two-way Radio

TC-320 is designed to be compact and reliable with superb sound quality, excellent clear protection and ergonomic design.
The radio provides users with fully benefits of modern communication and broader uses.







- Fashionable Design and Compact Appearance
- Double Injection Molding and Anti-skid Design
- Chargeable and Program mable through Mini USB

www.yht.com

Hytera Communications Corporation Limited

[\[pdf\]](#) Borchure

2È03 ÓçIÃ TC 320 11 08 01 cdr ÎçÈÍÓÃ»§ EN hytera cn 80 upfile Brochure |||

TC-320 Cost-effective Business Two-way Radio **TC-320** is unique for its compact and delicate body, superb sound quality, superior drop protection and ergonomic design.

This product enables users to fully enjoy the benefits of real-time communication with favorable price. Fashionable Design and Compac...

lang:en score:26 filesize: 710.57 K page_count: 2 document date: 2012-03-02



HYT
Two-way Radio

TC-320

**Cost-effective Business
Two-way Radio**

TC-320 is designed to be compact and delicate only, superb workability, superior the performance and ergonomic design. The professional uses to be widely distributed in all the communications with portable phone.









- Fashionable Design and Compact Appearance
- Double Injection Molding and Anti-skid Design
- Chargeable and Program mable through Mini USB

www.hytera.com

Hytera Communications Corporation Limited

[\[pdf\]](#)

TC 320 210x285mm EN 20120809 july Hytera HYT TC320 Two way Radio Walkie Talkie 2 Way

Sales DigitalComms PMR446 direct radios co uk 2019 02 ||

TC-320 Cost-effective Business Two-way Radio **TC-320** is unique for its compact and delicate body, superb sound quality, superior drop protection and ergonomic design.

This product enables users to fully enjoy the benefits of realtime communication with favorable price. Fashionable Design and Compact...

lang:en score:25 filesize: 752.75 K page_count: 2 document date: 2019-02-11

CONNECTOR TABLE		PRYME		
MANUFACTURER	DADO MODEL	ADAPTER	STYLE	CONNECTOR
HYTHERTEK	2000 PDS, 2000 PDS-40, 2000 PDS-40-100, 2000 PDS-40-100-100, 2000 PDS-40-100-100-100		ML-2, P-1	
HYTHERTEK	HT-200, HT-200-100, HT-200-100-100, HT-200-100-100-100		ML-2, P-1	
HYTHERTEK	10-20 Series		MS-2	
HYTHERTEK	10-20		MS-2	
HYTHERTEK	200 PDS, 200 PDS-40, 200 PDS-40-100, 200 PDS-40-100-100, 200 PDS-40-100-100-100		ML-2, P-1	
HYTHERTEK	HT-200, HT-200-100, HT-200-100-100, HT-200-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		TG-20	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-2000-100-100-100		ML-2, P-1	
ICOM	IC-2000, IC-2000-100, IC-2000-100-100, IC-20			

[\[pdf\]](#) Guide

CONNECTOR TABLE Pryme Radio Products 51A IP 100H 501H TWO PIN x30 I2 ICOM F33G F 51 IC

3GT F14 TK 372G 373 430 431 2312 3312 NX 300 1200 1300 53 pryme guide |||

CONNECTOR TABLE MANUFACTURER RADIO MODELS HYT/HYTERA TC-3000,
TC-3600, TC-610P, TC-700, TC-700P, TC-780, TC-790 HYT/HYTERA PD702/G,

PD752, PD782/G, PD792, PD-982, PT580H ADAPTER STYLE CONNECTOR x43
MULTI-PIN M3 x55 MULTI-PIN H5 HYT/HYTERA TC-310 Series HYT/HYTERA **TC-**

320 HYT/HYTERA BD-602, X1...

lang:de score:24 filesize: 299.2 K page_count: 1 document date: 2025-03-11



[PRYME Two-Way Radio Accessories Catalog - Resource Guide Vol. 28](#)

Explore the PRYME Resource Guide and Catalog Vol. 28, featuring a comprehensive range of professional two-way radio accessories, including Bluetooth headsets, speaker microphones, surveillance kits, and more from American Communication Systems.

lang:en score:24 filesize: 52 M page_count: 82 document date: 2018-10-04

Accessories for Two-Way Radios

PRYME RADIO PRODUCTS
FULL MSRP PRICE LIST

Effective Sept. 1, 2024
Fits Hytera Single-pin, Right angle connector for TC-310 series. Also fits PD362 and TC-320 series radios but no locking screw use H9 for locking version. CLICK ON PICTURE FOR LINK TO...

Part Number	Item Name	Product Description	MSRP
WAVE-IMC-001	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-002	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-003	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-004	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-005	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-006	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-007	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-008	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-009	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-010	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-011	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-012	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-013	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-014	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-015	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-016	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-017	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-018	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-019	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99
WAVE-IMC-020	IMMOBILE COMMUNICATOR	IMMOBILE COMMUNICATOR for use with PRYME TWO-WAY RADIOS. Features a built-in antenna and a charging port. Available in either 1 or 2 pin.	\$12.99

Page 1 of 105

[\[pdf\] Guide Accessories Price List](#)

FULL MSRP Price List 09012024.xlsx Group pryme guide |||

Accessories for Two-Way Radios PRYME RADIO PRODUCTS FULL MSRP PRICE

LIST Effective Sept.1, 2024 Pr ... thout notice. Fits Hytera Single-pin, Right angle connector for TC-310 series. Also fits PD362 and **TC-320** series radios but no locking screw use H9 for locking version. CLICK ON PICTURE FOR LINK TO...

lang:en score:23 filesize: 13.79 M page_count: 245 document date: 2024-09-04



[\[pdf\] Borchure](#)

TC 320 210x285mm EN 20120809 July 320 Rapid rate Charger for Li ion Battery CH05L01 Highlights

Using the six unit switching power you can combine multiple rapid chargers as a simple multi charger which fulfills any large team or group requiring syndico hytera tc320 product brochure net 2018 08 |||

TC-320 Cost-effective Business Two-way Radio **TC-320** is unique for its compact and delicate body, superb sound quality, superior drop protection and ergonomic design.

This product enables users to fully enjoy the benefits of realtime communication with favorable price. Fashionable Design and Compact...

lang:en score:23 filesize: 720.97 K page_count: 2 document date: 2012-09-02

[pdf]

2023 EN 1108 Hytera Business Two way Radio TC 320 is unique for its compact and delicate body superb sound quality This product enables users to fully enjoy the benefits of real time communication 17aff443 ae3b 472b 9713 236a555597f5 also pub assets |||

Hytera Business Two-way Radio Stay Connected, Stay Productive Hytera Communications Corp., Ltd. 202 ... X LF/AP52X LF BP51X LF BD50X LF PD36X LF 245X/246X Analogue Two-way Radios AP51X/AP58X TC-508 AP32X **TC-320** DMR Portable Radio Ultralight Business DMR Portable Two-way Radio BP36X With a lightweight...

lang:en score:21 filesize: 4.07 M page_count: 12 document date: 2023-11-08

CONNECTOR TABLE

Only the most popular connectors shown, but we do have others. If you don't see what you need, please call our office.

BAICOMING	BAICOMING	GF JIANGSU
x01 (R1)	x02 (R2)	x03 (R3)
x04 (R4)	x05 (R5)	x06 (R6)
x07 (R7)	x08 (R8)	x09 (R9)
x10 (R10)	x11 (R11)	x12 (R12)
x13 (R13)	x14 (R14)	x15 (R15)
x16 (R16)	x17 (R17)	x18 (R18)
x19 (R19)	x20 (R20)	x21 (R21)
x22 (R22)	x23 (R23)	x24 (R24)
x25 (R25)	x26 (R26)	x27 (R27)
x28 (R28)	x29 (R29)	x30 (R30)
x31 (R31)	x32 (R32)	x33 (R33)
x34 (R34)	x35 (R35)	x36 (R36)
x37 (R37)	x38 (R38)	x39 (R39)
x40 (R40)	x41 (R41)	x42 (R42)
x43 (R43)	x44 (R44)	x45 (R45)
x46 (R46)	x47 (R47)	x48 (R48)
x49 (R49)	x50 (R50)	x51 (R51)
x52 (R52)	x53 (R53)	x54 (R54)
x55 (R55)	x56 (R56)	x57 (R57)
x58 (R58)	x59 (R59)	x60 (R60)
x61 (R61)	x62 (R62)	x63 (R63)
x64 (R64)	x65 (R65)	x66 (R66)
x67 (R67)	x68 (R68)	x69 (R69)
x70 (R70)	x71 (R71)	x72 (R72)
x73 (R73)	x74 (R74)	x75 (R75)
x76 (R76)	x77 (R77)	x78 (R78)
x79 (R79)	x80 (R80)	x81 (R81)
x82 (R82)	x83 (R83)	x84 (R84)
x85 (R85)	x86 (R86)	x87 (R87)
x88 (R88)	x89 (R89)	x90 (R90)
x91 (R91)	x92 (R92)	x93 (R93)
x94 (R94)	x95 (R95)	x96 (R96)
x97 (R97)	x98 (R98)	x99 (R99)
x100 (R100)	x101 (R101)	x102 (R102)
x103 (R103)	x104 (R104)	x105 (R105)
x106 (R106)	x107 (R107)	x108 (R108)
x109 (R109)	x110 (R110)	x111 (R111)
x112 (R112)	x113 (R113)	x114 (R114)
x115 (R115)	x116 (R116)	x117 (R117)
x118 (R118)	x119 (R119)	x120 (R120)
x121 (R121)	x122 (R122)	x123 (R123)
x124 (R124)	x125 (R125)	x126 (R126)
x127 (R127)	x128 (R128)	x129 (R129)
x130 (R130)	x131 (R131)	x132 (R132)
x133 (R133)	x134 (R134)	x135 (R135)
x136 (R136)	x137 (R137)	x138 (R138)
x139 (R139)	x140 (R140)	x141 (R141)
x142 (R142)	x143 (R143)	x144 (R144)
x145 (R145)	x146 (R146)	x147 (R147)
x148 (R148)	x149 (R149)	x150 (R150)
x151 (R151)	x152 (R152)	x153 (R153)
x154 (R154)	x155 (R155)	x156 (R156)
x157 (R157)	x158 (R158)	x159 (R159)
x160 (R160)	x161 (R161)	x162 (R162)
x163 (R163)	x164 (R164)	x165 (R165)
x166 (R166)	x167 (R167)	x168 (R168)
x169 (R169)	x170 (R170)	x171 (R171)
x172 (R172)	x173 (R173)	x174 (R174)
x175 (R175)	x176 (R176)	x177 (R177)
x178 (R178)	x179 (R179)	x180 (R180)
x181 (R181)	x182 (R182)	x183 (R183)
x184 (R184)	x185 (R185)	x186 (R186)
x187 (R187)	x188 (R188)	x189 (R189)
x190 (R190)	x191 (R191)	x192 (R192)
x193 (R193)	x194 (R194)	x195 (R195)
x196 (R196)	x197 (R197)	x198 (R198)
x199 (R199)	x200 (R200)	x201 (R201)
x202 (R202)	x203 (R203)	x204 (R204)
x205 (R205)	x206 (R206)	x207 (R207)
x208 (R208)	x209 (R209)	x210 (R210)
x211 (R211)	x212 (R212)	x213 (R213)
x214 (R214)	x215 (R215)	x216 (R216)
x217 (R217)	x218 (R218)	x219 (R219)
x220 (R220)	x221 (R221)	x222 (R222)
x223 (R223)	x224 (R224)	x225 (R225)
x226 (R226)	x227 (R227)	x228 (R228)
x229 (R229)	x230 (R230)	x231 (R231)
x232 (R232)	x233 (R233)	x234 (R234)
x235 (R235)	x236 (R236)	x237 (R237)
x238 (R238)	x239 (R239)	x240 (R240)
x241 (R241)	x242 (R242)	x243 (R243)
x244 (R244)	x245 (R245)	x246 (R246)
x247 (R247)	x248 (R248)	x249 (R249)
x250 (R250)	x251 (R251)	x252 (R252)
x253 (R253)	x254 (R254)	x255 (R255)
x256 (R256)	x257 (R257)	x258 (R258)
x259 (R259)	x260 (R260)	x261 (R261)
x262 (R262)	x263 (R263)	x264 (R264)
x265 (R265)	x266 (R266)	x267 (R267)
x268 (R268)	x269 (R269)	x270 (R270)
x271 (R271)	x272 (R272)	x273 (R273)
x274 (R274)	x275 (R275)	x276 (R276)
x277 (R277)	x278 (R278)	x279 (R279)
x280 (R280)	x281 (R281)	x282 (R282)
x283 (R283)	x284 (R284)	x285 (R285)
x286 (R286)	x287 (R287)	x288 (R288)
x289 (R289)	x290 (R290)	x291 (R291)
x292 (R292)	x293 (R293)	x294 (R294)
x295 (R295)	x296 (R296)	x297 (R297)
x298 (R298)	x299 (R299)	x300 (R300)
x301 (R301)	x302 (R302)	x303 (R303)
x304 (R304)	x305 (R305)	x306 (R306)
x307 (R307)	x308 (R308)	x309 (R309)
x310 (R310)	x311 (R311)	x312 (R312)
x313 (R313)	x314 (R314)	x315 (R315)
x316 (R316)	x317 (R317)	x318 (R318)
x319 (R319)	x320 (R320)	x321 (R321)
x322 (R322)	x323 (R323)	x324 (R324)
x325 (R325)	x326 (R326)	x327 (R327)
x328 (R328)	x329 (R329)	x330 (R330)
x331 (R331)	x332 (R332)	x333 (R333)
x334 (R334)	x335 (R335)	x336 (R336)
x337 (R337)	x338 (R338)	x339 (R339)
x340 (R340)	x341 (R341)	x342 (R342)
x343 (R343)	x344 (R344)	x345 (R345)
x346 (R346)	x347 (R347)	x348 (R348)
x349 (R349)	x350 (R350)	x351 (R351)
x352 (R352)	x353 (R353)	x354 (R354)
x355 (R355)	x356 (R356)	x357 (R357)
x358 (R358)	x359 (R359)	x360 (R360)
x361 (R361)	x362 (R362)	x363 (R363)
x364 (R364)	x365 (R365)	x366 (R366)
x367 (R367)	x368 (R368)	x369 (R369)
x370 (R370)	x371 (R371)	x372 (R372)
x373 (R373)	x374 (R374)	x375 (R375)
x376 (R376)	x377 (R377)	x378 (R378)
x379 (R379)	x380 (R380)	x381 (R381)
x382 (R382)	x383 (R383)	x384 (R384)
x385 (R385)	x386 (R386)	x387 (R387)
x388 (R388)	x389 (R389)	x390 (R390)
x391 (R391)	x392 (R392)	x393 (R393)
x394 (R394)	x395 (R395)	x396 (R396)
x397 (R397)	x398 (R398)	x399 (R399)
x400 (R400)	x401 (R401)	x402 (R402)
x403 (R403)	x404 (R404)	x405 (R405)
x406 (R406)	x407 (R407)	x408 (R408)
x409 (R409)	x410 (R410)	x411 (R411)
x412 (R412)	x413 (R413)	x414 (R414)
x415 (R415)	x416 (R416)	x417 (R417)
x418 (R418)	x419 (R419)	x420 (R420)
x421 (R421)	x422 (R422)	x423 (R423)
x424 (R424)	x425 (R425)	x426 (R426)
x427 (R427)	x428 (R428)	x429 (R429)
x430 (R430)	x431 (R431)	x432 (R432)
x433 (R433)	x434 (R434)	x435 (R435)
x436 (R436)	x437 (R437)	x438 (R438)
x439 (R439)	x440 (R440)	x441 (R441)
x442 (R442)	x443 (R443)	x444 (R444)
x445 (R445)	x446 (R446)	x447 (R447)
x448 (R448)	x449 (R449)	x450 (R450)
x451 (R451)	x452 (R452)	x453 (R453)
x454 (R454)	x455 (R455)	x456 (R456)
x457 (R457)	x458 (R458)	x459 (R459)
x460 (R460)	x461 (R461)	x462 (R462)
x463 (R463)	x464 (R464)	x465 (R465)
x466 (R466)	x467 (R467)	x468 (R468)
x469 (R469)	x470 (R470)	x471 (R471)
x472 (R472)	x473 (R473)	x474 (R474)
x475 (R475)	x476 (R476)	x477 (R477)
x478 (R478)	x479 (R479)	x480 (R480)
x481 (R481)	x482 (R482)	x483 (R483)
x484 (R484)	x485 (R485)	x486 (R486)
x487 (R487)	x488 (R488)	x489 (R489)
x490 (R490)	x491 (R491)	x492 (R492)
x493 (R493)	x494 (R494)	x495 (R495)
x496 (R496)	x497 (R497)	x498 (R498)
x499 (R499)	x500 (R500)	x501 (R501)
x502 (R502)	x503 (R503)	x504 (R504)
x505 (R505)	x506 (R506)	x507 (R507)
x508 (R508)	x509 (R509)	x510 (R510)
x511 (R511)	x512 (R512)	x513 (R513)
x514 (R514)	x515 (R515)	x516 (R516)
x517 (R517)	x518 (R518)	x519 (R519)
x520 (R520)	x521 (R521)	x522 (R522)
x523 (R523)	x524 (R524)	x525 (R525)
x526 (R526)	x527 (R527)	x528 (R528)
x529 (R529)	x530 (R530)	x531 (R531)
x532 (R532)	x533 (R533)	x534 (R534)
x535 (R535)	x536 (R536)	x537 (R537)
x538 (R538)	x539 (R539)	x540 (R540)
x541 (R541)	x542 (R542)	x543 (R543)
x544 (R544)	x545 (R545)	x546 (R546)
x547 (R547)	x548 (R548)	x549 (R549)
x550 (R550)	x551 (R551)	x552 (R552)
x553 (R553)	x554 (R554)	x555 (R555)
x556 (R556)	x557 (R557)	x558 (R558)
x559 (R559)	x560 (R560)	x561 (R561)
x562 (R562)	x563 (R563)	x564 (R564)
x565 (R565)	x566 (R566)	x567 (R567)
x568 (R568)	x569 (R569)	x570 (R570)
x571 (R571)	x572 (R572)	x573 (R573)
x574 (R574)	x575 (R575)	x576 (R576)
x577 (R577)	x578 (R578)	x579 (R579)
x580 (R580)	x581 (R581)	x582 (R582)
x583 (R583)	x584 (R584)	x585 (R585)
x586 (R586)	x587 (R587)	x588 (R588)
x589 (R589)	x590 (R590)	x591 (R591)
x592 (R592)	x593 (R593)	x594 (R594)
x595 (R595)	x596 (R596)	x597 (R597)
x598 (R598)	x599 (R599)	x600 (R600)
x601 (R601)	x602 (R602)	x603 (R603)
x604 (R604)	x605 (R605)	x606 (R606)
x607 (R607)	x608 (R608)	x609 (R609)
x610 (R610)	x611 (R611)	x612 (R612)
x613 (R613)	x614 (R614)	x615 (R615)
x616 (R616)	x617 (R617)	x618 (R618)
x619 (R619)	x620 (R620)	x621 (R621)
x622 (R622)	x623 (R623)	x624 (R624)
x625 (R625)	x626 (R626)	x627 (R627)
x628 (R628)	x629 (R629)	x630 (R630)
x631 (R631)	x632 (R632)	x633 (R633)
x634 (R634)	x635 (R635)	x636 (R636)
x637 (R637)	x638 (R638)	x639 (R639)
x640 (R640)	x641 (R641)	x642 (R642)
x643 (R643)	x644 (R644)	x645 (R645)
x646 (R646)	x647 (R647)	x648 (R648)
x649 (R649)	x650 (R650)	x651 (R651)
x652 (R652)	x653 (R653)	x654 (R654)
x655 (R655)	x656 (R656)	x657 (R657)
x658 (R658)	x659 (R659)	x660 (R660)
x661 (R661)	x662 (R662)	x663 (R663)
x664 (R664)	x665 (R665)	x666 (R666)
x667 (R667)	x668 (R668)	x669 (R669)
x670 (R670)	x671 (R671)	x672 (R672)
x673 (R673)	x674 (R674)	x675 (R675)
x676 (R676)	x677 (R677)	x678 (R678)
x679 (R679)	x680 (R680)	x681 (R681)
x682 (R682)	x683 (R683)	x684 (R684)
x685 (R685)	x686 (R686)	x687 (R687)
x688 (R688)	x689 (R689)	x690 (R690)
x691 (R691)	x692 (R692)	x693 (R693)
x694 (R694)	x695 (R695)	x696 (R696)
x697 (R697)	x698 (R698)	x699 (R699)
x700 (R700)	x701 (R701)	x702 (R702)
x703 (R703)	x704 (R704)	x705 (R705)
x706 (R706)	x707 (R707)	x708 (R708)
x709 (R709)	x710 (R710)	x711 (R711)
x712 (R712)	x713 (R713)	x714 (R714)
x715 (R715)	x716 (R716)	x717 (R717)
x718 (R718)	x719 (R719)	x720 (R720)
x721 (R721)	x722 (R722)	x723 (R723)
x724 (R724)	x725 (R725)	x726 (R726)
x727 (R727)	x728 (R728)	x729 (R729)
x730 (R730)	x731 (R731)	x732 (R732)
x733 (R733)	x734 (R734)	x735 (R735)
x736 (R736)	x737 (R737)	x738 (R738)
x739 (R739)	x740 (R740)	x741 (R741)
x742 (R742)	x743 (R743)	x744 (R744)
x745 (R745)	x746 (R746)	x747 (R747)
x748 (R748)	x749 (R749)	x750 (R750)
x751 (R751)	x752 (R752)	x753 (R753)
x754 (R754)	x755 (R755)	x756 (R756)
x757 (R757)	x758 (R758)	x759 (R759)
x760 (R760)	x761 (R761)	x762 (R762)
x763 (R763)	x764 (R764)	x765 (R765)
x766 (R766)	x767 (R767)	x768 (R768)
x769 (R769)	x770 (R770)	x771 (R771)
x772 (R772)	x773 (R773)	x774 (R774)
x775 (R775)	x776 (R776)	x777 (R777)
x778 (R778)	x779 (R779)	x780 (R780)
x781 (R781)	x782 (R782)	x783 (R783)
x784 (R784)	x785 (R785)	x786 (R786)
x787 (R787)	x788 (R788)	x789 (R789)
x790 (R790)	x791 (R791)	x792 (R792)
x793 (R793)	x794 (R794)	x795 (R795)
x796 (R796)	x797 (R797)	x798 (R798)
x799 (R799)	x800 (R800)	x801 (R801)
x802 (R802)	x803 (R803)	x804 (R804)
x805 (R805)	x806 (R806)	x807 (R807)
x808 (R808)	x809 (R809)	x810 (R810)
x811 (R811)	x812 (R812)	x813 (R813)
x814 (R814)	x815 (R815)	x816 (R816)
x817 (R817)	x818 (R818)	x819 (R819)
x820 (R820)	x821 (R821)	x822 (R822)
x823 (R823)	x824 (R824)	x825 (R825)
x826 (R826)	x827 (R827)	x828 (R828)
x829 (R829)	x830 (R830)	x831 (R831)
x832 (R832)	x833 (R833)	x834 (R834)
x835 (R835)	x836 (R836)	x837 (R837)
x838 (R838)	x839 (R839)	x840 (R840)
x841 (R841)	x842 (R842)	x843 (R843)
x844 (R844)	x845 (R845)	x846 (R846)



[pdf] Warranty


Microsoft Word HUS Warranty Statement Dec2019 v11 docx Sam Guan Hytera Technical Support and Resources Canada hytera.ca 2023 04 |||

Warranty Statement Standard and Extended Warranty Warranty Statement--Hytera Canada WHAT THIS WARRAN ... repeaters have a standard warranty period of 2 two years from the date of purchase, excluding the **TC-320** which has a 1 one year warranty period, not including any extended warranty which may be pu...
lang:en score:20 filesize: 171.47 K page_count: 10 document date: 2023-04-10



[pdf] Borchure

HYTA EN 001A 110117 V2 Télécharger une brochure TC446S Hytera France FR hytera europe media |||
Radios analogiques Portatifs et mobiles Hytera Les radios HYT d Hytera pour les communications analo ... votre personnel. www.hytera.fr Radio Portatif radio PMR446
Le portatif radio analogique PMR446 **TC-320** est une radio sans licence qui offre de nombreuses fonctions un prix attractif. Le portatif ...
lang:fr score:20 filesize: 12.45 M page_count: 18 document date: 2019-01-02



[pdf]

HYTA EN 001A 110117 V2 HYTERA TC620 Handheld Analogue Two Way Walkie Talkie Radio Hytera min 1 direct radios co uk 2019 02 |||

Analogue radios Handheld and mobile radios from Hytera Hytera s HYT radios for licence-free and lic ... ciency of your sta . www.hytera.co.uk Radio PMR446 handheld radio The analogue handheld radio **TC-320** PMR446 is a licence-free radio that o ers a number of features for an attractive price. The T...
lang:en score:20 filesize: 1.87 M page_count: 18 document date: 2019-02-11



[pdf] Warranty

3 lancer liu Microsoft Warranty Statement Hytera US Brand DMR radios and repeaters have a standard warranty period of three years See Important from time purchase Mar2021 v12 hytera us media
Warranty Statement Standard and Extended Warranty 03/29/2021 WHAT THIS WARRANTY COVERS AND FOR HOW L ... repeaters have a standard warranty period of 2 two years from the date of purchase, excluding the **TC-320** which has a 1 one year warranty period, not including any extended warranty which may be pu...
lang:en **score:19** filesize: 236.85 K page_count: 7 document date: 2021-03-31



[pdf] User Manual

Handfunkgeräte und Fahrzeugfunkgeräte von Hytera Mobilfunk GmbH Hyteras Funkgeräte der Marke HYT für den lizenzfreien li zenzpflichtigen Analogfunk bieten jedem Anwender einen hohen Mehrwert Ihre robuste kompakte Bauweise ihre hilfreichen Funktionen 90HYT Analog Terminals Bro deu v03 wd gmbh de media 8a fd cd
Analog-Funkgerte Handfunkgerte und Fahrzeugfunkgerte von Hytera Hyteras Funkgerte der Marke HYT fr ... n von Hytera steigern Sie die Produktivitt Ihrer Mitarbeiter. www.hytera-mobilfunk.com Funkgert **TC-320** PMR446 PMR446-Handfunkgert Das Analog-Handfunkgert **TC-320** PMR446 ist ein lizenzfreies Funkger...
lang:de **score:19** filesize: 8.6 M page_count: 12 document date: 2019-04-04



[pdf]


Wkr Radiotelefon przenośny TC 320hyt tc 320 instrukcjamonterisi pl instrukcje hyt instrukcja |||
Radiotelefon przenony **TC-320** Instrukcja obsługi jest zastrzeżonym znakiem towarowym Hytera Communications Corp. Instrukcja obsługi radiotelefonu HYT TC - 320 SPIS TRECI INFORMACJE DOTYCZCE BEZPIECZESTWA
..... 1 KONTROLA PR...
lang:sw **score:19** filesize: 1.01 M page_count: 26 document date: 2013-12-17



Radiotelefon przenośny
TC-320



HYT est une filiale de la société américaine Hytera Communications Corp.



Wkr Załączniki produktów hyt to 320 instrukcja montersi pl instrukcje type id attachment 1 date add 2019 05 28 |||

1 KONTROLA PR...



HYTA EN 001A 110117 V2 Hytera Analogue Radio Brochure File Size 2978kb Product Downloads
Resound 38 resound co uk files |||

lang:en score:18 filesize: 2.91 M page count: 18 document date: 2017-09-18




[\[pdf\]](#) Datasheet

HYTA EN 001A 110117 V2 Hytera min sflmobileradio co uk 2021 02 TC 620 Series Data Sheet Walkie Talkie Two Way Radio Six Pack |||

Analogue radios Handheld and mobile radios from Hytera Hytera s HYT radios for licence-free and lic ... ciency of your staff. www.hytera.co.uk Radio PMR446 handheld radio The analogue handheld radio **TC-320** PMR446 is a licence-free radio that offers a number of features for an attractive price. The ...

lang:en **score:18** filesize: 1.73 M page_count: 18 document date: 2021-11-25




[\[pdf\]](#)

Handheld radios and mobile from Hytera Mobilfunk GmbH s HYT for license free licensed analog radio offer every user a high level of added value Their robust com pact construction their useful functions reliability ensure 90HYT Analog Terminals Bro eng v03 wd gmbh de media 0e 15 2c

Analogue radios Handheld radios and mobile radios from Hytera Hytera s HYT radios for license-free an ... os from Hytera you will increase the productivity of your staff. www.hytera-mobilfunk.com Radio **TC-320** PMR446 PMR446 handheld radio The analog handheld radio **TC-320** PMR446 is a license-free radio ...

lang:en **score:18** filesize: 8.59 M page_count: 12 document date: 2019-04-04




[\[pdf\]](#) Specifications Dimension Guide Accessories

Microsoft PowerPoint Product Portfolio Dealer Analog Nicholas Bacigalupi WF hytera us 80 Download Private file WebFiles

Respond Achieve Hytera on Fast Track Analog Portfolio Hytera America www.hytera.us Contents 1 Analog Portfolio 2 DMR Technology 3 DMR Portfolio 4 Accessories Portfolio 5 Applications Portfolio HYT Analog Product Overview www.hytera.us **TC-320** Overview Item Frequency Bands Dimens...

lang:en **score:18** filesize: 964.71 K page_count: 18 document date: 2014-08-01




[\[pdf\]](#)

Handheld radios and mobile from Hytera Mobilfunk GmbH GEOCOMPASS 3 General data Frequency range 446 00625 MHz to 09375 Channel capacity 16 spacing 12.5 kHz Operating voltage 8 V Standard battery 1700mAh lithium ion 1499766331 geocompass pt upload |||

Analog radios Handheld radios and mobile radios from Hytera Hytera's HT radios for license-free and licensed analogue communication offer every user a high level of added value. Their robust, compact construction, their useful functionality and their high reliability ensure trouble-free communication, irrespective of whether for professional use or for leisure time.

Whether construction business, facility management or catering: With the added value from Hytera you will increase the productivity of your staff. www.hytera-mobilfunk.com Radio **TC-320** PMR446 PMR446 handheld radio The analog handheld radio **TC-320** PMR446 is a license-free radio ...

lang:en score:17 filesize: 3.47 M page_count: 20 document date: 2015-03-23




[\[pdf\]](#)

HYTA EN 001A 110117 V2 Hytera's HT radios for licence free and licensed analogue communication offer every user a high level of added value. Their robust compact construction their useful functionality reliability min wd gmbh de media 91 8f 03

Analogue radios Handheld and mobile radios from Hytera Hytera's HT radios for licence-free and licensed analogue communication offer every user a high level of added value. Their robust compact construction their useful functionality and their high reliability ensure trouble-free communication, irrespective of whether for professional, personal or leisure use. www.hytera.co.uk Radio PMR446 handheld radio The analogue handheld radio **TC-320** PMR446 is a licence-free radio that offers a number of features for an attractive price. The T...

lang:en score:17 filesize: 1.84 M page_count: 18 document date: 2017-03-14



[\[pdf\]](#) Borchure

TC 320 Brochure EN hytera us Download Private file WebFiles WF English Hytera HT 80 |||

HYT's **TC-320** is unique for its compact and professional design, as well as its superb sound quality. Its strong casing prevents damage against drops of up to five feet and its high capacity battery provides over 9 hours of reliable operation. This radio enables businesses to enjoy dependable communication...

lang:en score:17 filesize: 703.19 K page_count: 2 document date: 2010-08-31

