

YAESU MH-31B8

YAESU MH-31B8 Hand Microphone Instruction Manual

Model: MH-31B8 | Brand: YAESU

INTRODUCTION

The YAESU MH-31B8 Hand Microphone is a standard accessory designed for use with various YAESU transceivers, including the FT-847, FT-1000D, and FT-1000MP. This microphone provides clear audio transmission for amateur radio communications and other compatible applications. It features a durable construction and an 8-pin connector for reliable performance.

PACKAGE CONTENTS

- YAESU MH-31B8 Hand Microphone

SETUP AND CONNECTION

To set up your YAESU MH-31B8 Hand Microphone, follow these steps:

- Identify the Connector:** Locate the 8-pin microphone jack on your compatible YAESU transceiver.
- Align the Connector:** Carefully align the 8-pin connector of the MH-31B8 microphone with the transceiver's microphone jack. Ensure the pins are correctly oriented to avoid damage.
- Insert and Secure:** Gently push the connector into the jack until it is fully seated. Some transceivers may have a locking collar or screw to secure the connection; if present, tighten it clockwise until snug. Do not overtighten.
- Cable Management:** Position the coiled cable to prevent strain on the connector and to keep your operating area tidy.

Note: Always ensure your transceiver is powered off before connecting or disconnecting the microphone to prevent potential damage.



Image: The YAESU MH-31B8 Hand Microphone, featuring its black casing, speaker grille, and control buttons, connected to a coiled cord. This image illustrates the microphone's physical appearance and its attached cable.

OPERATING INSTRUCTIONS

The MH-31B8 Hand Microphone is designed for straightforward operation. It typically includes buttons for basic functions:

- **PTT (Push-To-Talk) Button:** Located on the side of the microphone. Press and hold this button to transmit your voice. Release it to receive.
- **UP/DOWN Buttons:** These buttons, often labeled "UP" and "DWN" (or "OWN" as seen in the image, which is likely a specific function or variant of DWN), are typically used for frequency tuning or channel selection on the connected transceiver. Refer to your transceiver's manual for specific functionality.
- **FST Button:** This button (often labeled "FST" for "Fast") may enable faster tuning or scanning when used in conjunction with the UP/DOWN buttons. Consult your transceiver's manual for exact usage.

Voice Transmission: Hold the microphone approximately 2-5 inches (5-12 cm) from your mouth when speaking. Speak clearly and at a normal volume for optimal audio quality.

MAINTENANCE AND CARE

To ensure the longevity and optimal performance of your MH-31B8 Hand Microphone:

- **Cleaning:** Wipe the microphone's exterior with a soft, dry cloth. For stubborn dirt, a slightly damp cloth can be used, followed by immediate drying. Avoid using harsh chemicals or abrasive cleaners.
- **Storage:** Store the microphone in a clean, dry environment away from direct sunlight and extreme temperatures.
- **Cable Care:** Avoid sharp bends or kinks in the coiled cable. Do not pull on the cable to disconnect the microphone; always grasp the connector itself.
- **Moisture:** Protect the microphone from moisture and liquids. If it becomes wet, disconnect it immediately and allow it to dry completely before reuse.

TROUBLESHOOTING

If you encounter issues with your MH-31B8 Hand Microphone, consider the following:

- **No Audio Transmission:**

- Ensure the microphone is securely connected to the transceiver's 8-pin jack.
- Verify the PTT button is fully depressed during transmission.
- Check the transceiver's settings to ensure the correct microphone input is selected and microphone gain is appropriately set.
- Test with another known-good microphone if available, or test this microphone with another compatible transceiver to isolate the issue.

• **Distorted Audio:**

- Adjust the microphone gain setting on your transceiver. Too high a gain can cause distortion.
- Ensure you are speaking at an appropriate distance from the microphone (2-5 inches).
- Check for any physical damage to the microphone grille or cable.

• **UP/DOWN/FST Buttons Not Functioning:**

- Confirm compatibility with your specific transceiver model. Some older or different models may not fully support all microphone button functions.
- Refer to your transceiver's instruction manual for details on external microphone control functions.

If problems persist after attempting these steps, contact YAESU customer support or a qualified service technician.

SPECIFICATIONS

Feature	Detail
Model Name	MH-31B8
Brand	YAESU
Microphone Form Factor	Handheld
Connectivity Technology	Wired
Connector Type	8-pin
Power Source	Corded Electric (powered by transceiver)
Polar Pattern	Unidirectional
Signal-to-Noise Ratio	70 dB
Number of Channels	1
Compatible Devices	YAESU FT-847, FT-1000D, FT-1000MP, and other compatible radio models
Special Feature	Adaptable for modifications (e.g., W4RT One Big Punch OBP Modification)
Item Weight	8 ounces
Manufacturer	Yaesu
UPC	701630968158

WARRANTY AND SUPPORT





For information regarding the warranty period and terms for your YAESU MH-31B8 Hand Microphone, please refer to the documentation included with your original transceiver purchase or visit the official YAESU website. YAESU provides customer support for their products, including technical assistance and service inquiries.


Official YAESU Website: www.yaesu.com

Note: Warranty terms may vary by region and retailer. Keep your proof of purchase for warranty claims.




Related Documents - MH-31B8

	Yaesu M-70 Desktop Microphone: Operation and Specifications Detailed information on the Yaesu M-70 desktop microphone, including its features, specifications, operating instructions, and compatibility with Yaesu transceivers. Learn about the LOCK key, PTT key, angle adjustment, low-cut switch, and connection types.
	Yaesu M-90D Desktop Microphone User Guide This document provides information on the Yaesu M-90D Desktop Microphone, including its features, specifications, and compatibility with Yaesu transceivers. It details the LOCK key, PTT key, angle adjustment screws, MIC jacks, and low-cut switch. The guide also includes safety precautions and disposal information for electronic equipment.
	Yaesu M-90MS Microphone: Features, Specifications, and Compatibility Guide Detailed information on the Yaesu M-90MS microphone, including its features, technical specifications, connection guide, and compatibility with Yaesu transceivers. Learn about its PTT switch, low-cut filter, and stand kit integration for amateur radio communication.
	Yaesu M-90D Desktop Microphone User Guide and Specifications Detailed guide for the Yaesu M-90D Desktop Microphone, covering its features like PTT and LOCK keys, angle adjustment, connectivity options (8-pin and modular MIC jacks), and technical specifications. Includes information on compatible Yaesu transceivers and FCC compliance.

	Yaesu M-90MS Microphone Stand Kit: Setup and Specifications Comprehensive guide to the Yaesu M-90MS Microphone Stand Kit, detailing its features, assembly, connection to Yaesu transceivers, technical specifications, and compliance information. Includes compatibility list and safety guidelines.
	Yaesu Radio Modifications Guide: Enhance Your Equipment A comprehensive collection of technical modifications and guides for various Yaesu amateur radio transceivers and receivers, covering frequency expansion, audio improvements, and operational enhancements. Updated from www.mods.dk.

Documents - YAESU – MH-31B8



[\[pdf\]](#) User Manual Specifications Accessories

Yaesu FT 847 User manual Multi band RTX Musem C0 Ltd Instruction Manual iw2nmx it 80

FT-847 OPERATING MANUAL YAESU MUSEN CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, Tokyo 153-8644, Japan YAE ... ur bands. 3 FT-847 OPERATING MANUAL Accessories Options SUPPLIED ACCESSORIES Item Quantity **MH-31B8** Hand Microphone lang:en **score:42** filesize: 8.65 M page_count: 108 document date: 2006-09-06



[\[pdf\]](#) User Manual Diagram

Pierre Yves Microphone Connectors PLEASE NOTE Planet PTT For foot switch Instruction Manual · YAESU MICROPHONE COMPATIBILITY LIST Handheld Tranceiver s VX 1R VXF 1 2R 2E 3R 5R 10 UPDATE Some errors in the TS 480 schematics leading to RF feedback when using other than stock microphone have been noted by Kenwood if this problem is experienced reverse connections instruction manual control software Click here Download ALINCO Service manuals FREE micros RA pauhh planet ee manualid Index of |||

In compliance with the true spirit of amateur radio this website information is available without ... Microphone. YAESU- MH-27. Microphone. YAESU- MH-29A2B. Microphone. YAESU- MH-31. Microphone. YAESU- **MH-31B8**. Microphone. YAESU- MH-31A8J. Microphone. YAESU- MH-32A2B. Microphone. YAESU- MH-34 / MH-34B... lang:en **score:37** filesize: 1.32 M page_count: 49 document date: 2007-10-28

FT-920 OPERATING MANUAL

YAESU MUSEN CO., LTD.
4-2-2 Shirohama, Ota-Ku, Tokyo 146-8501, Japan
YAESU U.S.A.
4700 Stevenson Ave., Gardena, CA 90248, U.S.A.
YAESU EUROPE B.V.
Compagny 11100K, Oudegracht, The Netherlands
YAESU UK LTD
Unit 15, Sun Valley Business Park, Worselt Trading Estate
Walsley, Rotherham, S62 7JL, U.K.
YAESU GERMANY GmbH
Am Flughafen 11, D-40549 Schwanheim, Germany
YAESU HK LTD.
1101 King's Road, Hong Kong
1101 King's Road, Hong Kong

[\[pdf\]](#) User Manual Specifications Accessories

OPERATING MANUAL IW2NMX FT 920 Operating Manual 1 Congratulations on the purchase of your Yaesu 920! Whether this is first rig or if equipment already backbone amateur radio station it our sincere hope that you will derive many years Instruction iw2nmx |||

FT-920 OPERATING MANUAL YAESU MUSEN CO., LTD. 1-20-2 Shimomaruko, Ota-Ku, Tokyo 146-8649, Japan YAES ... 39 Front Panel Up/Down Switches 39 **MH-31B8** Hand MicUP/DWN/FST Switches 39 MD-100A8X Desk Microphone Rotary Scanning Switch

lang:en score:36 filesize: 1.6 M page_count: 98 document date: 2006-09-20



HF/50 MHz Base Station FT-950 OPERATING MANUAL



VERTEX STANDARD CO., LTD.
4-2-2 Shirohama, Ota-Ku, Tokyo 146-8501, Japan
VERTEX STANDARD
4000 Shirohama, Ota-Ku, Tokyo 146-8501, U.S.A.
YAESU EUROPE B.V.
Compagny 11100K, Oudegracht, The Netherlands
YAESU UK LTD
Unit 15, Sun Valley Business Park, Worselt Trading Estate
Walsley, Rotherham, S62 7JL, U.K.
YAESU GERMANY GmbH
Am Flughafen 11, D-40549 Schwanheim, Germany
YAESU HK LTD.
1101 King's Road, Hong Kong
1101 King's Road, Hong Kong

[Yaesu FT-950 HF/50 MHz Base Station Operating Manual](#)

Comprehensive operating manual for the Yaesu FT-950 HF/50 MHz Base Station transceiver. This guide details installation, setup, basic and advanced operating procedures, interference rejection techniques, transmission features, and maintenance for amateur radio operators.

lang:en score:36 filesize: 6.64 M page_count: 132 document date: 2008-10-09

EASY OPERATION

RESETTING THE MICROPROCESSOR

The FT-410 has two reset methods.

Menu Mode Reset

Use this procedure to restore the Menu settings to their factory defaults, without affecting the memory you have programmed.

1. Press and hold in the **Power / LOCK** button for one second to turn the transceiver off.
2. Press and hold the **DISP** and **PA-M** buttons. While holding in, press and hold in the **Power / LOCK** button for one second to turn the transceiver on. Once the transceiver comes on, you may release the buttons.



Alt. RESET

Use this procedure to restore all Menu and Memory settings to their original factory defaults. All memories will be cleared by this procedure.

1. Press and hold in the **Power / LOCK** button for one second to turn the transceiver off.
2. Press and hold the **PAUSE / SQUELCH** and **DISP** buttons. While holding in, press and hold in the **Power / LOCK** button for one second to turn the transceiver on. Once the transceiver comes on, you may release the buttons.




[\[pdf\]](#) User Manual

05 User Manual Application for FCC IC ID K6620621X50 511B 20621X50 YAESU MUSEN CO LTD Users Part 2 Yaesu Musen Co Ltd HF Transceiver 20621x50

Easy Operation Resetting the Microprocessor The FT-410 has two reset methods. Menu Mode Reset Use ... second to save the new setting and return to normal operation. About the UP / DWN buttons of the **MH-31B8** The microphone UP / DWN keys utilize the tuning steps of the MAIN DIAL knob on the SSB/...

lang:en score:32 filesize: 3.79 M page_count: 16 document date: 2015-05-13



[\[pdf\]](#) User Manual Accessories

05 User Manual Application for FCC IC ID K6620621X50 511B 20621X50 YAESU MUSEN CO LTD

Users Part 1 Yaesu Musen Co Ltd HF Transceiver 20621x50

HF/50 MHz Transceiver FT-410 Operation Manual YAESU MUSEN CO., LTD.

Tennozu Parkside Building 2-5-8 ... 6 Rear Panel

Jacks..... 7 Supplied **MH-31B8**

Microphone..... 8 Accessories Options.....

lang:en score:32 filesize: 1.64 M page_count: 15 document date: 2015-05-13



[Yaesu FT-950 HF/50MHz 100W Transceiver: Features, Specifications, and Options](#)

Comprehensive overview of the Yaesu FT-950 HF/50MHz 100W Transceiver, detailing its advanced receiver design, digital signal processing, transmitter capabilities, operational features, and optional accessories like the DMU-2000.


lang:en score:31 filesize: 2.45 M page_count: 12 document date: 2019-07-23



[Yaesu FT-950 HF/50 MHz Base Station Operating Manual](#)

This operating manual provides comprehensive instructions and technical details for the Yaesu FT-950 HF/50 MHz Base Station transceiver, covering its features, installation, operation, and maintenance.

lang:en score:31 filesize: 6.64 M page_count: 132 document date: 2008-10-09



[\[pdf\]](#) User Manual


Provided by ManualsAndMore Download User Manual Yaesu FTDX 9000 Series Operation manualsandmore |||

FTDX9000D Operation Manual GENERAL DESCRIPTION We wish to take this opportunity to thank you for ... 3283A UK: T9013285 2 The microphone cable is for use with the optional MD-200A8X, MD-100A8X, or **MH-31B8** micro- phones. The various plug details RCA Plug P0091365 6 pcs 3.5 mm 2-contact Plug ... lang:en score:30 filesize: 2.87 M page_count: 12 document date: 2019-07-24



[Yaesu FT-2000D HF/50 MHz Transceiver: Comprehensive Operating Manual](#)

Detailed operating manual for the Yaesu FT-2000D HF/50 MHz transceiver, covering installation, basic operation, advanced features, controls, and specifications. Learn to maximize performance and utilize all capabilities of this advanced radio equipment. lang:en score:29 filesize: 3.37 M page_count: 54 document date: 2006-12-08




[\[pdf\]](#) User Manual Specifications Accessories

† ohtaki FT 920 ft920 manual rigpix yaesu

FT-920 OPERATING MANUAL YAESU MUSEN CO., LTD. 1-20-2 Shimomaruko, Ota-Ku, Tokyo 146-8649, Japan YAES ... 39 Front Panel Up/Down Switches 39 **MH-31B8** Hand MicUP/DWN/FST Switches 39 MD-100A8X Desk Microphone Rotary Scanning Switch

lang:en score:29 filesize: 13.19 M page_count: 98 document date: 2016-10-24



[\[pdf\]](#) Borchure

YAESU FT 1000MP MARK V Brochure qsl net 80 4 4x6on RADIO MANUALS yaesu File cfm FileID 676

FileCatID 156 FileName FileContentType application

HF 200W ALL MODE TRANSCEIVER MARK-VFT-1000MP Building on the tremendous success of the FT-1000D an ... gation. Linear Amplifier/48 Volts DC Power Supply / Desktop Microphone MD-100A8X Hand Microphone **MH-31B8** Digital Voice Recorder DVS- 2 Remote Control Keypad FH-1 2nd IF 8.2 MHz Filters 3rd IF ... lang:en **score:28** filesize: 1014.74 K page_count: 8 document date: 2002-01-22




[\[pdf\]](#) User Manual Specifications Accessories Diagram

3 manual YAESU FT 1000MP MARK V User Manual Please read this thoroughly so as to gain maximum understanding of the full capability Undesired Sideband Suppression At least 55 dB below peak output Audio Response SSB Not more than 6 from 400 2600 Hz 1 OpMan qsl net 4 4x6on RADIO MANUALS hamradio co uk userfiles file 80 yaesu File cfm FileID 657 FileCatID 158 FileName FileContentType application 674 Operator FT1000MP Index pub Amateur Radio Manuals Downloads OP ft 1000mp mark v Mk5 Instruction qrzcq mcars us m0kwr astrosurf luxorion iw2nmix It Yaesu 1000 ||| HF TRANSCEIVER Operating Manual VERTEX STANDARD CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, Tokyo 153-864 ... Carton

..... 1 Hand Microphone **MH-31B8**

depending on transceiver version


lang:en **score:27** filesize: 4.31 M page_count: 119 document date: 2001-12-17



[\[pdf\]](#) User Manual Specifications Accessories

OPERATING MANUAL QSL net FT 920 Operating Manual 1 Congratulations on the purchase of your Yaesu 920! Whether this is first rig or if equipment already backbone amateur radio station it our sincere hope that you will derive many years operating enjoyment from new transceiver manual qsl ash are FT-920 OPERATING MANUAL YAESU MUSEN CO., LTD. 1-20-2 Shimomaruko, Ota-Ku, Tokyo 146-8649, Japan YAES 39 Front Panel Up/Down Switches 39 **MH-31B8** Hand MicUP/DWN/FST Switches 39 MD-100A8X Desk Microphone Rotary Scanning Switch


lang:en **score:26** filesize: 1.59 M page_count: 98 document date: 2015-02-02



[\[pdf\]](#) User Manual Specifications Accessories Label

OPERATING MANUAL QSL net hamradio online ru YAESU FT 920 User Manual Operating 1 Congratulations on the purchase of your Yaesu 920! Whether this is first rig or if equipment already backbone amateur radio station it our sincere hope that you will derive many years operating enjoyment from new transceiver band provides utmost in ease Each memories ex cept QMB channels can be assigned an alpha numeric label up to seven characters aid memory channel identification A host convenience man ft qsl kf4qfh manuals yaesu user ftp2 4 4x6on RADIO MANUALS 80 FT-920 OPERATING MANUAL YAESU MUSEN CO., LTD. 1-20-2 Shimomaruko, Ota-Ku, Tokyo 146-8649, Japan YAES 39 Front Panel Up/Down Switches 39 **MH-31B8** Hand MicUP/DWN/FST Switches 39 MD-100A8X Desk Microphone Rotary Scanning Switch

lang:en **score:26** filesize: 1.61 M page_count: 98 document date: 2002-07-05



[\[pdf\]](#) User Manual Specifications Accessories

Svr6 user tmp FT847 ohtaki Yaesu FT 847 Operators Manual 146970

FT-847 OPERATING MANUAL YAESU MUSEN CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, Tokyo 153-8644, Japan YAE ... ur bands. 3 FT-847 OPERATING MANUAL Accessories Options SUPPLIED ACCESSORIES Item Quantity **MH-31B8** Hand Microphone


lang:en score:26 filesize: 8.62 M page_count: 108 document date: 2011-05-11



[Yaesu FT DX 3000 Manuale Operativo](#)

Manuale operativo completo per il ricetrasmittitore Yaesu FT DX 3000, che copre l'installazione, il funzionamento, le funzionalità avanzate e le specifiche tecniche per radioamatori.


lang:it score:26 filesize: 17.16 M page_count: 140 document date: 2014-07-13



[\[pdf\]](#) User Manual

front panel buttons and knobs Riggix 22 hours ago — stereo headphones with 2 or 3 contact plugs When a plug is inserted the wearing Lightweight Stereo Headphone YH 77STA ft410 manual rigpix yaesu ||| Front Panel Buttons and Knobs 1 23 M-012 14.195.000 4 5 6 7 8 9 10 1. METER Button Press this b ... plug into this jack disables the internal loudspeaker. FT-410 Operation Manual Page 7 Supplied **MH-31B8** Microphone 2 34 1 DWN FST UP 5 DYNAMIC MICROPHONE MH-31 6 1. PTT Switch Press this ...


lang:en score:25 filesize: 7.25 M page_count: 31 document date: 2022-09-22



[Yaesu FT-950 Operating Manual](#)

This operating manual provides comprehensive guidance on the features, installation, and operation of the Yaesu FT-950 HF amateur radio transceiver, designed for competitive operating and advanced performance.

lang:en score:25 filesize: 427.08 K page_count: 137 document date: 2007-08-08



[Yaesu FT-847 Operating Manual: HF, VHF, UHF All-Mode Transceiver](#)

Comprehensive operating manual for the Yaesu FT-847, an HF, VHF, and UHF all-mode amateur radio transceiver. Covers installation, operation, specifications, and features for this versatile communication device.


lang:en score:24 filesize: 8.67 M page_count: 108 document date: 2001-01-17



[Yaesu FT-950 HF/50MHz 100 W Transceiver: Features and Specifications](#)

Explore the Yaesu FT-950, a 100W HF/50MHz transceiver designed for DX enthusiasts and HF licensees. Discover its advanced receiver architecture, DSP capabilities, and user-friendly controls.

lang:en score:24 filesize: 2.12 M page_count: 12 document date: 2012-12-18



[\[pdf\]](#) User Manual Specifications Accessories

Svr6 user tmp FT847 ohtaki OPERATING MANUAL QSL net FT 847 AB4OJ 1 O PERATING The exciting new Yaesu Earth Station is a revolutionary multimode transceiver providing coverage of all nine HF Amateur bands plus VHF UHF the 50 144 and 430 MHz Operating manual qsl ash are
 FT-847 OPERATING MANUAL YAESU MUSEN CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, Tokyo 153-8644, Japan YAE ... ur bands. 3 FT-847 OPERATING MANUAL Accessories Options SUPPLIED ACCESSORIES Item Quantity **MH-31B8** Hand Microphone

lang:en **score:24** filesize: 8.62 M page_count: 108 document date: 2015-05-02



[\[pdf\]](#) Accessories

Yaesu alessandro 075 FT 950 radioamatore info attachments

Yaesu <http://www.yaesu.it/index.aspx> m=53 did=196 Radioamatori Professionali Accessori Rivenditori ... ofono manuale in dotazione in dotazione sono forniti: cavo di alimentazione cc e microfono da palmo **MH-31B8** Ulteriori accessori opzionali: MD-100A8X - microfono da tavolo MD-200A8X - microfono da tavo...

lang:it **score:23** filesize: 80.16 K page_count: 2 document date: 2009-02-27



[\[pdf\]](#) User Manual Specifications Accessories Diagram

3 manual ft1000mpmarkv rigpix yaesu
 HF TRANSCEIVER Operating Manual VERTEX STANDARD CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, Tokyo 153-864 ... Carton
 1 Hand Microphone **MH-31B8**
 depending on transceiver version


lang:en **score:23** filesize: 4.26 M page_count: 119 document date: 2014-10-19



[Manuale Operativo Yaesu FT DX 3000: Guida Completa per Radioamatori](#)

Esplora le funzionalità avanzate del ricetrasmittitore Yaesu FT DX 3000 HF/50 MHz con questo manuale operativo dettagliato. Copre installazione, configurazione, modi operativi (SSB, CW, FM), gestione memoria e ottimizzazione delle prestazioni per radioamatori.

lang:it **score:23** filesize: 17.07 M page_count: 140 document date: 2015-02-16



[\[pdf\] User Manual](#)

p65 manual FTDX 9000D user IT Yaesu HF RTX radiomanual info schemi YAESU |||

FTDX9000D PeP9000 MANUALE D USO Italiano DESCRIZIONE G ENERALE

Congratulazioni per l'acquisto d ... T9013285 2: Questo cavo microfonico da abbinare ai microfoni opzionali MD-200A8X, MD-100A8X, o **MH-31B8**. Dettaglio e codice spine Spina RCA P0091365 6 pz. Spina bipolare 3.5 mm P0090034 2 p...

lang:it **score:21** filesize: 29.21 M page_count: 156 document date: 2010-11-23




[\[pdf\] User Manual Specifications Warranty Accessories](#)

Page 2 FTDX5000MPLimited EU 14 Ailsat Radio Features 160 through 6 Meters SSB CW FM AM RTTY PSK 200 Watts of Solid Performance Double Conversion Circuit Configuration 1st IF is set at 9 MHz Extra Sharp Crystal ftdx 5000 limited passion radio fr fiches yaesu

FT DX 5000MP . HF/50 MHz 200 W Radio Features: - 160 through 6 Meters - SSB/CW/FM/AM/RTTY/PSK - 2 ... at was developed for the FT DX 9000 is available Optional Supplied Accessories: Hand Microphone **MH-31B8** Remote Control Keypad FH-2 AC Power Cord Operating Manual Warranty Card Specifications: ...

lang:en **score:21** filesize: 102.83 K page_count: 1 document date: 2014-07-14



[pdf] User Manual

Введение Elcom Ltd Alexandre Katalov FT 920 Auto Manual Off U 42 Тон пара генератора RTTY 2125

1275 USB LSB 43 Сдвиг при 170 425 850 Hz 44 man FT920rus hamradio online ru ftp3 80

YAESU FT-920. , , YAESU, , . FT-920 , . FT ... 50 - 54 MHz : 160 m - 6 m : 30 : 1.4:1 4

Translated by RZ3DF **MH-31B8** 1 DC

1 25 ...

lang:en **score:21** filesize: 2.51 M page_count: 117 document date: 2006-01-28



[pdf] User Manual

FTDX 3000 user JA Yaesu HF RTX radiomanual info schemi YAESU |||

FT DX 3000 Series FT DX 3000 FT DX 3000 4 1 48 50 MAIN

5151 2 CLAR/VFO-B VFO-A 1MHz ...51 **MH-31B8** UP/DWN51 P.BACK

..... 52 ANTENNA SELECT 53 ...

lang:de **score:21** filesize: 35.37 M page_count: 172 document date: 2021-12-05



[pdf] User Manual Borchure

FT 950 USAFRONT BACK adachi2 RadioManual eu Yaesu again brings you innovation quality functions

and features that will find nowhere else! The is the newest radio in direct lineage of DX 9000 2000 series

radios It has been developed to fit needs both casual serious enthusiasts V cooled by a huge 1400 cc die

cast aluminum heat sink with About this brochure we have made as comprehensive factual as broch

radiomanual info schemi YAESU HF dxsupply produktfiler yaesu File cfm FileID 2926 FileCatID 156

FileName FileContentType application airband

FT-950 HF/50MHz 100 W Transceiver Yaesu again brings you innovation, quality,

functions and featur ... to0PBrc0o-cG09no,MtnjratorcloSkolWaf ltlhoewsFT-450. Top

View Bottom View Supplied Accessories: **MH-31B8** Hand Microphone 1 , DC Cable 1

Enjoy the ultimate operating ease with your FT-950.... ...

lang:en **score:20** filesize: 5.63 M page_count: 12 document date: 2007-09-20



КВ/50 МГц трансивер

FTdx1200

Руководство по эксплуатации



0001-4545-000-000 www.yaesu.ru
© Yamaha Radio Communications Corp. 14, rev. 7
Printed in Japan 2002-10-22

[\[pdf\]](#) User Manual

FTDX 1200 user RU radiomanual info schemi YAESU HF |||

/50 FTdx1200 -- www.yaesu.ru . , . 14, . 7 .: 495 232-29-03 FTdx1200 ... , VFO-
B/CLAR . 1 . MHz 1 MHz . 1 , VFOB/CLAR , . UP / DOWN **MH-31B8** UP / DWN **MH-31B8** . UP / DWN , . FAST , 100 , FA...

lang:i-klngon **score:20** filesize: 5.7 M page_count: 155 document date: 2022-10-22

YAESU

List prepared by G4WPW

MODEL MICROPHONE

FT-ONE	MD-1B8
FT-7B	YE-7A
FT-75	YE-7A
FT-77	MH-1B8 OR MD-1B8
FT-90R	MH-42A8J CR MH-36B8J
FT-101E/B	YE-7A
FT-101D	YE-7A
FT-102D	MH-42B8J CR MH-36B8J
FT-107	MH-1B8
FT-107	YH-3A (S) 36 (S)
FT-300R	YE-7A
FT-311RH	MH-1A CR MH-10B
FT-312RH	MH-42B CR MH-17B
FT-315	MH-2A
FT-318R	YE-7A
FT-324	YE-7A
FT-325D	YE-7A
FT-327R	info to follow
FT-328R	YH-4E
FT-328R	MH-15
FT-328RH	MH-15
FT-300R	YH-4E
FT-300RH	MH-10B
FT-301	YE-7A
FT-400	MH-31A8J CR MH-36B8J
FT-400R	YH-4E
FT-400	MH-31A8J
FT-401	YE-7A
FT-400R	YH-4E
FT-507	YH-3A (S) 36 (S)
FT-711RH	MH-10B
FT-712RH	MH-1A8J
FT-715	info to follow
FT-720	MH-1B8
FT-720	YH-5D
FT-720	MH-1B8
FT-720 / OZ	MH-1B8
FT-720 / OZ	MH-1B8
FT-720X	MH-1B8
FT-720R	MH-1A8 CR MH-1A8
FT-720R	YH-4E
FT-720R	YH-4E
FT-811	MH-31A8J

[\[pdf\]](#)

yaesumic qsl net g4wpw

List prepared by G4WPW. YAESU MODEL MICROPHONE FT-ONE FT-7B FT-75 FT-77 FT-90R FT-101/E /B FT-10 ... 0RH FT-2800M FT-3000 FT-3800 FT-3900 FT-4700RH FT-5100RH FT-7100M FT-7800R FT-8500 FT-8900R MH-31B **MH-31B8** MH-31A8J MD-1B8 MH-31A8J MH-31A8J YE-7A YE-7A info to follow **MH-31B8** MH-1B8 MH-1B8 **MH-31B8** M...

lang:it **score:20** filesize: 43.4 K page_count: 2 document date: 2009-01-14



КВ/50 МГц трансивер

FTdx1200

Руководство по эксплуатации



0001-4545-000-000 www.yaesu.ru
© Yamaha Radio Communications Corp. 14, rev. 7
Printed in Japan 2002-10-22

[\[pdf\]](#) User Manual

FTdx1200FTdx1200FTdx1200FTdx1200v1v1v1radiomanual info schemi YAESU HF FTDX 1200 user
RUriadiomanual RU |||

/50 FTdx1200 ... - . UP / DOWN **MH-31B8** UP / DWN **MH-31B8** ...

lang:so **score:20** filesize: 5.7 M page_count: 155 document date: 2022-10-22



[pdf]

Product Document product.asp?artdetail=3051891 language=NL country=classicinternational.eu
PRODUCTINFORMATIE YAESU MH31B8 VERVANGENDE HANDMICROFOON
YAESU HF TRANSCEIVER De Yaesu **MH-31B8** handmicrofoon is de vervangende handmicrofoon voor o.a. Yaesu FT-DX1200 en FT-DX3000 HF transceiver. Identiek aan het standaard meegeleverde exemplaar. De microfoon is voorzien van een 8-polige ronde conne...

lang:nl **score:20** filesize: 275.94 K page_count: 1 document date: 2020-12-30



[pdf] User Manual Accessories Diagram

MARK V FT 1000MP French p65 manual yaesu File cfm FileID 953 FileCatID 148 FileName
 FileContentType application |||

Manuel de l'utilisateur FRANÇAIS VERTEX STANDARD CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, Tokyo 153-864 ... 1

Microphone main **MH-31B8** en fonction de la version de l'E/R

lang:fr **score:20** filesize: 8.74 M page_count: 120 document date: 2003-12-09



[pdf] User Manual

P p65 manual MARK V F 1000MP Spanish yaesu File cfm FileID 758 FileCatID 158 FileName
 FileContentType application

HF TRANSCEIVER Manual de Instrucciones ESPAÑOL VERTEX STANDARD CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, ...

..... 1 Micrófono de Mesa **MH-31B8**

depende de la versión del transceptor

lang:es **score:20** filesize: 9.21 M page_count: 120 document date: 2003-07-31



[\[pdf\]](#) User Manual

FT 847FRONT 2 @ HF V UHF ALL MODE TRANSCEIVER 847 Planet Ft 847front manual scanning to lower or high frequencies respectively The separate Sub VFO tuning knob may be used as a "Clarifier" "R I T " control for initial setup of the uplink downlink relationship during satellite operation OPTIONAL VOICE FREQUENCY ANNOUNCEMENT MODULE FVS 1A For operators with impaired vision includes Enjoy full spectrum Amateur Radio excitement Earth Station! Ready action on SSB CW HSCW AM FM Packet SSTV and RTTY expands your operating horizon SHUTTLE JOG™ ring provides rapid frequency change quick sweeping band Just lean rig slightly left right begin adjustments is ready Mode A TX 145 MHz RX 29 B 435 J pauhh planet ee manualid Index |||

HF / VUHF ALL MODE TRANSCEIVER FT-847 Enjoy the full spectrum of Amateur Radio excitement with the ... TIONAL ACCESSORIES MD-200A8X Ultra-High-Fidelity Desktop Microphone MD-100A8X Desktop Microphone **MH-31B8** Hand Microphone YH-77STA MH-36D8 Lightweight Stereo DTMF Hand Microphone Headphone YF-... lang:en score:20 filesize: 523.25 K page_count: 4 document date: 2003-10-15



[\[pdf\]](#) Specifications

FTDX9000 8P 1 6 USA @ S yaesu 80 jp en products AMR

The YAESU FT DX Series, born decades ago, soon grew through such best-sellers as the FT DX 401 to r ... on of Log Book text data AC Cord 1 pc. 8 Pin Modular Mic Adapter Cable for MD-200A8X,MD-100A8X,**MH-31B8** FT DX 9000MP Accessory FPS-9000H External Power Supply with Dual Speakers and Audio Filter... lang:en score:20 filesize: 1.41 M page_count: 8 document date: 2005-09-07



[\[pdf\]](#) User Manual

P p65 manual MARK V Field Spanish yaesu 80 File cfm FileID 759 FileCatID 158 FileName FileContentType application

HF TRANSCEIVER Manual de Instrucciones ESPAOL VERTEX STANDARD CO., LTD. 4-8-8 Nakameguro, Meguro-Ku, ...

..... 1 Micrfono de Mesa **MH-31B8**

depende de la versin del transceptor

lang:es score:19 filesize: 7.25 M page_count: 120 document date: 2003-07-31



[\[pdf\]](#) User Manual

p p65 manual FTDX9000MP EN yaesu File cfm FileID 2104 FileCatID 158 FileName FileContentType application 3880 anico sk manualy YAESU

FT DX 9000MP Operation Manual GENERAL DESCRIPTION We wish to take this opportunity to thank you f ... 83A UK: T9013285 2: This microphone cable is for use with the optional MD-200A8X, MD-100A8X, or **MH-31B8** micro- phones. Plug Details and Part Numbers RCA Plug P0091365 6 pcs 3.5 mm 2-contact ...

lang:en score:19 filesize: 11.34 M page_count: 164 document date: 2005-08-17




[\[pdf\]](#) Borchure

FT 950 USAFRONT BACK adachi2 yaesu File cfm FileID 2926 FileCatID 156 FileName FileContentType application Brochureyaesu Files 4CB83B95 1018 01AF FAD307DB330C321A ts 8 20 2025 3 26 06 AMyaesu BrochureFT 10 4 12 43 PMyaesu 7 1 00 42 |||

FT-950 HF/50MHz 100 W Transceiver Yaesu again brings you innovation, quality, functions and featur ... to0PBrC0o-cG09no,MtnjratorcloSkolWaf ltlhoewsFT-450. Top View Bottom View Supplied Accessories: **MH-31B8** Hand Microphone 1 , DC Cable 1 Enjoy the ultimate operating ease with your FT-950... ...

lang:en score:19 filesize: 5.63 M page_count: 12 document date: 2007-09-20




[\[pdf\]](#) Datasheet

ÿpw ÿpD Download FT 1000MP Datasheet Yaesu datasheets down F T |||

www.DataSheet4U.com HF 200W ALL MODE TRANSCEIVER MARK-VFT-1000MP
www.DataSheet4U.com www.DataShee ... t4U.com Linear Amplifier/48 Volts DC Power Supply / Desktop Microphone MD-100A8X Hand Microphone **MH-31B8** Digital Voice Recorder DVS- 2 Remote Control Keypad FH-1 2nd IF 8.2 MHz Filters 3rd IF ...

lang:en score:19 filesize: 1008.11 K page_count: 8 document date: 2006-06-20




[\[pdf\]](#) User Manual

p 2 p65 manual FTdx9000D 061505 yaesu File cfm FileID 1459 FileCatID 158 FileName FileContentType application

FTDX9000D Operation Manual GENERAL DESCRIPTION We wish to take this opportunity to thank you for ... 3283A UK: T9013285 2 The microphone cable is for use with the optional MD-200A8X, MD-100A8X, or **MH-31B8** micro- phones. The various plug details RCA Plug P0091365 6 pcs 3.5 mm 2-contact Plug ...

lang:en score:19 filesize: 36.09 M page_count: 156 document date: 2005-06-16



[\[pdf\]](#) User Manual

HF 200W ALL MODE TRANSCEIVER MARK V FT 1000MP The development of an Elite Class Transceiver is not accomplished in a vacuum It team effort drawing on the unique abilities Yaesu 39 s Research and Development experts Mk5 broch 2000 radiomanual info schemi YAESU ||| HF 200W ALL MODE TRANSCEIVER MARK-VFT-1000MP Building on the tremendous success of the FT-1000D an ... gation. Linear Amplifier/48 Volts DC Power Supply / Desktop Microphone MD-100A8X Hand Microphone **MH-31B8** Digital Voice Recorder DVS- 2 Remote Control Keypad FH-1 2nd IF 8.2 MHz Filters 3rd IF ... lang:en **score:19** filesize: 1018.53 K page_count: 8 document date: 2021-12-05



[\[pdf\]](#)

Product Document product.asp?artdetail=3050167 language=NL country=classicinternational.eu
PRODUCTINFORMATIE YAESU FT-DX3000D HF/50 MHZ BASISTRANSCEIVER
OUTPUT 100 W 13,8 VDC De specifica ... erkt op 13.8 VDC bij 23 A voeding niet
inbegrepen . De transceiver wordt standaard geleverd met: - **MH-31B8**
handmicrofoon - FH-2 keypad - DC kabel, reserve-zekeringen Specificaties - TX
frequentiebere...

lang:nl **score:19** filesize: 316.73 K page_count: 1 document date: 2020-12-30