

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Honda](#) /

> [Honda TRX500FA/FPA FourTrax Foreman Rubicon Oil Change Kit User Manual](#)

## Honda TRX500FA/FPA

# Honda TRX500FA/FPA FourTrax Foreman Rubicon Oil Change Kit User Manual

Model: TRX500FA/FPA | Brand: Honda

## INTRODUCTION

This manual provides essential instructions for performing an oil change on your 2009 Honda TRX500FA/FPA FourTrax Foreman Rubicon using the genuine Honda Oil Change Kit. Proper maintenance, including regular oil changes, is crucial for the longevity and optimal performance of your ATV's engine. This kit includes Honda GN4 10W-30 4-Stroke Motorcycle Oil, a genuine Honda OEM oil filter, and a crush washer.

## SAFETY INFORMATION

Always prioritize safety when performing maintenance on your vehicle. Failure to follow safety precautions can result in injury or damage to the vehicle.

- Ensure the vehicle is on a level surface and the engine is cool before starting any work.
- Wear appropriate personal protective equipment, including gloves and eye protection.
- Dispose of used oil and filters responsibly according to local regulations.
- Refer to your vehicle's official service manual for specific torque specifications and additional safety guidelines.
- Keep all tools and fluids away from children and pets.

## KIT CONTENTS

The Honda Oil Change Kit for the 2009 TRX500FA/FPA FourTrax Foreman Rubicon typically includes the following components:

- **5 Quarts Honda GN4 10W-30 4-Stroke Motorcycle Oil:** Formulated for motorcycle engines, offering shear resistance, viscosity stability, and cleanliness.
- **1 Genuine Honda OEM Oil Filter:** Designed for optimal filtration and fit.
- **1 Crush Washer:** For the drain plug, ensuring a proper seal.



*This image displays the components of the oil change kit: five quarts of Honda GN4 10W-30 4-Stroke Motorcycle Oil and one genuine Honda OEM oil filter, along with a crush washer (not explicitly visible but part of the kit description).*

## MAINTENANCE: OIL CHANGE PROCEDURE

Follow these steps to perform an oil change on your Honda TRX500FA/FPA. Refer to your vehicle's service manual for detailed diagrams and specific torque values.

### Required Tools and Materials:

- Honda Oil Change Kit (Oil, Filter, Crush Washer)
- Drain pan (sufficient capacity for 4.9 quarts)
- Socket wrench set (for drain plug and oil filter cover)
- Torque wrench
- Funnel
- Clean rags

### Step-by-Step Instructions:

#### 1. Prepare the Vehicle:

- Start the engine and let it run for a few minutes to warm the oil, which helps it drain more easily.
- Turn off the engine and place the ATV on a level surface.
- Locate the oil drain plug, typically on the bottom of the engine crankcase.

#### 2. Drain the Old Oil:

- Place the drain pan directly under the drain plug.

- Carefully remove the drain plug with a socket wrench. Be prepared for hot oil.
- Allow all the old oil to drain completely. This may take several minutes.

### 3. Replace the Oil Filter:

- Locate the oil filter cover, usually on the side of the engine.
- Remove the bolts securing the oil filter cover and carefully remove the cover.
- Remove the old oil filter. Note its orientation for correct installation of the new filter.
- Clean the oil filter housing and cover.
- Install the new genuine Honda OEM oil filter, ensuring it is seated correctly.
- Reinstall the oil filter cover and tighten the bolts to the manufacturer's specified torque.

### 4. Reinstall Drain Plug:

- Clean the area around the drain plug opening.
- Install the new crush washer onto the drain plug.
- Reinstall the drain plug and tighten it to the manufacturer's specified torque using a torque wrench. Do not overtighten.

### 5. Add New Oil:

- Locate the oil fill cap, typically on the top of the engine.
- Place a funnel into the oil fill opening.
- Slowly pour approximately 4.9 quarts of Honda GN4 10W-30 4-Stroke Motorcycle Oil into the engine.
- Reinstall the oil fill cap.

### 6. Check Oil Level and Inspect for Leaks:

- Start the engine and let it idle for a few minutes. Check for any leaks around the drain plug and oil filter cover.
- Turn off the engine and wait a few minutes for the oil to settle.
- Check the oil level using the dipstick or sight glass, depending on your model. Add more oil if necessary to reach the full mark. Do not overfill.

### 7. Dispose of Used Materials:

- Properly dispose of the used oil and oil filter at an authorized recycling center.

## TROUBLESHOOTING

---

### • Oil Leak After Change:

- Check the drain plug for proper tightening and ensure the new crush washer was installed correctly.
- Inspect the oil filter cover for proper seating and ensure bolts are tightened to specification. Check for damaged O-rings or gaskets.

### • Incorrect Oil Level:

- If overfilled, drain a small amount of oil until the correct level is reached. Overfilling can cause engine damage.
- If underfilled, add oil gradually until the correct level is reached. Running with insufficient oil can

cause engine wear.

- **Engine Noise After Oil Change:**
  - Ensure the oil level is correct.
  - Verify that the correct type and viscosity of oil (Honda GN4 10W-30) was used.
  - If unusual noises persist, consult a qualified mechanic.

## SPECIFICATIONS

---

- **Product:** Honda Oil Change Kit
- **Compatible Vehicle:** 2009 Honda TRX500FA/FPA FourTrax Foreman Rubicon
- **Oil Type:** Honda GN4 4-Stroke Motorcycle Oil
- **Oil Viscosity:** 10W-30
- **Oil Capacity:** Approximately 4.9 quarts (refer to your vehicle's service manual for exact capacity)
- **Kit Contents:** 5 Quarts Honda GN4 10W-30 Oil, 1 Genuine Honda OEM Oil Filter, 1 Crush Washer
- **Manufacturer:** HONDA
- **Manufacturer Part Number:** hon-94

## WARRANTY AND SUPPORT

---

This oil change kit consists of genuine Honda parts. For specific warranty information regarding these components, please refer to the official Honda warranty documentation provided with your vehicle or contact an authorized Honda dealer. For technical support related to your Honda TRX500FA/FPA, consult your vehicle's service manual or contact Honda customer service.

For inquiries regarding the purchase of this kit, please contact the seller, Edwards Motorsports & RV's, through the platform where the purchase was made.