



[Manuals.plus](#) /

> [PIFCO](#) /

> Pifco P44011 500ml Dehumidifier Instruction Manual

PIFCO P44011

Pifco P44011 500ml Dehumidifier Instruction Manual

Model: P44011

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your Pifco P44011 500ml Dehumidifier. Please read these instructions carefully before use and retain them for future reference. This dehumidifier is designed to remove excess moisture from the air, helping to prevent condensation, dampness, and mould growth in small spaces.



Image 1.1: The Pifco P44011 500ml Dehumidifier positioned in a modern living room, demonstrating its compact size and discreet design.

The unit is white with a visible water collection tank at the bottom.

2. SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow these basic safety precautions:

- Ensure the voltage indicated on the rating label matches your mains supply.
- Do not immerse the appliance, power cord, or plug in water or any other liquid.
- Always unplug the dehumidifier from the mains supply before cleaning, maintenance, or when not in use.
- Keep the appliance out of reach of children and pets.
- Do not operate the appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner.
- Place the dehumidifier on a stable, flat surface, ensuring adequate air circulation around the unit.
- Do not block the air inlet or outlet vents.
- Do not use the appliance in bathrooms or other excessively humid environments where it could come into contact with water.
- Empty the water tank regularly to prevent overflow.

3. PRODUCT OVERVIEW

Familiarize yourself with the components of your Pifco P44011 Dehumidifier:

- **Power Button:** Controls the ON/OFF function of the unit.
- **ON Indicator Light:** Illuminates when the unit is operating.
- **FULL Indicator Light:** Illuminates when the water tank is full, and the unit automatically shuts off.
- **Air Inlet:** Located at the back of the unit, where moist air is drawn in.
- **Air Outlet:** Located at the top of the unit, where dry air is expelled.
- **Water Tank:** Removable tank at the bottom for collecting condensed water.



Image 3.1: A detailed view of the top control panel of the Pifco P44011 dehumidifier, showing the 'ON' and 'FULL' indicator lights and the main power button.





Image 3.2: Front view of the Pifco P44011 dehumidifier, highlighting the air vents and the transparent water tank with the 'PIFCO' logo.

4. SETUP

1. **Unpack:** Carefully remove the dehumidifier from its packaging. Retain the packaging for future storage or transport.
2. **Placement:** Place the unit on a firm, level surface. Ensure there is at least 10-15 cm (4-6 inches) of clear space around all sides of the dehumidifier to allow for proper airflow. Avoid placing it directly against walls or furniture.

3. **Power Connection:** Insert the power plug into a suitable mains socket.
4. **Initial Check:** Ensure the water tank is correctly seated in the unit before operation.

5. OPERATING INSTRUCTIONS

1. **Power On:** Press the power button once. The 'ON' indicator light will illuminate, and the dehumidifier will begin operation.
2. **Continuous Operation:** The unit will continuously extract moisture from the air as long as it is powered on and the water tank is not full.
3. **Automatic Shut-off:** When the water tank reaches its maximum capacity of 500ml, the 'FULL' indicator light will illuminate, and the dehumidifier will automatically switch off to prevent overflow.
4. **Emptying the Water Tank:** Refer to the 'Maintenance' section for instructions on how to empty the water tank. After emptying and reinserting the tank, the unit will resume operation if the power button is still in the 'ON' position.
5. **Power Off:** To turn off the dehumidifier, press the power button again. The 'ON' indicator light will turn off.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your dehumidifier.

6.1 Emptying the Water Tank

1. Ensure the dehumidifier is switched off and unplugged from the mains supply.
2. Carefully slide out the water tank from the front of the unit.
3. Pour out the collected water.
4. Rinse the water tank with clean water if necessary. Do not use harsh detergents or abrasive cleaners.
5. Slide the empty water tank back into the dehumidifier until it clicks securely into place.



Image 6.1: The Pifco P44011 dehumidifier with its water collection tank detached, illustrating the ease of removal for emptying.

6.2 Cleaning the Unit

- Always unplug the unit before cleaning.
- Wipe the exterior of the dehumidifier with a soft, damp cloth. Do not use abrasive cleaners, solvents, or harsh chemicals.
- Gently clean the air inlet and outlet vents with a soft brush or vacuum cleaner attachment to remove dust and debris.
- Ensure the unit is completely dry before plugging it back in and operating.

6.3 Storage

If storing the dehumidifier for an extended period, ensure the water tank is empty and clean. Store the unit in a cool, dry place, preferably in its original packaging.

7. TROUBLESHOOTING

If you encounter issues with your dehumidifier, consult the following table:

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power supply.	Check if the power plug is securely inserted into the mains socket. Ensure the socket is active.
	Water tank is full or not correctly seated.	Empty the water tank and ensure it is properly reinserted. The 'FULL' indicator light should be off.
Dehumidifier is running but not collecting water.	Room temperature is too low.	Dehumidifiers are most effective in temperatures above 15°C (59°F). Performance may be reduced in colder conditions.
	Air vents are blocked.	Ensure air inlet and outlet vents are clear of obstructions.
Unit is making unusual noise.	Unit is not on a level surface.	Place the dehumidifier on a stable, flat surface.

If the problem persists after attempting these solutions, please contact customer support or a qualified technician.

8. SPECIFICATIONS

Technical details for the Pifco P44011 Dehumidifier:

- **Model:** P44011
- **Brand:** PIFCO
- **Capacity:** 500 ml (0.5 Litres)
- **Dimensions (L x W x H):** 15 x 21.5 x 12 cm
- **Weight:** 1.38 Kilograms
- **Power:** 800 Watts
- **Special Feature:** Silent operation
- **Color:** White

500ML CAPACITY MAKES THIS PRODUCT IDEAL FOR
**WARDROBES, OFFICES, KITCHENS,
CARAVANS AND UTILITIES**

The diagram features a large white Pifco P44011 dehumidifier on the left. It has a control panel with an 'ON' button and a 'FULL' indicator. A vertical double-headed arrow next to it is labeled '21.5cm'. To the right, a grey silhouette of a person stands next to a smaller version of the dehumidifier for scale. Below these elements, the text 'SUITABLE FOR' is centered above five icons: a wardrobe, an office with people, kitchenware (spoon, fork, knife), a caravan, and a washing machine. Each icon is labeled with its corresponding environment: 'WARDROBES', 'OFFICES', 'KITCHENS', 'CARAVANS', and 'UTILITIES'.

Image 8.1: Diagram illustrating the dimensions of the Pifco P44011 dehumidifier (21.5cm height) and suggesting its suitability for wardrobes, offices, kitchens, caravans, and utilities.



PORTABLE



CAPACITY



PREVENTS MOULD



IDEAL FOR
**CUPBOARDS
& CLOSETS**

Image 8.2: Visual representation of the Pifco P44011 dehumidifier's key features, including portability, 250ml daily extraction capacity (note: tank capacity is 500ml), and its ability to prevent mould, ideal for cupboards and closets.

9. WARRANTY AND SUPPORT

Specific warranty details and direct customer support contact information are not provided within this manual. For warranty claims, technical assistance, or spare parts availability, please refer to the documentation supplied at the time of purchase or contact your retailer. You may also visit the official PIFCO website for general product information.