

Red Lion CUB5R000

Red Lion CUB5R000 Multi-function Counter/Rate Indicator User Manual

Model: CUB5R000



1. PRODUCT OVERVIEW

The Red Lion CUB5R000 is a versatile multi-function counter designed for industrial applications. This device offers comprehensive user programming capabilities and can be configured as a single or dual counter with integrated rate indication. Its flexible design allows for various input types and display options.

The CUB5R000 processes incoming pulses, applying a user-defined count scale factor to accurately determine the displayed count. It supports two primary inputs: Input A for the main count signal, and Input B for advanced functions such as quadrature sensing, dual counter operations, anticoincidence counting, or up/down control.



Figure 1: Front view of the Red Lion CUB5R000 Multi-function Counter. The digital display shows a value of '346 789.00'. Below the display, there are two control buttons labeled 'SEL' (Select) on the left and 'RST' (Reset) on the right. The Red Lion logo is visible in the upper right corner of the device's faceplate.

2. KEY FEATURES

- **Multi-function Capability:** Operates as a single or dual counter with rate indication.
- **User Programmable:** Offers complete user programming for various operational modes.
- **Flexible Display:** Display can be toggled manually or automatically between selected readings.
- **High Count Speed:** Supports count speeds up to 20 kHz.
- **Programmable Scaling:** Allows for programmable scaling factors for both count and rate measurements.
- **Advanced Input Options:** Input B supports quadrature, dual counter, anticoincidence, or up/down control counting.
- **Display Color Change:** Capability for display color change at preset output conditions.
- **Optional Relay Output:** Supports optional relay output functionality.

3. SETUP AND INSTALLATION

Proper installation is crucial for the reliable operation of the CUB5R000. This section provides general guidelines. For detailed wiring diagrams and specific installation instructions, refer to the comprehensive technical manual provided with the product or available from the manufacturer's website.

3.1 Mounting

The CUB5R000 is designed for panel mounting. Ensure adequate space for ventilation and access to wiring terminals. Secure the unit firmly using the provided mounting hardware.

3.2 Electrical Connections

All electrical connections should be performed by qualified personnel in accordance with local and national electrical codes. Ensure power is disconnected before making any connections.

- **Power Supply:** Connect the appropriate power supply as specified in the technical manual.
- **Input Signals:** Connect pulse inputs (Input A and Input B) according to your application's requirements (e.g., count, rate, quadrature).
- **Output Connections:** If using optional relay outputs, connect them to the controlled devices as per the wiring diagram.

Warning: Incorrect wiring can damage the unit and pose safety hazards. Always consult the full technical manual.

4. OPERATING INSTRUCTIONS

The CUB5R000 features user-friendly controls for configuration and operation. The primary interface consists of the digital display and two buttons: 'SEL' (Select) and 'RST' (Reset).

4.1 Basic Operation

- **Power On:** Once correctly wired and powered, the unit will display the current count or rate value.
- **Display Toggle:** Press the **SEL** button to manually cycle through different display modes (e.g., Count 1, Count 2, Rate). The unit can also be configured for automatic display cycling.
- **Resetting Values:** Press the **RST** button to reset the active counter value. This function may be configurable to require a longer press or external input for safety.

4.2 Programming Modes

Accessing programming modes allows for configuration of parameters such as count scale factors, input types, output behavior, and display settings. Refer to the detailed programming section in the technical manual for specific sequences and parameter definitions.

- Typically, programming mode is entered by holding down the **SEL** button for a specified duration.
- Use the **SEL** button to navigate through parameters and the **RST** button to modify values.
- Save changes before exiting programming mode.

5. MAINTENANCE

The Red Lion CUB5R000 is designed for minimal maintenance. Regular inspection and cleaning are recommended to ensure optimal performance and longevity.

- **Cleaning:** Periodically clean the display and housing with a soft, damp cloth. Avoid abrasive cleaners or

solvents that could damage the unit.

- **Inspection:** Routinely check all wiring connections for tightness and signs of wear or damage. Ensure the unit is free from dust and debris, especially around ventilation areas.
- **Environmental Conditions:** Ensure the operating environment remains within the specified temperature and humidity ranges to prevent premature failure.

Caution: Do not attempt to open the unit for internal cleaning or repairs. Refer all servicing to qualified personnel.

6. TROUBLESHOOTING

This section provides basic troubleshooting steps for common issues. For more complex problems, consult the full technical manual or contact Red Lion technical support.

Problem	Possible Cause	Solution
Display is blank	No power supply; Incorrect wiring; Unit failure.	Check power connections and supply voltage. Verify wiring against the manual. If problem persists, contact support.
Counter not incrementing	No input signal; Incorrect input wiring; Input signal too weak/fast; Incorrect scaling.	Verify input signal presence and strength. Check input wiring. Adjust input sensitivity or scaling in programming mode.
Incorrect count/rate value	Incorrect scaling factor; Wrong input type selected; Sensor issue.	Review and adjust scaling factors in programming. Confirm correct input type (e.g., quadrature). Check sensor operation.
Buttons unresponsive	Unit frozen; Hardware issue.	Cycle power to the unit. If unresponsive, contact technical support.

7. TECHNICAL SPECIFICATIONS

Specification	Value
Model Number	CUB5R000
Brand	Red Lion
Manufacturer	COLE-PARMER
Count Speed	Up to 20 kHz
Input Types	Count (Input A), Quadrature, Dual Counter, Anticoincidence, Up/Down Control (Input B)
Power Source	Battery Powered
Item Weight	0.01 Ounces (approx. 0.28 grams)
Package Dimensions	4 x 3.2 x 2.75 inches
Date First Available	February 7, 2013

8. WARRANTY AND SUPPORT

For warranty information, technical support, or service inquiries regarding your Red Lion CUB5R000, please contact Red Lion Controls directly or refer to their official website. Ensure you have your product model number (CUB5R000) and date of purchase available when contacting support.


Manufacturer: COLE-PARMER

For additional resources, visit the [Red Lion Store on Amazon](#).




© 2023 Red Lion Controls. All rights reserved. Information subject to change without notice.

Related Documents - CUB5R000

	Red Lion CUB@5 Miniature Electronic 8-Digit Dual Counter and Rate Indicator Manual Comprehensive user manual for the Red Lion CUB@5, detailing its features as a miniature electronic 8-digit dual counter and rate indicator, including installation, programming, and communication options for industrial applications.
	Red Lion DITAK 8 Adjustable Timebase 5-Digit Rate Indicator Manual This document provides detailed specifications, installation guidelines, and troubleshooting information for the Red Lion DITAK 8 Adjustable Timebase 5-Digit Rate Indicator. It covers features, electrical specifications, EMC compliance, and programming.
	Red Lion RAM-6021 Wired Router: Hardware and Installation Guide Comprehensive hardware and installation guide for the Red Lion RAM-6021 Wired Router, covering specifications, mounting, connections, safety, and support information.
	Red Lion CUB5USB USB Programming Option Card: Installation and Configuration Guide A technical bulletin detailing the installation, configuration, and specifications of the Red Lion CUB5USB plug-in card for CUB5 meters, enabling programming via Crimson software. Includes driver installation steps, system requirements, and warranty information.

	Red Lion PWJET50 Shallow Well Jet Pump Owner's Manual and Installation Guide This document provides comprehensive owner's manual and installation guidance for the Red Lion PWJET50 Shallow Well Jet Pump. It details safety instructions, installation procedures, operation, maintenance, and troubleshooting for efficient water supply in rural applications.
	Red Lion CUB5P Miniature Electronic 5-Digit Process Meter User Manual Detailed user manual for the Red Lion CUB5P Miniature Electronic 5-Digit Process Meter, covering installation, wiring, programming, and specifications. Learn about its features, options, and operation.


Documents - Red Lion – CUB5R000



[\[pdf\]](#) User Manual Installation Guide Instructions Guide

CUB5 install fm dianah Index of docs red lion panel meters miniature cub5 seriesCUB5 Installation Guidedcdn logic control series Guide |||

Inside US: 1 877 432-9908 Outside US: 1 717 767-6511 www.redlion.net Bulletin No. CUB5 INST-A ... Indicator with Reflective Display Dual Counter Rate Indicator with Backlight Display PART NUMBER **CUB5R000** CUB5B000 SPECIFICATIONS POWER: Input voltage range is 9 to 28 VDC with short circuit and...
lang:en score:37 filesize: 1.15 M page_count: 4 document date: 2018-05-29



[\[pdf\]](#) Guide


Red Lion Controls Industrial Product Guide 38 AUTOMATION stevenengineering Tech Support Industrial Automation Product Guide HMIs Panel Meters Process Control Courtesy of Steven Enginee ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION DC Volt M...
lang:en score:35 filesize: 3.86 M page_count: 24 document date: 2016-02-25



[\[pdf\]](#) Guide


Automation Products Guide Japanese Version A 1 Red Lion Controls Industrial Product redlion net sites default files 1386 7197

HMI HMI 4 HMI 6 11 LED 13 14 PID 18 19 RTUI/O 21 HMI 300 Crimson 300 Cr ...
CUB5 SSR 928VDC 2.68 68mm 1.3 33mm 1.29 44mm CUB5VB00 CUB5VR00
CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00
CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 DC 5 DC 5 ...
lang:de score:35 filesize: 2.77 M page_count: 23 document date: 2016-12-06



[\[pdf\]](#) Guide

Industrial Automation Product Guide Red Lion Controls HMIs Panel Meters manuallib 2023 10 16 |||
Industrial Automation Product Guide HMIs Panel Meters Process Control A Message
from the Presi ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00
CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00
CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION
DC Volt M...
lang:en score:34 filesize: 3.64 M page_count: 24 document date: 2016-03-21



[\[pdf\]](#) Guide Catalog

Industrial Automation Product Guide Red Lion Controls Newark AutomationProductGuide newark
wcsstore ExtendedSitesCatalogAssetStore cms asset images americas common storefront red lion |||
Industrial Automation Product Guide HMIs Panel Meters Process Control A Message
from the Presi ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00
CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00
CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION
DC Volt M...
lang:en score:34 filesize: 3.68 M page_count: 24 document date: 2015-05-28



[\[pdf\]](#) User Manual Instructions Datasheet

CUB5 Data Sheet Manual Pre Feb 2008 For Reference Only Bulletin No E Drawing LP0584 Tel 1 717

767 Red Lion Controls DISPLAY 8 digit LCD 0 46 11 7 mm high digits CUB5R000 Reflective with full viewing angle CUB5B000 Selectable transmissive red or green backlight LED optimized Display color change capability at preset when using a relay module 2 POWER Input voltage range is 9 to 28 VDC short circuit and input polarity protection The meter can be programmed as single dual counter rate indication display toggled either manually automatically between the Product for reference only redesigned product see new designs FT PER MIN GAUGE FOR 1018 INSTRUCTIONS cub5 pre0208 redlion net sites default files 213 5125 manuals interlinksupply Surface Prep Manuals BLASTRAC MANUALS 80 products groups archive pre feb2008 docs |||

Bulletin No. CUB5-E Drawing No. LP0584 Released 3/07 Tel 1 717 767-6511 Fax 1 717 764-0839 www ... The CUB5 display has 0.46 11.7 mm high digits. The LCD is available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The backlight version is user selectable for green or red backli...

lang:en score:34 filesize: 1015.5 K page_count: 12 document date: 2008-02-13




[\[pdf\]](#) Guide

Industrial Automation Product Guide Red Lion Controls redlion net sites default files 137 6779

Industrial Automation Product Guide HMIs Panel Meters Process Control Table of Contents HMIs ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION DC Volt M...

lang:en score:34 filesize: 3.56 M page_count: 23 document date: 2016-12-06




[\[pdf\]](#) Datasheet Guide

redlionIndustrialAutomationProductGuide cdn logic control media Industrial Automation Product Guide docs red lion datasheets redlion


Industrial Automation Product Guide HMIs Panel Meters Process Control Table of Contents HMIs ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION DC Volt M...

lang:en score:34 filesize: 2.02 M page_count: 13 document date: 2016-11-29




[pdf] User Manual

Provided by ManualsAndMore Download User Manual red lion cub5 manual 1 manualsandmore ||| Bulletin No. CUB5-K Drawing No. LP0584 Released 02/13 Tel 1 717 767-6511 Fax 1 717 764-0839 w ... The CUB5 display has 0.46 11.7 mm high digits. The LCD is available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The backlight version is user selectable for green or red backli... lang:en score:33 filesize: 1.78 M page_count: 16 document date: 2019-07-24



[pdf] Guide

Industrial Automation Product Guide NA Red Lion 0 redlion net sites default files 137 6779 ||| Industrial Automation PRODUCT GUIDE HMI Panel Meters Remote Access PID Controllers Data Acquisition ... eight 1.3 33 mm x depth 1.29 44 mm Model Number CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 Function DC Volt M... lang:en score:33 filesize: 11.7 M page_count: 32 document date: 2021-08-25



[pdf] User Manual Datasheet

CUB5 Data Sheet Manual DownloadCUB5B000 Red Lion Controls0900766b80626598docs rs online f707 0900766b80626598 ||| Bulletin No. CUB5-B Drawing No. LP0584 Released 9/05 Tel 1 717 767-6511 Fax 1 717 764-0839 www ... The CUB5 display has 0.46 11.7 mm high digits. The LCD is available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The backlight version is user selectable for green or red backli... lang:en score:32 filesize: 768.04 K page_count: 12 document date: 2005-09-09



[\[pdf\]](#) Guide

Automation Products Guide A4 Version A 1 Red Lion Controls Product Size redlion net sites default files 137 6950

Industrial Automation Product Guide HMIs Panel Meters Process Control Table of Contents HMIs ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION DC Volt M...

lang:en **score:32** filesize: 2.66 M page_count: 23 document date: 2016-12-06



[\[pdf\]](#) User Manual Guide

Automation Products Guide Portuguese Version A 1 Red Lion Controls Industrial Product redlion net sites default files 1406 7208

Automação Industrial Manual do Produto IHMs e Medidores de Painel Controle de processo Contedo IHM ... Contador duplo ou contagem/taxa 8 dígitos 0,46 pol. 11 mm Iluminação de fundo vermelha/verde Sim **CUB5R000** Contador duplo ou contagem/taxa 8 dígitos 0,46 pol. 11 mm Refletiva - CUB5PB00 Medi...

lang:es **score:32** filesize: 2.67 M page_count: 23 document date: 2016-12-06



[\[pdf\]](#) Guide

Automation Products Guide German Version A 1 Red Lion Controls Industrial French redlion net sites default files 206 7189

Automatisation industrielle Guide du produit IHM et indicateurs de tableau Contrle de process So ... m x hauteur 33 mm x profondeur 44 mm NUMERO DE MODELE CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FONCTION LONGUEUR...

lang:fr **score:32** filesize: 2.66 M page_count: 23 document date: 2016-12-06



[Guía de Productos de Automatización Industrial Red Lion](#)

Explore la gama completa de soluciones de automatización industrial de Red Lion, incluyendo paneles HMI, medidores, controladores PID, módulos RTU/I/O y acondicionadores de señales. Descubra tecnología avanzada para mejorar la productividad y la eficiencia.

lang:es **score:32** filesize: 2.67 M page_count: 23 document date: 2016-12-06




[\[pdf\] Guide](#)

Automation Products Guide A4 Version A 1 Red Lion Controls Industrial Product Chinese redlion net sites default files 198 6961

HMI 1 HMI 4 HMI 6 11 LED 13 14 PID 18 19 RTU I/O 21 3 HMI 300b Crimsonc b ...
928 VDC 2.68 68 mm x1.3 33 mm x1.29 44 mm CUB5VB00 CUB5VR00 CUB5TB00
CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00
CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 // RTD R...

lang:nl **score:32** filesize: 2.83 M page_count: 23 document date: 2016-12-06




[\[pdf\] Guide](#)

Industrial Automation Product Guide Red Lion Controls redlion industrial automation brochure amp model selection copy relevant solutions docs default source i a process controls systems hmi software red lion sfvrsn 2 |||

Industrial Automation Product Guide HMIs Panel Meters Process Control Table of Contents HMIs ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION DC Volt M...

lang:en **score:31** filesize: 3.6 M page_count: 23 document date: 2017-10-20




[\[pdf\]](#) Guide Borchure

Industrial Automation Product Guide Red Lion Controls redlion industrial automation brochure amp model selection copy relevantsolutions docs default source i a process controls systems loop controllers limit recorders red lion sfvrnsn 2 |||

Industrial Automation Product Guide HMIs Panel Meters Process Control Table of Contents HMIs ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION DC Volt M...

lang:en score:31 filesize: 3.6 M page_count: 23 document date: 2017-10-19




[\[pdf\]](#) Guide

Industrial Automation Product Guide Red Lion Controls redlion industrial automation brocure amp model selection copy relevantsolutions docs default source i a process controls systems loop controllers limit recorders red lion sfvrnsn 2 |||

Industrial Automation Product Guide HMIs Panel Meters Process Control Table of Contents HMIs ... eight 1.3 33 mm x depth 1.29 44 mm MODEL NUMBER CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCTION DC Volt M...

lang:en score:31 filesize: 3.68 M page_count: 23 document date: 2017-06-08




[\[pdf\]](#) Guide

Red Lion Industrial Automation Product Guide Distributors Controls N Tron Sixnet Valin ValinOnlinePAX 1 8 DIN Analog and Digital Panel Meters or analog input models PAXLC600 Counter 6 Digit - AC PAXLCL00 Current Loop Meter 3 2 Digitred lion product guidefiles valinonline userfiles documents red guide |||

Industrial Automation Product Guide HMIs Panel Meters Process Control Buy: www.ValinOnline.com ... SPLAY HEIGHT DISPLAY COLOR COLOR CHANGE AT SETPOINT CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 DC Volt Meter DC V...

lang:en score:31 filesize: 3.43 M page_count: 24 document date: 2018-11-08



[pdf] Guide

Automation ExpertsVisualize Product Guideautomationexperts gr index htm files Visualize Guide |||

Visualize Product Guide HMI Panel Meters Large LED Displays Red Lion Controls


offers a wide variet ... eight 1.3 33 mm x depth 1.29 44 mm Model Number

CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00

CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0

Function DC Volt M...

lang:en score:30 filesize: 1.56 M page_count: 12 document date: 2024-04-26



[pdf] Datasheet

Download CUB5SNK0 File Datasheet red lion CUB5R000 redlion datasheets down C U B |||

Bulletin No. CUB5-K Drawing No. LP0584 Released 02/13 Tel 1 717 767-6511 Fax 1

717 764-0839 w ... The CUB5 display has 0.46 11.7 mm high digits. The LCDIs

available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The

backlight version is user selectable for green or red backli...

lang:en score:29 filesize: 1.28 M page_count: 16 document date: 2014-10-30



Red Lion CUB®5 Miniature Electronic 8-Digit Dual Counter and Rate Indicator Manual

Comprehensive user manual for the Red Lion CUB®5, detailing its features as a miniature electronic 8-digit dual counter and rate indicator, including installation, programming, and communication options for industrial applications.

lang:en score:29 filesize: 1.28 M page_count: 16 document date: 2016-04-11



[\[pdf\]](#) Guide

Automation Products Guide files redlion net filedepot 1396 6980 |||

Automatizacin industrial Gua de productos HMI y medidores de paneles Control de procesos Mensaje ... 3 33 mm x profundidad 1.29 44 mm Nmero DEMODELO CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 FUNCIN LONGITUD D...

lang:es score:27 filesize: 5.58 M page_count: 24 document date: 2015-12-14




[\[pdf\]](#) Datasheet Borchure

DIGITALANZEIGENPanel Meter Brochure Germancdn logic control docs red lion Datasheets Panel German |||

DIGITALANZEIGEN PREISGEKRÖNTE LÖSUNGEN RED LION DER UNTERSCHIED Verbindung zu intelligenten Geräten, ... / DUAL SSR DRIVE KUNDENSPEZIFISCHE LABEL SPEZIFIKATIONEN DER DIGITALANZEIGE Zahlen/Summieren CUB5 **CUB5R000**, CUB5B000 Voreingestellte Zählung **CUB5R000***, CUB5B000* Anzahl der Chargen **CUB5R000***, CUB...

lang:de score:27 filesize: 681.77 K page_count: 5 document date: 2021-10-04



[\[pdf\]](#)

Red Lion Controls Panel Meters 38 PANEL METERS stevenengineering Tech Support

Panel Meters Award-winning solutions from the number one brand in the industry Wide range of models ... 250 VAC and 22 to 250 VDC Yes N/A Yes Sealed Case DIGITAL Applications CUB5 Counting/Totalizing **CUB5R000**, CUB5B000 Preset Count **CUB5R000***, CUB5B000* Batch Count **CUB5R000***, CUB5B000* Rate Indi...

lang:en score:27 filesize: 2.22 M page_count: 8 document date: 2016-02-25




[\[pdf\]](#) Borchure

Panel Meter Brochure German Red Lion 2 redlion net sites default files 201 3997 |||

DIGITALANZEIGEN PREISGEKRÖNTE LÖSUNGEN RED LION DER UNTERSCHIED
Verbindung zu intelligenten Geräten, ... / DUAL SSR DRIVE KUNDENSPEZIFISCHE
LABEL SPEZIFIKATIONEN DER DIGITALANZEIGE Zahlen/Summieren CUB5
CUB5R000, CUB5B000 Voreingestellte Zählung **CUB5R000***, CUB5B000* Anzahl der
Chargen **CUB5R000***, CUB...

lang:de **score:27** filesize: 681.77 K page_count: 5 document date: 2021-10-04




[\[pdf\]](#) Borchure

Sales Brochure CUB7TCS0 Red Lion Elapsed Time Indicators panelmeters sb pim galco Manufacturer
TechDocument |||

Panel Meters Award-winning solutions from the number one brand in the industry W
ide range of mo ... 250 VAC and 22 to 250 VDC Yes N/A Yes Sealed Case DIGITAL
Applications CUB5 Counting/Totalizing **CUB5R000**, CUB5B000 Preset Count
CUB5R000*, CUB5B000* Batch Count **CUB5R000***, CUB5B000* Rate Indi...

lang:en **score:27** filesize: 2.22 M page_count: 8 document date: 2016-12-07




[\[pdf\]](#) Borchure

Red Lion Access control and visualize machine data Panel20Meter20Brochure 4 HAq51vO documents
mrosupply product 28 67 286716 |||


Panel Meters AWARD-WINNING SOLUTIONS FROM THE NUMBER ONE BRAND
IN THE INDUSTRY The Red Lion Differ ... et Count Batch Count Rate Indication Rate
Control Elapsed Timing Time Control Real-Time Clock CUB5 **CUB5R000**, CUB5B000
CUB5R000*, CUB5B000* **CUB5R000***, CUB5B000* **CUB5R000**, CUB5B000
CUB5R000*, CUB5B000*...

lang:en **score:27** filesize: 1.21 M page_count: 5 document date: 2024-09-03




[pdf] User Manual

CUB5 Panel Meter User Manual Industrial Automation panel meters counter meter rate CUB miniature dual digital Red Lion Controls 1 DISPLAY 8 digit LCD 0 46 11 7 mm high digits CUB5R000 Reflective with full viewing angle CUB5B000 Transmissive selectable red or green LED backlight optimized Display color change capability output state when using an module 2 POWER Input voltage range is 9 to 28 VDC short circuit and input Setpoint reset manual SPn rSt Å Å YES Counter B Decimal Point Copy Program Settings Output Reset Product redlion net sites default files 213 3984 80 Bulletin No. CUB5-L Drawing No. LP0584 Released 04/16 Tel 1 717 767-6511 Fax 1 717 764-0839 w ... The CUB5 display has 0.46 11.7 mm high digits. The LCD is available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The backlight version is user selectable for green or red backli... lang:en score:27 filesize: 1.28 M page_count: 16 document date: 2016-04-11



[pdf] User Manual Datasheet

CUB5 Panel Meter User Manual Industrial Automation panel meters counter meter rate CUB miniature dual digital Red Lion Controls Data Sheet CUB5B000 Electronic Totalizing cub5 dat pim galco Manufacturer TechDocument ||| MODEL CUB5 - MINIATURE ELECTRONIC 8-DIGIT DUAL COUNTER AND RATE INDICATOR LCD, REFLECTIVE OR GREEN ... The CUB5 display has 0.46 11.7 mm high digits. The LCD is available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The backlight version is user selectable for green or red backli... lang:en score:27 filesize: 1.28 M page_count: 16 document date: 2016-11-21



[pdf] Borchure

Sales Brochure PAXLCL00 Red Lion Digital Panel Meters rdl pnl met sb pim galco Manufacturer TechDocument ||| Panel Meters Award-winning solutions from the number one brand in the industry W ide range of mo ... 250 VAC and 22 to 250 VDC Yes N/A Yes Sealed Case DIGITAL Applications CUB5 Counting/Totalizing **CUB5R000**, CUB5B000 Preset Count **CUB5R000***, CUB5B000* Batch Count **CUB5R000***, CUB5B000* Rate Indi... lang:en score:26 filesize: 2.03 M page_count: 8 document date: 2016-12-01



[\[pdf\]](#) Borchure

Panel Meter Portfolio Brochure CUB Meters Red Lion A4 Size 0 redlion net sites default files 137 901 |||
 PANEL METERS Award-Winning Solutions from the Number One Brand in the Industry YOU REQUIRE CHOICES ... et Count Batch Count Rate Indication Rate Control Elapsed Timing Time Control Real-Time Clock CUB5 **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000* **CUB5R000***, CUB5B000* **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000*...

lang:en **score:26** filesize: 12.33 M page_count: 8 document date: 2020-09-18



[\[pdf\]](#) User Manual Datasheet

CUB5 Data Sheet Manual Pre Feb 2008 For Reference Only Red Lion Controls LCD REFLECTIVE OR GREEN RED LED BACKLIGHTING 0 46 11 7 mm HIGH DIGITS OPTIONAL RELAY OUTPUT MODULE SERIAL COMMUNICATIONS RS232 or cub5rly0 datp galco techdoc rdl

Bulletin No. CUB5-E Drawing No. LP0584 Released 3/07 Tel 1 717 767-6511 Fax 1 717 764-0839 www ... The CUB5 display has 0.46 11.7 mm high digits. The LCD is available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The backlight version is user selectable for green or red backli...

lang:en **score:26** filesize: 1012.32 K page_count: 12 document date: 2016-12-09



[\[pdf\]](#) Borchure

Panel Meter Brochure German Version A 1 Red Lion Controls redlion net sites default files 201 3997
 Digitalanzeigen Einzigartige Lsungen von einem fhrenden Hersteller U mfangreiche Auswahl von Mod ... und 22 bis 250 VDC Ja n. z. Ja Versiegeltes Gehuse DIGITALE Anwendungen CUB5 Zhlen/Totalisieren **CUB5R000**, CUB5B000 Voreingestellter Zhlwert **CUB5R000**, CUB5B000 Batch-Zhlwert **CUB5R000**, CUB5B000*...


lang:de **score:26** filesize: 2.43 M page_count: 8 document date: 2016-11-14



[\[pdf\]](#) Borchure

Panel Meter Brochure A4 Version A 1 Red Lion Controls Size redlion net sites default files 137 901

Panel Meters Award-winning solutions from the number one brand in industry Wide range of models ... Front Panel Front Panel Front Panel Sealed Case DIGITAL Applications CUB5 Counting/Totalizing **CUB5R000**, CUB5B000 Preset Count **CUB5R000**, CUB5B000 Batch Count **CUB5R000**, CUB5B000* Rate Indicat... lang:en score:26 filesize: 2.43 M page_count: 8 document date: 2016-11-14



[\[pdf\]](#) Guide

Industrial Automation Product Guide NA redlion net sites default files 137 6779 |||

Industrial Automation PRODUCT GUIDE HMI Panel Meters Remote Access PID Controllers Data Acquisition ... eight 1.3 33 mm x depth 1.29 44 mm Model Number CUB5VB00 CUB5VR00 CUB5TB00 CUB5TR00 CUB5B000 **CUB5R000** CUB5PB00 CUB5PR00 CUB5IB00 CUB5IR00 CUB5RTB0 CUB5RTR0 CUB5TCB0 CUB5TCR0 Function DC Volt M...


lang:en score:26 filesize: 11.58 M page_count: 32 document date: 2021-03-25



[\[pdf\]](#) Borchure

Panel Meter Brochure French Version A 1 Red Lion Controls redlion net sites default files 206 4128


Indicateurs de tableau Les solutions primes du numro un sur le march L a gamme de modles, de tai ... X/IP65 Faade Faade Faade Faade Botier scell APPLICATIONS numriques CUB5 Compteur/totaliseur **CUB5R000**, CUB5B000 Comptage prdfini **CUB5R000**, CUB5B000 Comptage en lots **CUB5R000**, CUB5B000* Ind... lang:fr score:26 filesize: 2.43 M page_count: 8 document date: 2016-11-14



[\[pdf\]](#) Borchure

ADLD0097A4 070313 indd Panel Meters BrochurePAXS0010 Red Lion PAX LED Digital Multi Function Meter RS0900766b814767dedocs rs online 2f9f 0900766b814767de |||

Panel Meters Award-winning solutions from the number one brand in industry The widest range of m ... Front Panel Front Panel Front Panel Front Panel DIGITAL Applications CUB5 Counting/Totalizing **CUB5R000**, CUB5B000 Preset Count **CUB5R000**, CUB5B000* Batch Count **CUB5R000**, CUB5B000* Rate Indica... lang:en score:26 filesize: 2.42 M page_count: 5 document date: 2015-11-12



[\[pdf\]](#) Borchure

red lion panel meters amp contorllersbrochure75f96f449a4668dab1c0ff0000ea2d61 relevantsolutions docs default source i a process controls systems loop controllers limit recorders sfvrns 2 |||

Panel Meters Award-winning solutions from the number one brand in the industry W ide range of mo ... 250 VAC and 22 to 250 VDC Yes N/A Yes Sealed Case DIGITAL Applications CUB5 Counting/Totalizing **CUB5R000**, CUB5B000 Preset Count **CUB5R000***, CUB5B000* Batch Count **CUB5R000***, CUB5B000* Rate Indi... lang:en score:26 filesize: 2.08 M page_count: 8 document date: 2017-10-19



[\[pdf\]](#) Borchure

Panel Meter Brochure Red Lion 4 redlion net sites default files 137 169 A4 Size Översiktskatalog Panelinstrument Digitala LED LCD SensorGruppen 1 901 |||

PANEL METERS AWARD-WINNING SOLUTIONS FROM THE NUMBER ONE BRAND IN THE INDUSTRY THE RED LION DIFFER ... et Count Batch Count Rate Indication Rate Control Elapsed Timing Time Control Real-Time Clock CUB5 **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000* **CUB5R000***, CUB5B000* **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000*... lang:en score:26 filesize: 8.09 M page_count: 8 document date: 2021-09-29



[\[pdf\]](#) Datasheet

PANEL METERS Farnell Red Lion s CUB5 and PAX meters offer the capability to add change option cards as your application communications requirements Page 5 PAX 3110666 farnell datasheets ||| PANEL METERS Award-Winning Solutions from the Number One Brand in the Industry YOU REQUIRE CHOICES ... et Count Batch Count Rate Indication Rate Control Elapsed Timing Time Control Real-Time Clock CUB5 **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000* **CUB5R000***, CUB5B000* **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000*...

lang:en **score:25** filesize: 12.63 M page_count: 8 document date: 2020-07-22



[\[pdf\]](#)

DIGITALANZEIGEN PAXS0000 LPAX EPAX N A PID Controller PXU Series PX2A8H00 PX2A8V00 Red Lion das Logo Tron und Sixnet sind eingetragene A700000008246435 docs rs online 3da3 ||| DIGITALANZEIGEN PREISGEKRÖNTE LÖSUNGEN RED LION DER UNTERSCHIED Verbindung zu intelligenten Geräten, ... DUAL SSR DRIVE KUNDENSPEZIFISCHE LABEL SPEZIFIKATIONEN DER DIGITALANZEIGE Zahlen/Summieren CUB5 **CUB5R000**, CUB5B000 Voreingestellte Zählung **CUB5R000***, CUB5B000* Anzahl der Chargen **CUB5R000***, CUB...

lang:de **score:25** filesize: 4.85 M page_count: 8 document date: 2021-10-04



[\[pdf\]](#) Borchure

Panel Meter Brochure Chinese Red Lion 3 redlion net sites default files 198 6205 ||| Wi-FiModbus 0.3 7.6 mm 4 101 mm PID Crimson 21 2021 21Control Design PM-50 ... OC 173932 CUB5 RS232 RS485 USB 7285.17 PAX OC OC TRIAC /SSR / CUB5 **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000* **CUB5R000***, CUB5B000* **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000*...

lang:de **score:25** filesize: 5.41 M page_count: 8 document date: 2021-08-31



[\[pdf\]](#) User Manual

Cub5 V3 10 cdr CS Manual Wachendorff CUB5R000 CUB5 Frequency Meter 01 20k Rapid Electronics 9676m v1 static rapidonline |||


Elektronischer Zähler und Tachometer CUB5 12 Bestellhinweise Typ Bestell-Nr. Zähler und Tachometer CUB5 - mit Standard-LCD **CUB5R000** - mit rot/grüner LCD CUB5B000 Zubehör Relaiskarte fr CUB5 CUB5RLY0 Transistorkarte fr CUB5 CUB5SNK0 Schnittstellenkarte RS485 CUB5COM1 Schnittstellenkarte R... lang:de **score:25** filesize: 984.11 K page_count: 14 document date: 2008-10-07



[\[pdf\]](#) Borchure

PANEL METERS Driving down costs means thinking differently That is why Red Lion s CUB5 and PAX meters offer the capability to add change option Panel20Meter20Brochure 6documents mrosupply product documents 28 70 287093 Panel20Meter20Brochure 6 |||

PANEL METERS AWARD-WINNING SOLUTIONS FROM THE NUMBER ONE BRAND IN THE INDUSTRY THE RED LION DIFFER ... et Count Batch Count Rate Indication Rate Control Elapsed Timing Time Control Real-Time Clock CUB5 **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000* **CUB5R000***, CUB5B000* **CUB5R000**, CUB5B000 **CUB5R000***, CUB5B000*... lang:en **score:25** filesize: 8.09 M page_count: 8 document date: 2021-09-29



[\[pdf\]](#) User Manual Datasheet

CUB5T Data Sheet Manual red lion gemini paxlr cub5t pax cub5 38MAN CR stevenengineering tech support

Tel 1 717 767-6511 Fax 1 717 764-0839 www.redlion.net MODEL CUB5T - MINIATURE ELECTRONIC PRESE ... The CUB5 display has 0.46 11.7 mm high digits. The LCD is available in two versions, reflective **CUB5R000** and backlight CUB5B000 . The backlight version is user selectable for green or red backli... lang:en **score:25** filesize: 6.89 M page_count: 106 document date: 2008-09-09