

American Dish Service 091-3065

Instruction Manual for Switch, Contact Block, Et-Af

Brand: American Dish Service | Model: 091-3065

1. PRODUCT OVERVIEW

The American Dish Service Switch, Contact Block, Et-Af is a genuine OEM (Original Equipment Manufacturer) replacement part designed for industrial electrical applications, specifically within controls and indicators, and basic switches. This component ensures the safe, reliable, and optimal performance of compatible ware washing equipment.

It is crucial to use genuine OEM parts to maintain the integrity and safety standards of your equipment.




Figure 1: Front view of the Switch, Contact Block, Et-Af. This image displays the green contact block with "3 NO" and "4"

markings, securely attached to a metal mounting base via two screws. The base is designed for integration into larger electrical systems.

2. SAFETY INFORMATION

Always disconnect power to the equipment before installing, servicing, or removing this component. Failure to do so may result in electrical shock, injury, or death. Installation should only be performed by qualified personnel.

- Ensure all local and national electrical codes are followed.
- Verify compatibility with your specific equipment model before installation.
- Do not modify the contact block or its mounting hardware.
- Wear appropriate personal protective equipment (PPE), including insulated gloves and safety glasses.

3. INSTALLATION AND SETUP

This contact block is designed for integration into existing electrical control panels or machinery. Refer to your equipment's primary service manual for specific wiring diagrams and mounting instructions.

3.1. Pre-Installation Check

1. Verify that the part number (091-3065) matches the required replacement part.
2. Inspect the contact block for any visible damage or defects.
3. Ensure all mounting screws are present and in good condition.

3.2. Installation Steps

1. **Power Disconnection:** Turn off and lock out all power sources to the equipment where the contact block will be installed. Confirm zero voltage with a multimeter.
2. **Remove Old Component:** Carefully disconnect wiring from the old contact block, noting wire positions if not clearly marked. Remove the old block from its mounting.
3. **Mounting:** Position the new contact block (091-3065) onto the designated mounting point. Secure it firmly using the provided screws. Do not overtighten.
4. **Wiring:** Connect the electrical wires to the appropriate terminals on the new contact block. Refer to the equipment's wiring diagram for correct terminal assignments (e.g., "3 NO" and "4" for normally open contacts). Ensure connections are secure and free from loose strands.
5. **Verification:** Double-check all connections and mounting security.




Figure 2: Side view of the Switch, Contact Block, Et-Af, highlighting the electrical terminals and regulatory markings such as "UL Listed" and "CE". This view provides a clearer perspective on the wiring points and the overall compact design.

4. OPERATING INSTRUCTIONS

The Switch, Contact Block, Et-Af (Model 091-3065) is a passive electrical component that functions as part of a larger control circuit. It does not have user-operable controls itself. Its operation is dictated by the switch or actuator it is paired with.

- Once installed and wired correctly, the contact block will open or close its electrical circuit based on the mechanical action of the associated switch (e.g., a push-button, selector switch, or limit switch).
- Ensure the associated switch is functioning correctly and is free from obstructions.
- Monitor the equipment for proper operation after installation.




Figure 3: Alternative side view of the Switch, Contact Block, Et-Af. This image provides another angle of the component, emphasizing the robust metal mounting bracket and the precise alignment of the contact block. Visible markings include "Made in India" and additional electrical specifications.

5. MAINTENANCE

The Switch, Contact Block, Et-Af is designed for durability and requires minimal maintenance. However, periodic inspection is recommended to ensure continued reliable operation.

- **Visual Inspection:** Regularly inspect the contact block for signs of wear, corrosion, or physical damage. Check for loose wiring connections.
- **Cleaning:** If necessary, gently clean the exterior of the contact block with a dry, lint-free cloth. Do not use solvents or abrasive cleaners. Ensure power is disconnected before cleaning.
- **Connection Check:** Periodically verify that all electrical connections are tight and secure. Loose connections can lead to overheating or intermittent operation.

Warning: Do not attempt to disassemble the contact block. There are no user-serviceable parts inside.




Figure 4: Top-down view of the Switch, Contact Block, Et-Af. This perspective clearly shows the two screw terminals for electrical connections and the compact form factor of the green contact block. The metal mounting base is also visible, indicating its secure attachment mechanism.

6. TROUBLESHOOTING

If the equipment is not functioning as expected after installing the contact block, consider the following troubleshooting steps:

Problem	Possible Cause	Solution
Equipment does not activate/deactivate.	Incorrect wiring.	Verify all wire connections against the equipment's wiring diagram. Ensure wires are securely fastened to terminals "3 NO" and "4".
Equipment does not activate/deactivate.	Loose connections.	Check all terminal screws for tightness.
Equipment does not activate/deactivate.	Faulty associated switch/actuator.	Test the switch or actuator that operates the contact block independently. Replace if faulty.
Intermittent operation.	Loose wiring or damaged insulation.	Inspect wiring for damage. Re-secure all connections.

Problem	Possible Cause	Solution
Physical damage to contact block.	Impact or improper handling.	Replace the contact block if physically damaged.

If troubleshooting steps do not resolve the issue, contact a qualified service technician or American Dish Service customer support.

7. SPECIFICATIONS

Attribute	Detail
Product Name	Switch, Contact Block, Et-Af
Brand	American Dish Service
Model Number	091-3065
Part Type	Genuine OEM Replacement Part
Dimensions (L x W x H)	5 x 6 x 9 inches
Weight	10.24 ounces
First Available Date	January 15, 2023
Manufacturer	American Dish Service
Contents	1 x Replacement Part (Contact Block)

8. WARRANTY AND SUPPORT

For warranty information regarding this genuine OEM part, please refer to the warranty documentation provided with your original American Dish Service equipment or contact American Dish Service directly. As an OEM part, its warranty typically aligns with the original equipment's warranty for replacement components.

8.1. Customer Support

For technical assistance, troubleshooting beyond this manual, or to inquire about replacement parts, please contact American Dish Service customer support. Contact details can typically be found on the manufacturer's official website or on your original equipment documentation.

When contacting support, please have the following information ready:

- Product Model Number: **091-3065**
- Description of the issue
- Date of purchase




[\[pdf\]](#) User Manual

Parts Manual American Dish Service Hoses Pipes Tubing Town Mexico ADS ETAF 3 M PDH pm v 1668004206350 static pt modelManual |||

EFFECTIVE: October 2015 American Dish Service ADS UNDERCOUNTER DISHWASHER MODEL: ETAF-3/ETAF-M PDH S ... Assembly 064-2903 N/S 091-3067 3 Switch, Push Button Operator Only See Assembly 064-2903 N/S **091-3065** 3 Switch, Contact Block See Assembly 064-2903 N/S 086-6189 1 Switch Box Bottom See As...

lang:en **score:35** filesize: 2.78 M page_count: 38 document date: 0000-00-00




[\[pdf\]](#) User Manual

ET AF PM 2008 indd ComputerUser ETAF 3 M Ads Udercounter Dishwasher Parts Manual 05 American Dish Service 091 3007 Commercial Kitchen AMD0039 cpsohio media import manuals AMD |||

EFFECTIVE: MAY, 2008 American Dish Service ADS UNDERCOUNTER DISHWASHER MODELS: ETAF / ETAF-3/ ETAF-M ... rption 33 291-7101 1 Indicator Run Light 34 091-3067 3 Switch, Push Button Operator Only 35 **091-3065** 3 Switch, Contact Block 36 086-6189 1 Switch Box Bottom 37 092-2000 2 Squeeze Tube, No...

lang:en **score:33** filesize: 345.22 K page_count: 30 document date: 2008-07-09




[\[pdf\]](#) User Manual

HT 25 PM 2008 indd ComputerUser Ads High Temp Single rack Dishmachine Parts Manual 05 08 American Dish Service 384 6115 Commercial Kitchen AMD0028 cpsohio media import manuals AMD |||

EFFECTIVE: MAY, 2008 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODEL: HT-25 PARTS ... 291-3017 291-3009 291-3005 391-9103 291-3006 091-7006 099-4502 091-3008 291-9105 291-7101 091-3067 **091-3065** 091-3049 286-6107 291-5104 091-5010 291-5106 391-3002 391-3001 391-7102 391-7101 391-7103 3...

lang:nl **score:33** filesize: 379.67 K page_count: 24 document date: 2008-07-09




[\[pdf\]](#) User Manual

HT 25 5 Wire PM 2018 indd j andrews WIRE 110 Volt Control System American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODELS PARTS MANUAL EFFECTIVE MAY 1 american dish Files Manuals

EFFECTIVE: MAY 1, 2018 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODELS: HT-25 5 W ... 291-3009 291-3005 391-9103 291-3032 291-3027 091-7006 099-4502 091-3008 291-9105 291-7101 091-3067 **091-3065** 091-3049 286-6107 291-5104 091-5010 291-5106 391-3002 391-7102 391-9101 091-1009 No. Req. ...

lang:en score:31 filesize: 371.36 K page_count: 28 document date: 2019-03-30




[\[pdf\]](#) User Manual

HT 25 PM Revised 2011 indd Reba ads high temp single rack dishmachine model ht EFFECTIVE MAY 2014 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODEL PARTS MANUAL 900 Blake Street Edwardsville Kansas 66111 american dish Files Manuals

EFFECTIVE: MAY, 2014 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODEL: HT-25 900 BI ... 291-3017 291-3009 291-3005 391-9103 291-3032 091-7006 099-4502 091-3008 291-9105 291-7101 091-3067 **091-3065** 091-3049 286-6107 291-5104 091-5010 291-5106 391-3002 391-3001 391-7102 391-7101 391-7103 3...

lang:en score:30 filesize: 406.69 K page_count: 26 document date: 2016-02-04



[\[pdf\]](#) User Manual

PARTS MANUAL May 1 2018 · The American Dish Service part numbers contained in this publication are replacement parts for equipment listed with governmental and ADS HT 25 4 WIRE pm v 1734732396953 srsItd AfmBOoqiMfRYvC1T9mrmnrRznBcBDTFAYL5SgHlopT74IX7NdI xJEIJ partstown modelManual ||| EFFECTIVE: MAY 1, 2018 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODELS: HT-25 4 W ... 291-3009 291-3029 391-9103 291-3043 291-3031 391-7104 099-4502 091-3008 291-9105 391-7104 091-3067 **091-3065** 391-3013 286-6107 291-5104 091-5010 291-5106 391-3011 391-7106 391-9101 391-3012 391-9102 0...

lang:en score:29 filesize: 476.3 K page_count: 28 document date: 0000-00-00



[American Dish Service ETAF-3/ETAF-M PDH Series Undercounter Dishwasher Parts Manual](#)

Official parts manual for American Dish Service ETAF-3 and ETAF-M PDH Series undercounter commercial dishwashers. Provides detailed part numbers, diagrams, and maintenance information for these models.

lang:en **score:27** filesize: 2.67 M page_count: 38 document date: 2018-05-09



[\[pdf\] User Manual](#)

PARTS MANUAL ADS ET PD H Undercounter Dishwashing Machine American Dish americandish 2025 02 |||

Effective: October 2015 American Dish Service Manufacturers of Ware Washing Equipment ETAF-3/ETA ... es Ref. No. N/S N/S N/S N/S N/S N/S N/S N/S N/S N/S N/S N/S 30 Part No. 291-7101 091-3067 **091-3065** 086-6189 089-9282 091-3070 091-4139 091-4141 091-4142 089-9296 089-9297 091-3025 089-9460 0...

lang:en **score:26** filesize: 3.9 M page_count: 38 document date: 2024-10-25




[\[pdf\] User Manual](#)

ET PD H indd j andrews ADS UNDERCOUNTER DISHWASHER MODEL ETAF 3 M PDH Series American Dish Service 061 2500 Cabinet Assembly 2600 7 Ref No Part Req Description 1 085 6173 Hood Weldment 2 6128 Opt 6219 Pan Frame 4 098 2507 13 Locknut ¼ 20 SS 5 2416 19 Washer 6 1423 12 Bolt x ½ HH These parts must only be replaced by those who are trained in the operation and service of commercial dishmachines Aftermarket or PM americandish Files Manuals Parts with ANSI Warning 2016

EFFECTIVE: October 2015 American Dish Service ADS UNDERCOUNTER DISHWASHER MODEL: ETAF-3/ETAF-M PDH S ... Assembly 064-2903 N/S 091-3067 3 Switch, Push Button Operator Only See Assembly 064-2903 N/S **091-3065** 3 Switch, Contact Block See Assembly 064-2903 N/S 086-6189 1 Switch Box Bottom See As...


lang:en **score:26** filesize: 2.67 M page_count: 38 document date: 2016-02-02



[\[pdf\] User Manual](#)

HT 25 5 Wire PM 2018 indd j andrews ADS Dishmachine ads ht wire parts manual tcdparts media 1103 ||| EFFECTIVE: MAY 1, 2018 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODELS: HT-25 5 W ... 291-3009 291-3005 391-9103 291-3032 291-3027 091-7006 099-4502 091-3008 291-9105 291-7101 091-3067 **091-3065** 091-3049 286-6107 291-5104 091-5010 291-5106 391-3002 391-7102 391-9101 091-1009 No. Req. ...

lang:en **score:23** filesize: 383.54 K page_count: 28 document date: 2019-03-30




[\[pdf\]](#) User Manual

ADS HT 25 4 Wire Dishmachine ProWshParts Manuals — ProWash Parts drive google file d 193lvAr9UQLa4TGyKZyBtmXHZBxgCwFc view usp sharing |||

EFFECTIVE: MAY 1, 2018 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODELS: HT-25 4 W ... 291-3009 291-3029 391-9103 291-3043 291-3031 391-7104 099-4502 091-3008 291-9105 391-7104 091-3067 **091-3065** 391-3013 286-6107 291-5104 091-5010 291-5106 391-3011 391-7106 391-9101 391-3012 391-9102 0...

lang:en **score:23** filesize: 378.81 K page_count: 28 document date: 2025-02-19




[\[pdf\]](#) User Manual

ADS HT 25 5 Wire Dishmachine ProWshParts Manuals — ProWash Parts drive google file d 1r0i9OIDt4FFu2LZzbwRC8dXWH6pERjE view usp sharing |||

EFFECTIVE: MAY 1, 2018 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODELS: HT-25 5 W ... 291-3009 291-3005 391-9103 291-3032 291-3027 091-7006 099-4502 091-3008 291-9105 291-7101 091-3067 **091-3065** 091-3049 286-6107 291-5104 091-5010 291-5106 391-3002 391-7102 391-9101 091-1009 No. Req. ...

lang:en **score:23** filesize: 379.32 K page_count: 28 document date: 2025-02-19



[\[pdf\]](#) User Manual

HT 25 4 Wire PM 2018 indd j andrews American Dish 311 0080 WIRE High Temp Dishwasher Service 3
Ref No Part Req Description 5 361 0100 1 Cabinet Assembly 6 7 362 0300 Lower Spray Arms
Assemblies americandish Files Manuals |||

EFFECTIVE: MAY 1, 2018 American Dish Service ADS HIGH TEMP SINGLE RACK DISHMACHINE MODELS: HT-25 4 W ... 291-3009 291-3029 391-9103 291-3043 291-3031 391-7104 099-4502 091-3008 291-9105 391-7104 091-3067 **091-3065** 391-3013 286-6107 291-5104 091-5010 291-5106 391-3011 391-7106 391-9101 391-3012 391-9102 0...

lang:en **score:20** filesize: 370.69 K page_count: 28 document date: 2019-03-30



[\[pdf\]](#)

ADS ET AF Parts Kit 2 2023 americandish 05 |||

American Dish Service Manufacturers of Ware Washing Equipment PARTS KIT 088-1065 Model ET-AF Un ... h, Prime Chem, Momentary 091-3022 6 4 Switch, Cam Timer 091-3008 6 1 Switch, Master, 20amp **091-3065** 6 1 Switch, Contact Block, ET and HT 091-3067 6 1 Switch, Operator, ET and HT 091-102...

lang:de **score:18** filesize: 569.92 K page_count: 8 document date: 2023-04-20