

Petromax HK500

Petromax HK500 Pressurized Lantern User Manual

Model: HK500

1. INTRODUCTION

The Petromax HK500 is a high-pressure lantern designed to provide significant illumination. It operates using kerosene or paraffin oil, generating a light output equivalent to 500 candlepower (approximately 400 watts). This manual provides essential information for the safe and effective setup, operation, and maintenance of your Petromax HK500 lantern.





Image 1.1: The Petromax HK500 Pressurized Lantern, showcasing its polished brass finish and classic design.

2. SAFETY GUIDELINES

WARNING: Failure to follow these safety instructions may result in fire, serious injury, or death.

- **Outdoor Use Only:** This lantern is designed for outdoor use in well-ventilated areas. Do not operate indoors or in enclosed spaces due to the risk of carbon monoxide poisoning and fire.
- **Fuel:** Use only kerosene or paraffin oil. Never use gasoline, alcohol, or other volatile fuels, as this can cause an explosion.
- **Filling:** Always fill the fuel tank in a well-ventilated area, away from open flames or ignition sources. Do not overfill the tank.
- **Hot Surfaces:** The lantern becomes extremely hot during operation. Allow it to cool completely before handling, refueling, or performing maintenance.
- **Pressure:** The lantern operates under pressure. Ensure all components are securely tightened before pressurizing. Do not exceed recommended pressure levels.
- **Flammable Materials:** Keep the lantern away from tents, clothing, dry leaves, and other flammable materials.
- **Children and Pets:** Keep the lantern out of reach of children and pets at all times.
- **Storage:** Store the lantern and fuel in a cool, dry place, away from direct sunlight and heat sources.

3. COMPONENTS OVERVIEW

The Petromax HK500 lantern is comprised of over 200 individual parts, meticulously assembled to ensure its unique bright light technology. The package typically includes the following items:

- Petromax HK500 Lantern
- Funnel
- Spare Parts Set (5 pieces)
- Spirit Bottle
- 2 x Mantle HK500
- User Manual (English)

Key components of the lantern include the fuel tank, pump, manometer, rapid preheater, carburetor, vaporiser, mantle, and borosilicate glass cylinder.



Image 3.1: An exploded view illustrating the numerous components that make up the Petromax HK500 lantern, highlighting its unique bright light technology.

4. SETUP AND FIRST USE

4.1. Unpacking and Inspection

1. Carefully remove all components from the packaging.
2. Inspect the lantern for any visible damage. Ensure the glass cylinder is intact.
3. Familiarize yourself with the various parts as shown in the components overview.

4.2. Attaching Mantles

1. Remove the top hood and inner casing to access the burner.
2. Carefully attach a new mantle to the burner nozzle, ensuring it is securely tied.
3. Before first use, burn off the mantle by lighting it with a match. It will glow brightly and then turn into a fragile white ash. Allow it to cool completely.

4.3. Filling the Fuel Tank

1. Ensure the lantern is cool and the pressure release screw is open.
2. Unscrew the filler cap.
3. Using the provided funnel, carefully fill the tank with kerosene or paraffin oil. Do not fill beyond the maximum fill line (approximately 1 quart).
4. Securely replace the filler cap.

4.4. Initial Pressurization

1. Close the pressure release screw.
2. Pump the lantern approximately 30-50 times using the pump handle until the manometer indicates sufficient pressure (typically in the green zone).

5. OPERATING INSTRUCTIONS

5.1. Preheating

The lantern requires preheating to vaporize the fuel before ignition.

- **Using Spirit:** Fill the spirit cup below the vaporiser with denatured alcohol (spirit). Light the spirit and allow it to burn completely. This typically takes 60-90 seconds.
- **Using Rapid Preheater:** If your model is equipped with a rapid preheater, open the preheater valve briefly to allow a small amount of fuel to ignite and preheat the vaporiser. Close the valve once preheating is complete.

5.2. Ignition

1. Once preheating is complete and the spirit flame has extinguished, slowly open the main valve (control wheel).
2. The mantle should ignite and begin to glow brightly. If it does not ignite, close the valve, repressurize, and repeat the preheating process.
3. Continue to pump occasionally to maintain optimal pressure for consistent brightness.



Image 5.1: The Petromax HK500 lantern providing bright illumination in an outdoor setting.

5.3. Shutting Down

1. Close the main valve (control wheel). The light will dim and extinguish.
2. Open the pressure release screw on the filler cap to release any remaining pressure from the tank.
3. Allow the lantern to cool completely before moving or storing.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Petromax HK500 lantern.

- **Cleaning:** Periodically clean the exterior of the lantern with a soft cloth. Ensure the glass cylinder is clean for maximum light output.
- **Mantle Replacement:** Mantles are fragile and will need replacement if damaged or if light output diminishes. Always handle new mantles carefully.
- **Pump Leather Care:** The pump cup is made of leather. To maintain its sealing ability, occasionally apply a small amount of leather grease or oil. If the pump becomes ineffective, the leather cup may need replacement.

- **Vaporiser and Jet:** If the lantern flickers or produces a weak flame, the vaporiser or jet may be clogged. Refer to the spare parts set for cleaning needles and replacement parts.
- **Valve Maintenance:** If the ventilation valve leaks air pressure, tightening and opening it a few times with pliers can help smooth the brass nipple and restore the seal.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your Petromax HK500 lantern.

Problem	Possible Cause	Solution
Lantern does not light or flickers	Insufficient preheating; clogged vaporiser/jet; low fuel pressure; damaged mantle.	Ensure adequate preheating time. Clean or replace vaporiser/jet. Pump to increase pressure. Replace mantle.
Low brightness or weak flame	Insufficient pressure; clogged vaporiser/jet; old or damaged mantle.	Pump to increase pressure. Clean or replace vaporiser/jet. Replace mantle.
Fuel leakage or flare-ups	Loose connections; damaged seals; generator cap threads loose.	Tighten all connections. Inspect and replace damaged seals. Check and tighten generator cap threads.
Pump does not build pressure	Dry or worn pump leather; faulty check valve.	Lubricate or replace pump leather. Inspect and clean check valve.
Ceramic burner nozzle breaks	Heat stress; material fatigue.	Replace with a new ceramic or stainless steel burner nozzle.

8. SPECIFICATIONS

The following table details the technical specifications of the Petromax HK500 Pressurized Lantern:

Feature	Specification
Model	HK500
Light Output	500 CP (Candlepower) / 400 Watts
Fuel Type	Kerosene or Paraffin Oil
Tank Capacity	1 Quart (approx. 1 Liter)
Burning Time	Approximately 8 hours
Dimensions (H x W x D)	15.7 x 6.7 x 6.7 inches (40 x 17 x 17 cm)
Item Weight	5.29 pounds (2400 Grams)
Material	Brass


9. WARRANTY AND SUPPORT

For warranty information, spare parts, or technical support, please refer to the official Petromax website or contact your authorized dealer. Ensure you have your model number (HK500) and purchase details available when seeking support.

You can also visit the official Petromax store for additional information and accessories:[Petromax Store](#)

© 2024 Petromax. All rights reserved.

Related Documents - HK500

	Petromax LM500 LED Lantern: User Manual & Features Explore the Petromax LM500 LED Lantern. This guide covers features like adjustable light, power bank capability, safety, and operation for outdoor and indoor use.
	Petromax Schmiedeeisen und Stahl: Umfassende Pflege- und Gebrauchsanleitung Entdecken Sie die detaillierte Pflege- und Gebrauchsanleitung von Petromax für Produkte aus Schmiedeeisen und Stahl. Erfahren Sie, wie Sie Ihre Pfannen und Grillplatten richtig pflegen, reinigen und einbrennen, um ihre Langlebigkeit und optimale Leistung zu gewährleisten.
	Petromax Cast Iron Care and User Manual A comprehensive guide to using, cleaning, seasoning, and maintaining Petromax cast iron cookware for optimal performance and longevity. Covers safety, intended use, and care instructions.
	Petromax LED-Laterne LM500: Benutzerhandbuch und technische Informationen Umfassendes Benutzerhandbuch für die Petromax LED-Laterne LM500. Enthält Anleitungen zur Inbetriebnahme, Bedienung, Wartung und technische Spezifikationen. Ideal für Camping und Outdoor.
	Petromax Insulated Bottle User Manual and Safety Guide Comprehensive instructions for the safe and proper use of the Petromax Insulated Bottle (models TB100 and TB150), including usage guidelines, safety warnings, and cleaning instructions.
	Petromax Cool Box kx25, kx50, kx75 User Manual Comprehensive user manual for the Petromax ultra-passive Cool Box models kx25, kx50, and kx75, covering features, usage for cooling and warming, cleaning, storage, performance tests, warranty, and accessories.



[\[pdf\]](#) User Manual Instructions

BDA HK500 2016 FINAL indd Petromax HK150 HK250 HK350 13 ore fa — Please read these instructions carefully and keep them in a safe place! SAFETY NOTES AND WARNINGS Only use the lamp outdoors Do not petromax petroleumleuchte hk500 829 chrom dl media 30867 grillfuerst de USER MANUAL FOR PETROMAX PRESSURE LAMPS |||

Petromax HK150 - HK250 - HK350 - **HK500** Bedienungsanleitung User Manual
Manuel de l'utilisateur Manual de instrucciones Kyttöohje Anvndarmanual Petromax
HK150 - HK250 - HK350 - **HK500** Bedienungsanleitung.
.


lang:nl **score:53** filesize: 3.76 M page_count: 44 document date: 2016-06-17



[\[pdf\]](#) User Manual

Petromax HK150 HK250 HK350 HK500 Discover Care Bedienungsanleitung User manual Mode d'emploi
petromax de 2020 01 |||

HK150-**HK500** DE Gebrauchsanleitung EN User Manual FR Mode d'emploi ES
Manual de instrucciones TW RU KR JP FI Kyttöohje SE Anvndarmanual q DE
ACHTUNG Bitte entferne vor der Inbetriebnahme die rosafarbenen Transportringe,
die sich oben und unten am Glas befinden. EN CAUTION Remove the pink p...
lang:de **score:48** filesize: 2.53 M page_count: 96 document date: 2020-04-03



[\[pdf\]](#) User Manual

HK500E BDA final indd Petromax HK500 Electric Lamp Discover Care Bedienungsanleitung Elektro User
manual High pressure electric lamp Mode d'emploi Lampe à pression électrique petromax de 2020 01 |||
px5ce-t px5me-t px5ce-h px5me-h DE Petromax Elektroleuchte **HK500**

Gebrauchsanleitung EN Petromax **HK500** electric User Manual FR Petromax**HK500**
lectrique Mode d'emploi DE Gebrauchsanleitung fr Petromax **HK500** Elektroleuchten
Vielen Dank, dass du dich fr die Petromax **HK500** Elektroleuchte entschied...

lang:de **score:44** filesize: 1.62 M page_count: 12 document date: 2020-04-03



[\[pdf\]](#) User Manual

Grill Expert Lămpile sub presiune Petromax HK150 HK500 MANUAL DE UTILIZARE Manual de utilizare

lămpi grill expert ro 2019 02 |||

Lmpile sub presiune Petromax HK150-**HK500** MANUAL DE UTILIZARE V rugm s citii cu atenie instructiunile de utilizare i s le pstrai pentru referine viitoare. ATENIONRI

Utilizai lampa numai n aer liber. Nu utilizai n interior Lampa nu trebuie utilizat n apropierea obiectelor inflamabile sau sensibile la ...

lang:it **score:43** filesize: 395.45 K page_count: 2 document date: 2020-10-09



[\[pdf\]](#) User Manual

Petromax HK500 User ManualHK500 Pressurised Lantern Polished Brass Phillip Lea8a55149b7db8

manualcdn shopify s files 1 2237 4345 t 41 assets 8a55149b7db8 manual v 1652401858 |||

HK150-**HK500** DE Gebrauchsanleitung EN User Manual FR Mode d'emploi ES

Manual de instrucciones TW RU KR JP FI Kyttohje SE Anvndarmanual q DE

ACHTUNG Bitte entferne vor der Inbetriebnahme die rosafarbenen Transportringe, die sich oben und unten am Glas befinden. EN CAUTION Remove the pink p...

lang:de **score:43** filesize: 2.53 M page_count: 96 document date: 2020-04-03



[\[pdf\]](#) User Manual

Anleitung HK500 2014 08 01 indd Manual Petromax ferrehogar es WebRoot StoreES2 Shops eb2406

4D99 DE81 F9E4 83A9 AE2D D94C 9B1B 3CB5 |||

Petromax HK150 - HK250 - HK350 -**HK500** Bedienungsanleitung User Manual

Manuel de l'utilisateur Manual de instrucciones Kullanma kilavuzu Kyttohje

Anvndarmanual Petromax HK150 - HK250 - HK350 - **HK500** Bedienungsanleitung. . .

.

lang:nl **score:42** filesize: 3.23 M page_count: 44 document date: 2014-09-10




[\[pdf\]](#) User Manual Instructions

bda hk500 special edition broschüre 12seiten indd Gebrauchsanleitung Gebrauchsanleitungen Petromax

px5c rad px5m user manual 2023 1 v 1706714609 cdn shopify s files 0828 7613 7745 |||

px5c-rad-special/px5m-rad-special D **HK500** Chrom/Messing Special Edition mit Radiator Prallteller Montage- und Demontageanleitung E **HK500** Chrome/Brass Special Edition with Radiator Protection Plate Assembly and disassembly instructions F **HK500** Chrome/Laiton Special Edition avec Radiateur Plaque...

lang:en **score:42** filesize: 3.99 M page_count: 12 document date: 2023-10-10




[\[pdf\]](#) User Manual

HK500 BDA E5 indd Petromax user manual Paraffin Lamp 400 Watts Brass Bell Tent UK

Bedienungsanleitung User Mode emploi 2292 cdn shopify s files 1 0259 7509 5341 |||

HK150-**HK500** DE Gebrauchsanleitung EN User Manual FR Mode d emploi ES Manual de instrucciones TW RU KR JP FI Kyttohje SE Anvndarmanual CAUTION q DE ACHTUNG Bitten entfernen Sie vor der Inbetriebnahme die rosafarbenen Transportringe, die sich oben und unten am Glas befinden. EN CAUTION Rem...

lang:de **score:41** filesize: 3.36 M page_count: 96 document date: 2019-10-22



[\[pdf\]](#) User Manual

BDA Radiator HK500 350 FINAL indd Discover Care Petromax petromax de 2016 09 |||

Petromax Radiator **HK500** / HK350 Gebrauchsanleitung Radiator **HK500** / HK350


User Manual Radiator **HK500** / HK350 BETRIEB MIT GLHSTRUMPF Die Lampe kann trotz eingebautem Radiator GEBRAUCHSANLEITUNG weiterhin mit Glhstrumpf betrieben werden. Die Heizleistung ist bei dieser Methode jedoch Der Radiato...

lang:de **score:39** filesize: 681.68 K page_count: 4 document date: 2016-09-19



[pdf] User Manual

Grill Expert Lămpile sub presiune Petromax HK150 HK500 MANUAL DE Folosiți numai piese de schimb originale Garanția expiră în cazul utilizării altor În caz utilizare necorespunzătoare sau v1grill expert ro 2019 02 Manual lămpi srsltid AfrmBOorzhrMSjv7XYmWeE03yyPqTIZdHA4ljlXAB sqpM5R2UNCj56Ng ||| Lmpile sub presiune Petromax HK150-**HK500** MANUAL DE UTILIZARE V rugm s citii cu atenie instrucțiunile de utilizare i s le pstrai pentru referine viitoare. ATENIONRI Utilizai lampa numai n aer liber. Nu utilizai n interior Lampa nu trebuie utilizat n apropierea obiectelor inflamabile sau sensibile la ... lang:it **score:39** filesize: 395.45 K page_count: 2 document date: 2020-10-09



[pdf] User Manual

HK500 BDA E5 indd Bedienungsanleitung Petromax HK150 HK500kamdi24 de media files bda HK500bedienungsanleitung petromax hk150 hk50098b6cdkamdi24 3c 7e 06 1721211587 bedienungsanleitung hk50098b6cd ts ProduktdatenblattGlas matt Schott Suprax Zubehör für Starklichtlampe kamdi24bedienungsanleitung hk500Bedienungsanleitung e9 10 c3 1721211585 hk500 1721211585kamdi24 ||| HK150-**HK500** DE Gebrauchsanleitung EN User Manual FR Mode d emploi ES Manual de instrucciones TW RU KR JP FI Kyttohje SE Anvndarmanual CAUTION q DE ACHTUNG Bitten entfernen Sie vor der Inbetriebnahme die rosafarbenen Transportringe, die sich oben und unten am Glas befinden. EN CAUTION Rem... lang:de **score:37** filesize: 3.36 M page_count: 96 document date: 2019-10-22



[pdf] User Manual

BDA Radiator HK500 350 FINAL indd Ein Service von ofenseite Bedienungsanleitung Jetzt herunterladen für Petromax HK350 500 herrenseite de hk500 hk350 radiator mediafiles ||| Petromax Radiator **HK500** / HK350 Gebrauchsanleitung Radiator**HK500** / HK350 User Manual Radiator **HK500** / HK350 BETRIEB MIT GLHSTRUMPF Die Lampe kann trotz eingebautem Radiator GEBRAUCHSANLEITUNG weiterhin mit Glihstrumpf betrieben werden. Die Heizleistung ist bei dieser Methode jedoch Der Radiato... lang:de **score:37** filesize: 681.81 K page_count: 4 document date: 2016-09-19



[\[pdf\]](#) User Manual

Grill Expert Manual de utilizare cutie frigorifică Petromax Cutie pasivă 25 litri grill expert ro 2020 02 ||| HK350/**HK500** MANUAL DE UTILIZARE V mulumim c ai ales cutia frigorific Petromax Noua dvs. cutie frigorific v va pstra mncarea proaspt i perfect conservat mult timp n timp ce v aflai n aer liber i pe drum. V rugm s reinei:cutia frigorific Petromax este o cutie ultra-pasiv fr set de alimentare sau co...

lang:it **score:33** filesize: 402.87 K page_count: 2 document date: 2020-10-09



[\[pdf\]](#) User Manual

HK150 HK500 Plytix steht die Petromax sicher und stabil Eine kleine Reiß verschlusstasche bietet Platz für Zubehör wie Glühstrümpfe oder das Poliertuch Das BDA 2021 interaktiv web final files plytix api v1 1 file public pim assets 51 93 a5 64 64a59351e0225d00014ae271 texts 62 06 2e 67

672e0662135a87209bef0bae |||

HK150-**HK500** DE Gebrauchsanleitung EN User Manual FR Mode d'emploi ES Manual de instrucciones TW RU KR JP FI Kyttohje SE Anvndarmanual q DE ACHTUNG Bitte entferne vor der Inbetriebnahme die rosafarbenen Transportringe, die sich oben und unten am Glas befinden. EN CAUTION Remove the pink p... lang:de **score:31** filesize: 2.07 M page_count: 96 document date: 2021-09-06




[\[pdf\]](#) Catalog

Katalog Petromax Die Marke für Feuer Licht Grillen Draußen Kochen PX 9 4 web petromax de media ab 5f 35 1679837657 Catalogue TESTARTIKEL2 |||

SSininccee19191010. . BER PETROMAX Vor ber 100 Jahren entwickelte der Berliner Technikpionier Max G ... ICKELT UND VERCHROMTPX5C BRASS, NICKEL AND CHROME-PLATED LAITON, NICKEL ET CHROM STARKLICHTLAMPE **HK500** Die Starklichtlampe **HK500** berzeugt mit faszinierender Technik, die seit ber 100 Jahren fr hell...

lang:en **score:30** filesize: 9.1 M page_count: 108 document date: 2023-03-16





[\[pdf\]](#)

Katalog Dutch Oven Feuertopf aus Gusseisen Petromax PX 9 4 web v 1713351521 cdn shopify s files 1 0828 7613 7745 |||

SSininccee19191010. . BER PETROMAX Vor ber 100 Jahren entwickelte der Berliner Technikpionier Max G ... ICKELT UND VERCHROMTPX5C BRASS, NICKEL AND CHROME-PLATED LAITON, NICKEL ET CHROM STARKLICHTLAMPE **HK500** Die Starklichtlampe **HK500** berzeugt mit faszinierender Technik, die seit ber 100 Jahren fr hell...

lang:en score:28 filesize: 4.79 M page_count: 112 document date: 2024-03-12



[\[pdf\]](#)

Hauptkatalog 3 819 KB Kataloge und Anschlusszeichnungen zum Download kamdi24 Petromax Katalog de kataloge NEUE PRODUKTE NEW PRODUCTS NOUVEAUX PRODUITS 38 64 |||

NEUE PRODUKTE / NEW PRODUCTS / NOUVEAUX PRODUITS 38, 64 2 INHALT / CONTENT / SOMMAIRE ber Petroma Vaisselle en mail tasses, bols, assiettes Petromax 56 Petromax **HK500** Petromax **HK500** Petromax **HK500** 58

lang:de score:28 filesize: 11.95 M page_count: 68 document date: 2018-07-16



[Petromax Product Catalogue 2025: Your Guide to Outdoor Cooking and Living](#)

Explore the Petromax 2025 Product Catalogue, featuring a wide range of high-quality cast iron cookware, lanterns, grills, and accessories for all your outdoor adventures. Discover innovative solutions for campfire cooking, grilling, and creating memorable experiences in nature.


lang:en score:27 filesize: 7.45 M page_count: 43 document date: 2025-06-11



[pdf] Instructions


Bleidichtungen 83 2 90 verp steckmap a7 indd Bedienungsanleitung.Joint en plomb pour soupape de pompe HK150 HK250 HK350 HK500 PetromaxBleidichtung 2files plytix api v1 1 file public files pim assets 51 93 a5 64 64a59351e0225d00014ae271 texts b9 50 7d 67 677d50b9d5395f332d4ba3fa Bleidichtung |||

Stk./ pcs. D Bleidichtung fr Pumpenventil E Lead Washer for Pump Valve HK150 HK250 HK350 **HK500** EUH201 -- Achtung Enthlt Blei. CAS-Nr. 7439-92-1 EG-Nr. 231-100-4 Nur als Ersatzteil fr **HK500** verwenden, und von Kindern fernhalten P201 Vor Gebrauch besondere Anweisungen einholen. Blei- und Ble...
lang:en **score:25** filesize: 1.8 M page_count: 1 document date: 2025-01-07



[pdf] User Manual

Microsoft Word 671521 Lampa cu petrol Petromax HK 500 Asus AI lampă petromax hk 150 German Electronics Dacă chibritul sau flacăra se sting închideți imediat pârghia basculantă În caz contrar lanterna stinge și reaprinde Pompați aer an 01 ro germanelectronics cs docs |||
LAMP CU PETROL PETROMAX HK 150 - HK 250 - HK 350 - HK 500 Cod produs: 671521 Manual de utilizare V r ... 112 de pe roti 111 . urubul de reglaj este disponibil la toate modelele Petromax HK 250, HK350 i **HK500** , n afar de HK 150.
Comportamentul lanternei la presiune sczut n caz de presiune sczut sau l...
lang:it **score:24** filesize: 2.03 M page_count: 7 document date: 2011-08-30




[pdf] Instructions

beileger bleidichtungen 83 90 53x74 indd BeilegerJoint en plomb pour carburateur préchauffeur rapide HK150 HK250 HK350 HK500 Petromaxfiles plytix api v1 1 file public files pim assets 51 93 a5 64 64a59351e0225d00014ae271 texts 27 df 98 67 6798df27ec3db037adfe3be7 |||
Petromax GmbH Sudenburger Wuhne 61 39116 Magdeburg Germany 49 0 391-556 846 00 info petromax.de ... ated packaging must be treated in the same way as the substance. 14 10,2 12 8 D Montage Dichtung **HK500**-90 14 1. Vorwrmer mit einem Maulschlssel ausbauen 2. Die Unterlegscheibe am Sockel austauschen...
lang:de **score:24** filesize: 2.06 M page_count: 2 document date: 2024-02-21



[pdf] User Manual

HK500E BDA final indd px5ce t px5me h h000632070000 7stilwelt24 de media e3 06 57 000632070000 7 |||
px5ce-t px5me-t px5ce-h px5me-h DE Petromax Elektroleuchte **HK500**
Gebrauchsanleitung EN Petromax **HK500** electric User Manual FR Petromax**HK500** lectrique Mode d emploi DE Gebrauchsanleitung fr Petromax **HK500** Elektroleuchten
Vielen Dank, dass du dich fr die Petromax **HK500** Elektroleuchte entschied...
lang:de **score:23** filesize: 1.62 M page_count: 12 document date: 2020-04-03



[pdf] User Manual

Petromax Mantle HK500 BACK 101x145 3mm FINAL Anleitung GIÃ¼hstrumpf Gebrauchsanleitungen

helox 500 user manual 2019 1 v 1706714604 cdn shopify s files 0828 7613 7745 |||

...

lang:de score:20 filesize: 2.56 M page_count: 1 document date: 2019-06-11



[pdf]

672408 an 03 fr petromax clotilde Lampe de mineur Petromax Cette notice est une publication la société

Conrad 59800 Lille France Tous droits réservés y compris traduction Toute reproduction quel que soit

instrukcja obsługi lampy naftowa hk500 829500cp srebrna asset conrad media10 add 160267 c1

000672408ML01 |||

Conrad sur INTERNET www.conrad.fr N OT I C E Version 01/04 Lampe de mineur

Petromax Code : 672408 Note de l diteur Cette notice est une publication de la socit

Conrad, 59800 Lille/France. Tous droits rserve, y compris la traduction. Toute

reproduction, quel que soit le type p.ex. photocopies, ...

lang:fr score:19 filesize: 170.54 K page_count: 10 document date: 2005-05-03