

[Manuals.plus](#) /

> [ELK Lighting](#) /

> Elk Lighting Ventura 2-Light Bathbar Instruction Manual

## ELK Lighting 11424/2

# Elk Lighting Ventura 2-Light Bathbar Instruction Manual

Model: 11424/2

## 1. INTRODUCTION

---

This manual provides detailed instructions for the safe installation, operation, and maintenance of your Elk Lighting 11424/2 Ventura 2-Light Bathbar. Please read this manual thoroughly before beginning installation and retain it for future reference. This bathbar features a durable antique brass finish and elegant caramel amber glass shades, designed to accommodate two 60-watt medium bulbs.

## 2. SAFETY INFORMATION

---

- **WARNING:** To avoid electric shock, disconnect power at the main fuse box or circuit breaker before installation or servicing.
- All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). Consult a qualified electrician if you are unfamiliar with electrical wiring.
- This fixture is intended for indoor use only. Do not install in wet locations unless specifically rated for such use.
- Ensure the mounting surface is structurally sound and can support the weight of the fixture.
- Do not exceed the maximum wattage specified for the bulbs (60 watts per bulb).
- Handle glass shades with care to prevent breakage.

## 3. PACKAGE CONTENTS

---

Verify that all components listed below are present and undamaged before beginning installation:

- Ventura 2-Light Bathbar Fixture (main body with antique brass finish)
- Caramel Amber Glass Shades (2 pieces)
- Mounting Hardware (e.g., mounting plate, screws, wire nuts - typically included)
- Instruction Manual (this document)



Figure 3.1: Elk Lighting Ventura 2-Light Bathbar. This image displays the complete bathbar fixture, showcasing its antique brass finish, decorative base, and two caramel amber glass shades.

## 4. SPECIFICATIONS

Attribute	Detail
Model Number	11424/2
Brand	ELK Lighting
Dimensions (L x W x H)	22.86 x 45.72 x 25.4 cm (9 x 18 x 10 inches)
Extended Length (Depth)	9 inches (22.86 cm)
Width	18 inches (45.72 cm)
Height	10 inches (25.4 cm)
Item Weight	1.81 kg (4 lbs)
Finish	Antique Brass
Shade Material	Glass (Caramel Amber)
Number of Lights	2
Max Wattage per Bulb	60 watts
Bulb Type	Medium (E26) Incandescent (bulbs not included)

Attribute	Detail
Voltage	120 Volts
Power Source	Corded Electric
Installation Method	Flush Mount
Mounting Type	Wall Mount
Room Type	Bathroom




Figure 4.1: Dimensional Diagram. This diagram illustrates the key measurements of the bathbar, including its overall width (18 inches), height (10 inches), depth (8 5/8 inches), glass width (6 inches), wall to glass width (2 3/4 inches), and wall base width (5 1/2 inches).

## 5. SETUP AND INSTALLATION

Professional installation by a qualified electrician is highly recommended for safety and proper functionality. Ensure you have all necessary tools (e.g., screwdriver, wire strippers, electrical tape) before starting.

### Installation Steps:

- Turn Off Power:** Locate the circuit breaker or fuse box that supplies power to the installation location. Turn off the main power switch to prevent electric shock. Verify power is off using a voltage tester.
- Prepare Mounting Surface:** If replacing an existing fixture, carefully remove it. Ensure the electrical box is securely mounted and capable of supporting the fixture's weight.
- Attach Mounting Plate:** Secure the fixture's mounting plate to the electrical box using the provided screws. Ensure it is level and firmly attached.
- Make Electrical Connections:**
  - Connect the fixture's *hot* (black) wire to the supply *hot* (black) wire using a wire nut.

- Connect the fixture's *neutral* (white) wire to the supply *neutral* (white) wire using a wire nut.
  - Connect the fixture's *ground* (bare copper or green) wire to the supply *ground* wire and the electrical box ground screw.
  - Carefully tuck all wires into the electrical box.
5. **Mount Fixture Body:** Align the fixture body with the mounting plate and secure it in place using the provided screws or nuts. Ensure the fixture is flush against the wall.
  6. **Install Bulbs:** Screw in two 60-watt maximum medium base (E26) incandescent bulbs (not included) into the sockets.
  7. **Attach Glass Shades:** Carefully place the caramel amber glass shades over the bulb sockets and secure them according to the fixture's design (typically by screwing them onto a threaded ring or using set screws).
  8. **Restore Power:** Once installation is complete and all connections are secure, turn the main power back on at the circuit breaker or fuse box.
  9. **Test Fixture:** Turn on the light switch to ensure the bathbar functions correctly.

## 6. OPERATING INSTRUCTIONS

---

The Elk Lighting Ventura 2-Light Bathbar operates via a standard wall switch connected to its electrical circuit. Simply toggle the wall switch to turn the light fixture on or off.

- Ensure bulbs are securely screwed into their sockets.
- Use only bulbs that comply with the specified wattage (max 60W per bulb) and base type (E26).

## 7. MAINTENANCE

---

Regular maintenance will help preserve the appearance and functionality of your bathbar.

- **Cleaning:** To clean the fixture, first ensure the power is off and the fixture is cool. Wipe the antique brass finish with a soft, dry cloth. For the glass shades, use a mild glass cleaner applied to a cloth, then wipe the shades. Avoid abrasive cleaners or solvents that could damage the finish or glass.
- **Bulb Replacement:** Before replacing bulbs, turn off the power to the fixture and allow bulbs to cool. Unscrew the old bulb and screw in a new 60-watt maximum medium base (E26) incandescent bulb.

## 8. TROUBLESHOOTING

---

If your bathbar is not functioning as expected, refer to the following common issues and solutions:

Problem	Possible Cause & Solution
Light does not turn on.	<ul style="list-style-type: none"> <li>• <b>No power:</b> Check the circuit breaker or fuse. Ensure the wall switch is in the "ON" position.</li> <li>• <b>Loose bulb:</b> Ensure bulbs are screwed in tightly.</li> <li>• <b>Burnt out bulb:</b> Replace bulbs with new ones (max 60W, E26 base).</li> <li>• <b>Incorrect wiring:</b> Turn off power and re-check electrical connections. Consult a qualified electrician if unsure.</li> </ul>

Problem	Possible Cause & Solution
Light flickers.	<ul style="list-style-type: none"><li>• <b>Loose bulb:</b> Tighten bulbs.</li><li>• <b>Loose wiring:</b> Turn off power and check electrical connections.</li><li>• <b>Incompatible dimmer switch:</b> If using a dimmer, ensure it is compatible with incandescent bulbs.</li></ul>
Glass shade is loose or falls off.	<ul style="list-style-type: none"><li>• <b>Improperly secured:</b> Re-secure the glass shade according to the fixture's design (e.g., tighten threaded ring or set screws).</li></ul>

## 9. WARRANTY AND SUPPORT

---

Specific warranty information for the Elk Lighting 11424/2 Ventura 2-Light Bathbar was not provided in the product data. For details regarding warranty coverage, technical support, or replacement parts, please contact ELK Lighting directly through their official website or customer service channels.

You may find contact information on the manufacturer's packaging or by visiting the ELK Lighting website.

