Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Jaclo 830-SB

Jaclo 830-SB Finger Touch Drain Instruction Manual

C.O. Style Round Top Finger Touch Drain without Overflow Holes, Satin Brass

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Jaclo 830-SB C.O. Style Round Top Finger Touch Drain. This drain is designed for sinks that do not have an overflow hole. Please read all instructions carefully before beginning installation to ensure proper function and longevity of the product.

2. Product Overview

The Jaclo 830-SB is a C.O. style round top finger touch drain, finished in Satin Brass. It features a push-button mechanism for opening and closing the drain. This model is specifically designed for use with sinks that do not have an overflow system.



Figure 1: The complete Jaclo 830-SB C.O. Style Round Top Finger Touch Drain assembly, including the top cap, threaded body, and tailpiece, with rubber gaskets for sealing.

3. Setup and Installation

Proper installation is crucial for the drain's performance. If you are unsure about any step, it is recommended to consult a qualified plumber.

Required Tools:

- Adjustable Wrench or Basin Wrench
- Plumber's Putty or Silicone Sealant
- Clean Cloth

Installation Steps:

1. **Prepare the Sink Opening:** Ensure the drain opening in the sink is clean and free of debris.
2. **Apply Sealant to Top Flange:** Apply a bead of plumber's putty or silicone sealant around the underside of the drain's top flange (the visible part that sits in the sink).
3. **Insert Drain into Sink:** From the top of the sink, insert the drain body through the sink opening. Press down firmly to create a seal with the putty/sealant.
4. **Install Gaskets and Nut (from below):** From underneath the sink, slide the rubber gasket(s) and friction washer onto the threaded portion of the drain body. Then, thread the mounting nut onto the drain body.
5. **Tighten the Nut:** Hand-tighten the mounting nut, then use an adjustable wrench to tighten it further. Do not overtighten, as this can crack the sink or damage the drain. Ensure the drain is centered and the sealant is compressed evenly.
6. **Connect to P-Trap:** Connect the tailpiece of the drain to your existing P-trap assembly. Ensure all connections are tight and properly sealed to prevent leaks.
7. **Test for Leaks:** Fill the sink with water and then drain it, carefully checking all connections for any signs of leakage. Tighten connections as necessary.

4. Operating Instructions

The Jaclo 830-SB drain features a simple finger touch (or push-pop) mechanism for operation.

- **To Close the Drain:** Gently press down on the center of the drain stopper. It will click into the closed position, sealing the sink.
- **To Open the Drain:** Gently press down on the center of the drain stopper again. It will click into the open position, allowing water to drain.

5. Maintenance

Regular cleaning and maintenance will help preserve the finish and functionality of your drain.

- **Cleaning the Finish:** Clean the Satin Brass finish regularly with a soft, damp cloth. For stubborn spots, use a mild soap solution and rinse thoroughly. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Cleaning the Drain Mechanism:** Periodically remove the stopper by unscrewing it (if applicable) or pulling it out firmly. Clean any hair or debris that may have accumulated around the stopper and inside the drain body. Rinse with water and reinsert.
- **Avoid Chemical Drain Cleaners:** Do not use harsh chemical drain cleaners, as they can corrode the drain's internal components and damage the finish.

6. Troubleshooting

If you encounter issues with your Jaclo 830-SB drain, refer to the following common problems and solutions:

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Slow Draining	Accumulation of hair or debris in the drain.	Remove the stopper and clean out any obstructions. Use a drain snake if necessary.
Drain Not Sealing Properly	Debris on the stopper's seal or worn-out gasket.	Clean the stopper and the drain opening. Inspect the rubber gasket for damage; replace if necessary.
Drain Not Opening/Closing Smoothly	Mechanism fouled by debris or mineral buildup.	Remove the stopper and clean the internal mechanism. A small amount of silicone grease can be applied to moving parts if accessible.
Leakage from Connections	Loose connections or improper sealing during installation.	Check all threaded connections and ensure they are tight. Reapply plumber's putty or sealant if the leak is from the sink opening.

7. Specifications

- **Model Number:** 830-SB
- **Type:** C.O. Style Round Top Finger Touch Drain
- **Overflow:** Without Overflow Holes
- **Finish:** Satin Brass
- **Manufacturer:** Standard Plumbing Supply
- **Item Weight:** 14.5 ounces
- **Product Dimensions:** 3 x 3 x 7 inches
- **Item Package Quantity:** 1
- **Batteries Required:** No

8. Warranty Information

Specific warranty details for the Jaclo 830-SB drain are not provided in this manual. For information regarding product warranty, please refer to the original purchase documentation or contact Jaclo customer service directly. Keep your proof of purchase for warranty claims.

9. Support

For further assistance, technical support, or to inquire about replacement parts, please contact Jaclo customer service. Contact information can typically be found on the manufacturer's official website or through your product retailer.

© 2023 Jaclo. All rights reserved. Information subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B00BKC8QJO

More documents and user manuals: **https://manuals.plus/**