

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [InSinkErator](#) /

› [InSinkErator SS-200-27 2 HP Commercial Garbage Disposer User Manual](#)

InSinkErator SS-200-27

InSinkErator SS-200-27 2 HP Commercial Garbage Disposer User Manual

Model: SS-200-27

INTRODUCTION

This manual provides essential instructions for the safe and efficient installation, operation, and maintenance of your InSinkErator SS-200-27 2 HP Commercial Garbage Disposer. Please read this manual thoroughly before installation or operation and retain it for future reference.

IMPORTANT SAFETY INFORMATION

WARNING: Failure to follow these safety instructions could result in serious injury or property damage.

- Always disconnect power before servicing or installing the disposer.
- This appliance must be installed by a qualified professional in accordance with all local codes and ordinances.
- Do not put hands or utensils into the disposer while it is operating.
- Do not dispose of non-food items, glass, metal, plastic, or large bones.
- Ensure proper grounding to reduce the risk of electric shock.

SETUP AND INSTALLATION

Installation of the InSinkErator SS-200-27 commercial garbage disposer requires specialized knowledge and tools. It is strongly recommended that installation be performed by a licensed plumber or qualified service technician.

Pre-Installation Checklist:

- Verify that all components are present and undamaged.
- Ensure the installation location meets local plumbing and electrical codes.
- Confirm adequate space for the disposer and its connections.
- Have necessary tools and materials ready.

General Installation Steps (Professional Installation Recommended):

- Mounting:** Securely attach the disposer to the sink opening using the provided mounting assembly. Ensure a watertight seal.
- Plumbing Connections:** Connect the disposer to the drain line. Ensure proper trap and venting according to local codes.
- Electrical Wiring:** Connect the disposer to a dedicated, properly grounded electrical circuit. This unit requires a 2 HP motor, so ensure the circuit can handle the load.
- Water Supply:** Connect the cold water line to the disposer.
- Test:** After installation, run cold water and test the disposer for leaks and proper operation.



Figure 1: InSinkErator SS-200-27 2 HP Commercial Garbage Disposer. This image shows the stainless steel body of the disposer with its top mounting flange and the red reset button on the side.

OPERATING INSTRUCTIONS

Follow these steps for safe and effective operation of your commercial garbage disposer:

- Turn on Cold Water:** Before activating the disposer, turn on a strong stream of cold water. This helps flush food waste and keeps the grinding chamber cool.
- Activate Disposer:** Turn on the disposer switch.
- Feed Food Waste:** Gradually feed food waste into the disposer opening. Avoid overloading the unit.
- Continue Water Flow:** Allow the cold water to run for at least 15-20 seconds after the grinding stops to ensure all waste is flushed through the drain.
- Turn Off Disposer:** Turn off the disposer switch.
- Turn Off Water:** Turn off the cold water.

Do Not Dispose Of:

- Grease, fats, or oils (pour into a separate container and dispose of in trash).
- Fibrous materials like corn husks, artichokes, or onion skins in large quantities.
- Large bones, fruit pits, or hard shells.
- Non-food items such as plastic, metal, glass, or cleaning rags.

MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your disposer.

- Daily Cleaning:** After each use, run cold water for 15-20 seconds to flush the grinding chamber.
- Deep Cleaning (Monthly):** Grind a tray of ice cubes followed by citrus peels (lemon, orange) to clean the grinding elements and freshen the drain.

- **Exterior Cleaning:** Wipe the exterior with a damp cloth. Do not use abrasive cleaners.
- **Professional Inspection:** Schedule periodic professional inspections to ensure all components are functioning correctly and to address any potential issues.

TROUBLESHOOTING

Before attempting any repairs, always disconnect power to the disposer.

Problem	Possible Cause	Solution
Disposer does not start.	No power; tripped circuit breaker; jammed motor.	Check power supply. Reset circuit breaker. Press the red reset button on the bottom/side of the disposer. If jammed, turn off power, use a disposer wrench to free the impellers.
Disposer hums but does not grind.	Jammed grinding plate.	Turn off power. Use a disposer wrench (or hex key) in the center hole on the bottom of the disposer and turn it back and forth to free the jam. Remove the object with tongs.
Leaks from disposer.	Loose connections; cracked housing.	Check and tighten all plumbing connections. If housing is cracked, professional repair or replacement is required.
Unpleasant odors.	Food particles accumulated in grinding chamber or drain.	Grind ice cubes and citrus peels. Clean the splash guard.

If problems persist after attempting these solutions, contact a qualified service technician.

SPECIFICATIONS

Feature	Detail
Brand	InSinkErator
Model Number	SS-200-27
Horsepower	2 HP
Installation Type	Freestanding
Application	Commercial
ASIN	B00BMV987C
Date First Available	February 28, 2013

WARRANTY AND SUPPORT

InSinkErator products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty card included with your product or visit the official InSinkErator website. Keep your proof of purchase for warranty claims.

For technical support, service, or to locate an authorized service center, please contact InSinkErator customer service or visit their official website. Contact information is typically provided in the product packaging or on the manufacturer's

© 2023 InSinkErator. All rights reserved. This manual is for informational purposes only.

Related Documents - SS-200-27

	<p><u>InSinkErator Evolution Compact Food Waste Disposer: Use and Care Manual</u></p> <p>This manual provides instructions for the InSinkErator Evolution Compact food waste disposer, covering installation, operation, cleaning, and maintenance. It details safety precautions, troubleshooting, and warranty information for the product.</p>
	<p><u>InSinkErator Evolution SpaceSaver XP Food Waste Disposer: Installation, Care, and Use</u></p> <p>Comprehensive guide to installing, operating, and maintaining the InSinkErator Evolution SpaceSaver XP food waste disposer, featuring SoundSeal® and MultiGrind® technologies for quiet and efficient performance.</p>
	<p><u>InSinkErator Badger 5XP In-Home Full Service Limited Warranty</u></p> <p>Detailed In-Home Full Service Limited Warranty for the InSinkErator Badger 5XP garbage disposal, covering defects in materials and workmanship for six years. Learn what's covered, exclusions, and how to claim service.</p>
	<p><u>InSinkErator 9008D Power Cord Assembly & Dishwasher Connector Kit Installation Guide</u></p> <p>Official installation instructions for the InSinkErator 9008D Power Supply Cord Assembly and the Dishwasher Connector Kit, providing guidance for safe electrical connection and dishwasher integration with InSinkErator food waste disposers.</p>
	<p><u>InSinkErator Badger Series Garbage Disposal Installation and Operation Manual</u></p> <p>Comprehensive installation, operation, and maintenance guide for InSinkErator Badger 1, 1XL, 100, 5, 5XL, and 500 garbage disposals. Includes multilingual safety instructions and user support information.</p>



[\[pdf\]](#) User Manual Warranty

SERVICE MANUAL ss series service manual en us 93864 insinkerator documents |||
SERVICE MANUAL Commercial Disposers SS-100 SS-200 SS-300 SS-500 SS-1000
Part No. F376-24E-76-02 2 ... -200 Medium Capacity - 1 Phase UL CSA 208-
230/460V 60 Hz Standard UL Short Body UL CSA Approved **SS-200-27** SS-200-31
SS-200-28 Commercial Disposers Service Manual 34 Commercial Disposers SS-2...
lang:i-klingon **score:28** filesize: 11.85 M page_count: 47 document date: 2024-08-23



[\[pdf\]](#) User Manual Warranty

Service Manual Insinkerator 13663J SS Series Continuous Feed 2 HP 1725 RPM Food Disposer
Appliances Connection D639b9c07af2fe static appliancesconnection attachments |||
SERVICE MANUAL Commercial Disposers SS-50 SS-75 SS-100 SS-125 SS-150
SS-200 SS-300 SS-500 SS-750 SS- ... 3 SS-150 / SS-200 Medium Capacity - 1
Phase UL CSA 208-230/460V 60 Hz Standard UL SS-150-34 **SS-200-27** Short Body
UL SS-150-38 SS-200-31 CSA Approved SS-150-35 SS-200-28 Commercial
Dispose...
lang:i-klingon **score:22** filesize: 5.46 M page_count: 44 document date: 2009-12-10



[\[pdf\]](#) User Manual Warranty

Service Manual for InSinkErator Commercial Disposers garbage disposers commercial food waste
foodservice service kitchen repair SS 100 1000 Foodservice Disposer SS100 in by Insinkerator
Schenectady NY Small Capacity frqlpyisqcba images webfronts cache |||
SERVICE MANUAL Commercial Disposers SS-50 SS-75 SS-100 SS-125 SS-150
SS-200 SS-300 SS-500 SS-750 SS- ... 3 SS-150 / SS-200 Medium Capacity - 1
Phase UL CSA 208-230/460V 60 Hz Standard UL SS-150-34 **SS-200-27** Short Body
UL SS-150-38 SS-200-31 CSA Approved SS-150-35 SS-200-28 Commercial
Dispose...
lang:i-klingon **score:22** filesize: 5.89 M page_count: 44 document date: 2018-10-31



[\[pdf\]](#) User Manual Warranty

Service Manual Commercial garbage disposers commercial food waste foodservice service kitchen repair
InSinkErator Insinkerator 13389B SS Series Continuous Feed 3 HP 1725 RPM Food Disposer Appliances
Connection D639ca0a3782e6 static appliancesconnection attachments |||
SERVICE MANUAL Commercial Disposers SS-50 SS-75 SS-100 SS-125 SS-150
SS-200 SS-300 SS-500 SS-750 SS- ... 3 SS-150 / SS-200 Medium Capacity - 1
Phase UL CSA 208-230/460V 60 Hz Standard UL SS-150-34 **SS-200-27** Short Body
UL SS-150-38 SS-200-31 CSA Approved SS-150-35 SS-200-28 Commercial
Dispose...
lang:i-klingon **score:22** filesize: 5.6 M page_count: 44 document date: 2012-04-03




[pdf] User Manual Warranty Diagram

SERVICE MANUAL Wiring Diagrams Commercial Disposers Service Manual Electrical Requirements insinkdisposer webrestaurantstore documents

SERVICE MANUAL Commercial Disposers SS-50 SS-75 SS-100 SS-125 SS-150 SS-200 SS-300 SS-500 SS-750 SS-1000 Medium Capacity - 1 Phase UL CSA 208-230/460V 60 Hz Standard UL SS-150-34 **SS-200-27** Short Body UL SS-150-38 SS-200-31 CSA Approved SS-150-35 SS-200-28 Commercial Dispose...

lang:en score:21 filesize: 5.35 M page_count: 44 document date: 2009-12-10




[pdf] Specifications

F177 06E 19 02 indd Spec Sheet InSinkErator SS 200 27 2 HP Commercial Garbage Disposer eTundra INSSS200 30570 etundra |||

PROJECT: 2 H.P. heavy duty disposer is designed for continuous operation in restaurants, hotels, hospitals and cafeterias. Food waste including steak bones is quickly and efficiently removed with this labor-saving, self-cleaning, environmentally sound disposer. ITEM NO.: 2 H.P. MODEL SS-200 SPECI...

lang:en score:21 filesize: 1.63 M page_count: 2 document date: 2008-06-24



[pdf] Specifications

Models SS150 SS200 Foodservice Disposer Specifications Commercial garbage disposers commercial food waste foodservice service kitchen specifications InSinkErator Grind Chamber Corrosion Resistant Stainless Steel Mounting 3 4 19 1 mm rubber mounting above grinding chamber isolates soundinsinkerator ss 200 27 specsheet 57s1 img b build mediabase insinkerator 832262 57 57insinkerator 32 60s1 832263 60 |||

PROJECT: ITEM NO.: 1-1/2 2 H.P. DISPOSER MODELS Heavy-duty disposer designed for continuous operation in restaurants, hotels, hospitals and cafeterias. Food waste including steak bones is quickly and efficiently removed with this labor-saving, self-cleaning, environmentally sound disposer. SPECI...

lang:en score:18 filesize: 259.43 K page_count: 2 document date: 2012-12-11

[\[pdf\]](#) User Manual Declaration of Conformity Warranty



Service Manual for InSinkErator Commercial Disposers garbage disposers commercial food waste foodservice service kitchen repair 1 Safety Signals This symbol indicates potential personal injury hazards Obey all safety messages accompanying this to avoid possible or death DANGER an imminently hazardous situation which if not avoided will result in serious WARNING a potentially 7 PREPARATION FOR REPAIR ELECTRIC SHOCK! Turn off water and electrical supply Discharge capacitor with 1000 ohm jumper wire Phase only Do use screwdriver discharge may be damaged Removing Disposer disposer Prior Call Obtain the model number serial voltage phase from customer prepare call ss 100 manual en 4968948 30fd343b0dbd467a45781a9a87fb us 1509478 Foodservice 0 2 insinkerator emerson documents d163axztg8am2h cloudfront net static doc d6 c2 ca 80 sites files products

SERVICE MANUAL Commercial Disposers SS-50 SS-75 SS-100 SS-125 SS-150
SS-200 SS-300 SS-500 SS-750 SS- ... 3 SS-150 / SS-200 Medium Capacity - 1
Phase UL CSA 208-230/460V 60 Hz Standard UL SS-150-34 **SS-200-27** Short Body
UL SS-150-38 SS-200-31 CSA Approved SS-150-35 SS-200-28 Commercial
Dispose

lang:-klingon score:18 filesize: 5.49 M page_count: 44 document_date: 2012-04-03

[\[pdf\]](#) User Manual Warranty



Service Manual for InSinkErator Commercial Disposers garbage disposers commercial food waste
foodservice service kitchen repair 1 Safety Signals This symbol indicates potential personal injury
hazards Obey all safety messages accompanying this to avoid possible or death DANGER an imminently
hazardous situation which if not avoided will result in serious WARNING a potentially INS SS spm
partstown modelManual v 1532002540735 static pt

SERVICE MANUAL Commercial Disposers SS-50 SS-75 SS-100 SS-125 SS-150
SS-200 SS-300 SS-500 SS-750 SS- ... 3 SS-150 / SS-200 Medium Capacity - 1
Phase UL CSA 208-230/460V 60 Hz Standard UL SS-150-34 **SS-200-27** Short Body
UL SS-150-38 SS-200-31 CSA Approved SS-150-35 SS-200-28 Commercial
Dispose

lang:-klingon score:18 filesize: 5.17 M page count: 44 document date: 2017-03-31

[\[pdf\]](#) User Manual Troubleshooting Guide Dimension Guide Warranty

Service Manual for InSinkErator Commercial Disposers garbage disposers commercial food waste foodservice service kitchen repair Standard disposer voltages are 115 208 230 volts single phase electrical power 460 three NOTE All amp insinkdiposervebstaunrtstore documents insinkdiposervebstaunrtstore AfmBOoo1BfRkyACuiWt5AhWAXpPUxp cDMzE5MUs8V3AEGtDpSH4 gUj amp Standard amp webstaunrtstore qUiwebstaunrtstore

AfmBOoox5yfPpcBnPctgNtmiEPJGn7HBPIZOVU01t9zLSgSFZcsnzpwJ amp On models SS 300 and above legs factory installed recessed on the unit 2 Attach to mounting assembly by positioning in flange web[restaurantstore](http://www.restaurantstore.com)

AfmBOoox5vfPncBnPctqNtm|FP|Gn7HRPIZQVI|01t9z|SgSF7csnzw|lwebstaurantstore

AfmBOorAZoqUTrWZ3PK9KmFXXmvjy99fdW7EYE0YMzBESTGM3ciNADBP amp InSinkErator®
manufactures with motors ranging from 1 horsepower through 10. The basis of all Series On-

AfmBOopVC2eberpbvTk1LhLRRw5AzikGCx6Et34OnoWk8f2NzIREu1EBwebstaurantstore flange Make sure customer has tried resetting overload pro tector checked foreign objects jammed grind chamber see Troubleshooting on webstaurantstore

AfmBOorAZoqUTrWZ3PK9KmFXXmvjy99fdW7EYE0YMzBESTGM3ciNADB Pwebstaurantstore

AfmBOop6fYAKoBwLpKkk7Q98hi8jgkXQbPQ7dO3FazpgyZpj5mjH2Cld on Dimensions Models 50 75
100 125 Adaptors available upon request competitor sink bowls or cones Please have bowl
cone webstore

AfmBOop6fYAKoBwLpKkk7Q98hi8jgkXQbPQ7dO3FazpgyZpj5mjH2Cldwebstaurantstore
AfmBOoqMsWCBUPtG0k4UEHiDzfpl0e9dDm8 DD LKaToPehRaEZ3dojS cone InSinkErator®
Series webstaurantstore LKaToPehRaEZ3dojSwebstaurantstore



AfmBOoqz12V2AFehRZN2SBLzs32Np9NOBnbmp HBT2LtP8I KzMYpUpF Series InSinkErator®
SS webstaurantstore KzMYpUpFwebstaurantstore AfmBOormWv lyv2r
MU9i0TOT3Gt2bNAV7rM3jlqq45zOnMMpLbs18va SS Contact verify current replacement model 230V
Single 55 56 5 Page 34 31 MU9i0TOT3Gt2bNAV7rM3jlqq45zOnMMpLbs18vawebstaurantstore
AfmBOoraV5rM8fMisEDYII Fow3I 5JHjW7twocgUGGPyMHuiT6ORb27 SS InSinkErator®
5JHjW7twocgUGGPyMHuiT6ORb27webstaurantstore AfmBOor3TK J8ohCHenSOsAjGYBKrEqHXdSIWB
TCdQBBjaH 3ZWexEm 3ZWexEmwebstaurantstore AfmBOorUfEHDxq 3MdCTDmt7sJYgZXC
ffPkqSs8gzFPmfZAaYD2L1T ffPkqSs8gzFPmfZAaYD2L1Twebstaurantstore
AfmBOor337CwL26YOVcZrdKsqDv4hFwPmJovOWiwUKEb9CLro0imRyW
AfmBOor337CwL26YOVcZrdKsqDv4hFwPmJovOWiwUKEb9CLro0imRyWwebstaurantstore
AfmBOoq0CfAxPJZXw5ObVnUs03KbejsJR2JePbRKYIXGRoFWA GuD0AI AfmBOopsgX7vVV1t
s4ycFYJpgffGkWzru0brliSBEQNRXbUF VH3l3webstaurantstore
AfmBOoooVnZyKD33tjavgvq1LchxAiZpYXs4yQeuG pZ gg Qd0J5EEpwebstaurantstore
GuD0Alwebstaurantstore AfmBOopS4Fqgen0ZQRzIEUWDUUrYaXqVrbuUAvbM7KapQ VXz9eFfSSJU
VXz9eFfSSJUwebstaurantstore AfmBOop4ay0PZtW PxQ0 pxeXAIGHiqYsNp zIB9lspwofAEMtJD fUS
fUSwebstaurantstore AfmBOoq0h8IfOGd8h0tHFIJb7sPH jVjfPsUNWIWPJ g hnB 9dBZmvm
9dBZmvmwebstaurantstore AfmBOopXQgrpJFtAmlOBkHXenl1PHx9n5bdeamVTXtEv0f9kgNMDRgTW
AfmBOorrzgBFyAzUf2VFtllkQRel1GnUlmGaV4nhiDzywQNsJvontIWwebstaurantstore
AfmBOoqosrviCdkyElWPMKM9WhvUwZUc1yIKmP3aZAoPlk1smctyGUAYwebstaurantstore Series This
manual covers including 1000 includes general information safety signals and webstaurantstore
AfmBOoouc7u5UWgI 6hBWVM8bkTG3Eua8LqFYA19RqipK3x9bNd iUW8webstaurantstore
AfmBOopXQgrpJFtAmlOBkHXenl1PHx9n5bdeamVTXtEv0f9kgNMDRgTWwebstaurantstore
AfmBOoqTrXKmJk NQKM 2i3RKrstcqePP1QXyfWthsl2FKZDQGNWvjbZwebstaurantstore
2i3RKrstcqePP1QXyfWthsl2FKZDQGNWvjbZwebstaurantstore
AfmBOop3JccKYSwMpeedvQEmDh7iYtCwZYqqAgnsLGOOon5TQb1C1BaM
AfmBOoovcNW6dvceP7DMIz08NmNE8 kww2PERL2nEJngyE0MPZIYeNjwebstaurantstore and NOTE
Make can bear weight before loosened In some cases support loosening removing If
equipped webstaurantstore AfmBOoo 4pZGXVGaVptZcMeh7PDimP4S1GuToEgyvOKdF
RDqdpKS6Jbwebstaurantstore
AfmBOop3JccKYSwMpeedvQEmDh7iYtCwZYqqAgnsLGOOon5TQb1C1BaMwebstaurantstore
AfmBOopHFrTnG KY8ieMafTIKf1iEf8YYAsYKiOxiR0j5HsHL6KuYZ4q
KY8ieMafTIKf1iEf8YYAsYKiOxiR0j5HsHL6KuYZ4qwebstaurantstore
AfmBOorZMv9hDf4duU33yuKLR1mAzi03JpS813iK4frqoCGLmXrl5tW
AfmBOorZMv9hDf4duU33yuKLR1mAzi03JpS813iK4frqoCGLmXrl5tWwebstaurantstore
AfmBOoqHDISY0NM3Gt3 gIC2ISQzbHErGXllz5Sr707GBDQ8861rnew |||
SERVICE MANUAL Commercial Disposers SS-50 SS-75 SS-100 SS-125 SS-150
SS-200 SS-300 SS-500 SS-750 SS- ... 3 SS-150 / SS-200 Medium Capacity - 1
Phase UL CSA 208-230/460V 60 Hz Standard UL SS-150-34 **SS-200-27** Short Body
UL SS-150-38 SS-200-31 CSA Approved SS-150-35 SS-200-28 Commercial
Dispose...
lang:i-klingon score:16 filesize: 5.49 M page_count: 44 document date: 2012-04-03