

[Manuals.plus](#) /

› [HOMCOM](#) /

› HOMCOM Rolling Saddle Stool (Model 71-0016) Instruction Manual

HOMCOM 71-0016

HOMCOM Rolling Saddle Stool Instruction Manual

Model: 71-0016

1. INTRODUCTION

Thank you for choosing the HOMCOM Rolling Saddle Stool. This manual provides essential information for the safe assembly, operation, and maintenance of your new stool. Please read these instructions thoroughly before use and retain them for future reference.



Image 1.1: The HOMCOM Rolling Saddle Stool in a professional environment.

2. SAFETY INFORMATION

To ensure safe operation and prevent injury, please observe the following safety guidelines:

- **Maximum Weight Capacity:** This stool is designed to support a maximum weight of 300 lbs (136 kg). Do not exceed this limit.
- **Stable Surface:** Always ensure the stool is placed on a stable, level surface before sitting or adjusting.
- **Proper Use:** Use the stool only for its intended purpose as a seating device. Avoid standing on the stool or using it as a ladder.
- **Assembly:** Ensure all components are correctly assembled and tightened before use. Refer to the assembly instructions.
- **Moving the Stool:** Use the dual-wheel casters for movement. Avoid dragging the stool, which may damage the floor or casters.
- **Children and Pets:** Keep children and pets away from the stool during assembly and ensure they do not play with it unsupervised.

- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

3. PARTS LIST

Before assembly, verify that all the following parts are present and undamaged:

1. Saddle Seat (1)
2. Gas Lift Cylinder (1)
3. Base with 5-Star Legs (1)
4. Caster Wheels (5)
5. Assembly Hardware (Screws, Washers, Allen Wrench)

ADJUSTABLE HEIGHT

For different body heights
For different operating heights



Image 3.1: Components of the HOMCOM Rolling Saddle Stool, highlighting the adjustable height feature.

4. ASSEMBLY INSTRUCTIONS

Assembly is straightforward and typically takes about 10 minutes. No additional tools are required beyond what is provided.

1. **Attach Casters to Base:** Insert each of the five caster wheels into the openings at the end of each leg on the 5-star base. Push firmly until they click into place.
2. **Insert Gas Lift:** Place the gas lift cylinder into the center hole of the assembled 5-star base. Ensure it is seated securely.
3. **Attach Seat to Gas Lift:** Carefully align the saddle seat with the top of the gas lift cylinder. The seat plate on the underside of the saddle seat should fit over the top of the gas lift. Press down firmly to secure.
4. **Test Stability:** Once assembled, gently sit on the stool to ensure all connections are secure and the stool is stable.



Image 4.1: Underside of the saddle seat, illustrating the connection point for the gas lift.

5. OPERATING INSTRUCTIONS

The HOMCOM Rolling Saddle Stool offers adjustable height and 360-degree swivel for optimal comfort and mobility.

5.1. Adjusting Seat Height

The stool features a galvanized steel hydraulic lift for easy height adjustment.

- **To Raise the Seat:** While standing, pull the lever located under the seat upwards. The seat will automatically rise. Release the lever at your desired height.
- **To Lower the Seat:** While seated, pull the lever located under the seat upwards. The seat will lower under your weight. Release the lever at your desired height.

The seat height is fully adjustable from 17.75 inches to 22.5 inches.

ADJUSTABLE HEIGHT

For different body heights
For different operating heights



Image 5.1: The lever for adjusting the stool's height.

5.2. Using the Swivel and Casters

The stool is equipped with a full 360-degree swivel and dual-wheel casters for smooth mobility.

- **Swivel Function:** The seat can rotate freely 360 degrees, allowing for easy changes in direction without moving the base.
- **Caster Wheels:** The five dual-wheel casters enable smooth movement across various floor types. To move the stool, simply push it in the desired direction while seated or standing.

EASY TO MOVE

Smooth rolling base for quick moving without standing up



Image 5.2: The stool's 360-degree swivel and smooth-rolling casters.

5.3. Ergonomic Design

The ergonomic saddle seat is designed to support your legs and spine, reducing joint and muscle pressure, especially during long periods of sitting. This design promotes good posture.

ERGONOMIC DESIGN

Helping to reduce the pressure on the back and spine



Image 5.3: The ergonomic design of the saddle seat promotes better posture.

6. MAINTENANCE

Proper care will extend the life of your HOMCOM Rolling Saddle Stool.

- **Cleaning:** Wipe clean with a damp cloth. Avoid harsh chemicals or abrasive cleaners that may damage the faux leather or metal finish.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Re-tighten if necessary.
- **Caster Care:** Keep caster wheels free of hair, dust, and debris to ensure smooth rolling.

7. TROUBLESHOOTING

If you encounter issues with your stool, refer to the following common problems and solutions:

- **Stool does not adjust height:**

- Ensure the gas lift lever is fully engaged when attempting to raise or lower the seat.
- Verify that the gas lift cylinder is correctly inserted into both the base and the seat mechanism.
- If the gas lift is faulty, it may need replacement. Contact customer support.

- **Stool feels unstable or wobbly:**

- Check that all caster wheels are fully inserted into the base.
- Ensure the gas lift is properly seated in the base.
- Verify that the seat is securely attached to the gas lift.
- Ensure the stool is on a flat, even surface.

- **Casters do not roll smoothly:**

- Inspect the wheels for any accumulated hair, dust, or debris and clean them thoroughly.
- Ensure the casters are not damaged. Damaged casters may need replacement.

8. SPECIFICATIONS

Feature	Detail
Brand	HOMCOM
Model Number	71-0016
Product Dimensions (D x W x H)	13.75"D x 15"W x 17.75"H
Adjustable Seat Height	17.75" - 22.5"
Seat Width	13.75 Inches
Frame Material	Alloy Steel
Seat Material	Faux Leather
Color	Black
Maximum Weight Recommendation	300 Pounds
Item Weight	9.2 Pounds
Required Assembly	Yes
Product Care Instructions	Wipe Clean



Image 8.1: Key dimensions of the saddle stool.

9. OFFICIAL PRODUCT VIDEO

Watch this official product video for a visual overview of the HOMCOM Rolling Saddle Stool's features and functionality.

Your browser does not support the video tag.

Video 9.1: An official overview of the HOMCOM Rolling Saddle Stool, demonstrating its features and design.

10. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your purchase or contact HOMCOM

customer service directly. Keep your purchase receipt for warranty claims.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B00BPOBIVA>

More documents and user manuals: <https://manuals.plus/>