

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [ProFlo](#) /
- › [PROFLO PF9400 Edgehill Round Toilet Bowl Instruction Manual](#)

ProFlo PF9400WH

PROFLO PF9400 Edgehill Round Toilet Bowl Only - White

Instruction Manual

1. PRODUCT OVERVIEW

The PROFLO PF9400 Edgehill Round Toilet Bowl is designed for residential bathroom installations. This product is the toilet bowl component only, providing flexibility to pair with a compatible toilet tank of your choice. Its round design is particularly suitable for bathrooms with limited space, offering a compact and efficient solution.



Figure 1: The PROFLO PF9400 Edgehill Round Toilet Bowl. This image shows the white, round toilet bowl from a side angle, ready for installation with a separate tank.

Key Features:

- **Bowl-Only Configuration:** Allows selection of a matching tank for a customized setup.
- **Space-Saving Design:** Round bowl shape is ideal for smaller bathrooms.
- **Durable Material:** Constructed from high-quality Vitreous China for longevity and easy cleaning.
- **Floor Mounted Installation:** Designed for standard floor-mounted setups.
- **Limited Lifetime Warranty:** Covered under PROFLO's limited lifetime warranty for peace of mind.

2. SETUP AND INSTALLATION

This section provides general guidance for the installation of the PROFLO PF9400 toilet bowl. For detailed, step-by-step instructions, always refer to the comprehensive installation guide provided with your complete toilet system (bowl and tank combination) or consult a qualified plumbing professional.

General Installation Considerations:

1. **Preparation:** Ensure the bathroom floor is clean, level, and prepared for a new toilet installation. Turn off the water supply to the toilet area.
2. **Flange and Wax Ring:** Install a new toilet flange if necessary and prepare a new wax ring for a watertight seal between the bowl and the waste pipe.
3. **Bowl Placement:** Carefully position the toilet bowl over the flange bolts, ensuring it is level and stable.
4. **Tank Connection:** Once the bowl is securely installed, connect your chosen compatible toilet tank according to its specific instructions. Ensure all connections are tight and leak-free.
5. **Water Supply:** Connect the water supply line to the tank's fill valve.
6. **Testing:** Slowly turn on the water supply and check for any leaks around the base of the bowl, tank connections, and water supply line. Flush the toilet multiple times to ensure proper operation.

Important: Proper installation is crucial for the toilet's performance and to prevent leaks. If you are unsure about any step, it is highly recommended to seek assistance from a licensed plumber.

3. USAGE

The PROFLO PF9400 toilet bowl functions as the primary receptacle for waste and connects to a compatible toilet tank for flushing. Once installed and connected to a water supply and drain, its operation is straightforward.

Basic Operation:

- **Flushing:** To flush the toilet, depress the flush lever or button on your connected toilet tank. This action releases water from the tank into the bowl, initiating the siphonic action to clear the bowl's contents.
- **Refilling:** After flushing, the tank will automatically refill with water, preparing the toilet for the next use.

Note: The efficiency and power of the flush are primarily determined by the design and water volume of the toilet tank you pair with this bowl.

4. MAINTENANCE AND CLEANING

Regular cleaning and proper maintenance will ensure the longevity and hygienic performance of your PROFLO PF9400 toilet bowl.

Cleaning Instructions:

- **Routine Cleaning:** For daily or weekly cleaning, use a soft cloth or sponge with a mild, non-abrasive bathroom cleaner. Wipe down all surfaces of the bowl, including the rim and exterior.
- **Bowl Interior:** Use a toilet brush with a toilet bowl cleaner to scrub the interior of the bowl. Follow the cleaner's instructions for dwell time before flushing.
- **Avoid Abrasives:** Do not use abrasive cleaners, scouring pads, or harsh chemicals (e.g., strong acids, bleach in high concentrations) as these can damage the vitreous china finish and potentially void the warranty.
- **Hard Water Stains:** For stubborn hard water stains, use cleaners specifically designed for lime and rust removal, ensuring they are safe for vitreous china.

General Maintenance:

- **Check for Leaks:** Periodically inspect the base of the toilet bowl and the connections to the tank for any signs of water leaks. Address any leaks promptly to prevent water damage.
- **Tighten Connections:** Ensure that the bolts securing the bowl to the floor and the tank to the bowl remain tight. Do not overtighten, as this can crack the ceramic.

5. TROUBLESHOOTING

This section addresses common issues that may arise with a toilet bowl. Note that many flushing-related problems are often due to the toilet tank mechanism, which is a separate component.

Common Issues and Solutions:

- **Water Leaking from Base of Bowl:**
 - *Possible Cause:* Damaged or improperly seated wax ring.
 - *Solution:* The toilet bowl may need to be removed and a new wax ring installed. This often requires professional assistance.
 - *Possible Cause:* Loose flange bolts.
 - *Solution:* Gently tighten the bolts securing the bowl to the floor. Do not overtighten.
- **Water Leaking Between Bowl and Tank:**
 - *Possible Cause:* Loose tank-to-bowl bolts or worn gasket.
 - *Solution:* Tighten the tank bolts. If the leak persists, the tank may need to be removed and the gasket replaced.
- **Poor Flush Performance (Weak Flush, Clogging):**
 - *Possible Cause:* Issues with the tank's flushing mechanism (flapper, fill valve, water level).
 - *Solution:* Refer to the instruction manual for your specific toilet tank. Ensure the water level in the tank is correct and the flapper is sealing properly.
 - *Possible Cause:* Blockage in the trapway or drain line.
 - *Solution:* Use a plunger or a toilet auger to clear the blockage. If persistent, professional plumbing service may be required.

Disclaimer: For complex issues or if you are uncomfortable performing repairs, it is always best to contact a qualified plumber.

6. SPECIFICATIONS

Detailed specifications for the PROFLO PF9400 Edgehill Round Toilet Bowl:

Attribute	Detail
Manufacturer	PROFLO
Part Number	PF9400WH
Item Weight	47.2 pounds
Product Dimensions (L x W x H)	25 x 17.75 x 16.13 inches

Item Model Number	PF9400WH
Color	White
Finish	White
Material	Vitreous China
Shape	Round
Item Package Quantity	1
Date First Available	October 15, 2010



Figure 2: Example of a bathroom setting featuring a PROFLO toilet and sink, demonstrating typical installation environment.

7. WARRANTY INFORMATION

The PROFLO PF9400 Edgehill Round Toilet Bowl is backed by PROFLO's limited lifetime warranty. This warranty covers defects in material and workmanship under normal use and service.

For specific details regarding the terms, conditions, and limitations of the limited lifetime warranty, please refer to the official warranty documentation provided with your purchase or visit the official PROFLO website. Keep your proof of purchase for warranty claims.







8. CUSTOMER SUPPORT

If you have any questions, require technical assistance, or need to report an issue with your PROFLO PF9400 Edgehill Round Toilet Bowl, please contact PROFLO customer support.

You can find contact information and additional resources by visiting the official PROFLO store or website:

[Visit the PROFLO Store on Amazon](#)

When contacting support, please have your product model number (PF9400WH) and purchase details readily available to expedite assistance.

	<p>PROFLO HET Toilet Bowl and Tank Installation Instructions (1.28 GPF)</p> <p>Comprehensive installation guide for the PROFLO HET Toilet Bowl and Tank, featuring 1.28 gallons per flush. Includes tools needed, removal of old toilet, installation steps, adjustments, troubleshooting, and warranty information.</p>
	<p>PROFLO HET Two-Piece Universal Series Toilet/Tank Installation Instructions</p> <p>This document provides comprehensive installation instructions for the PROFLO HET Two-Piece Universal Series Toilet/Tank, covering both skirted and exposed bowl models. It includes a list of necessary tools and included parts, step-by-step guidance for removing the old toilet and installing the new one, and troubleshooting tips.</p>
	<p>PROFLO PF1400T Series Dual Flush Two Piece Toilet - Product Specifications</p> <p>Comprehensive product specifications, features, model details, dimensions, and certifications for the PROFLO PF1400T Series Dual Flush Two Piece Toilet. Includes warranty information and installation guidance.</p>
	<p>PROFLO PF6112WH 1.28 gpf Closet Tank Parts Breakdown and Warranty Information</p> <p>Detailed parts breakdown for the PROFLO PF6112WH 1.28 gpf closet tank. Includes a list of available tank lids, internal components with part numbers, and warranty details. Features textual descriptions of diagrams and components.</p>
	<p>PROFLO Toilet Seat Installation and Cleaning Guide</p> <p>Comprehensive guide for installing and cleaning PROFLO toilet seats, including models PFTSHEC1000WH, PFTSHEC1000BS, PFTSHEC2000WH, and PFTSHEC2000BS. Features easy installation steps and lift-and-pull cleaning instructions.</p>
	<p>PROFLO Toilet Seat Installation and Cleaning Guide</p> <p>Step-by-step instructions for installing and cleaning PROFLO toilet seats, including models PFTSEC1000WH, PFTSEC2000WH, and PFTSEC2000BS. Features easy installation and lift-and-pull cleaning methods.</p>