

[Manuals.plus](#) /

› [Leader Accessories](#) /

› Leader Accessories 7-Layer Travel Trailer RV Cover (22-24 ft) Instruction Manual

Leader Accessories 90101005

Leader Accessories 7-Layer Travel Trailer RV Cover (22-24 ft) Instruction Manual

Model: 90101005


PRODUCT OVERVIEW

The Leader Accessories 7-Layer Travel Trailer RV Cover is designed to provide comprehensive protection for your recreational vehicle. This heavy-duty cover is suitable for 22-24 ft travel trailers, campers, and toy haulers, measuring 292"L x 102"W x 104"H. It features a multi-layer construction for enhanced durability and weather resistance.

- **Durable Material:** Features an upgraded 7-ply non-woven top with a waterproof membrane and anti-UV coating, blocking 99% of harmful UV rays. The sides are made from 110g breathable non-woven fabric to protect against rain, snow, and scratches.
- **Windproof Design:** Equipped with adjustable front-rear tension panels, elasticized hem corners, reinforced fastening straps, and inner buckles for a secure, custom fit that resists wind.
- **Easy Access:** Three side zippered panels allow quick access to RV doors, storage compartments, and engine bays without removing the entire cover.
- **Enhanced Safety:** Includes 4 reflective strips on the front and rear for improved visibility and collision avoidance at night.
- **Complete Kit:** Comes with essential accessories including 4 tire covers, a tongue jack cover, a ladder cover, an extra-large repair patch, a storage bag, and 6 gutter sharp edge protectors.

IMPORTANT SIZING INFORMATION

To ensure a proper fit, accurately measure your RV before purchasing and installing the cover. The overall length should include the bumper but not the hitch. If your RV has a roof-mounted AC unit, add 1 foot to the total length. Do not rely solely on the RV model number or manufacturer-stated length, as actual dimensions may vary.



TIPS

Please measure your RV to ensure a proper fitting size. Overall length includes bumper, but not hitch.

- 1 Pls add 1 foot to total length if you have a roof mounted AC unit. Measurement including spare tire if mounted to the back of your camper.
- 2 Do not use the rv model number or manufacturer-stated length as actual length may vary

WHICH SIZE COVER IS RIGHT FOR ME?

FITS 14-16FT	196"L X 102"W X 104"H
FITS 16-18FT	220"L X 102"W X 104"H
FITS 18-20FT	246"L X 102"W X 104"H
FITS 20-22FT	270"L X 102"W X 104"H
FITS 22-24FT	292"L X 102"W X 104"H
FITS 24-27FT	330"L X 102"W X 104"H
FITS 27-30FT	366"L X 102"W X 104"H
FITS 30-33FT	402"L X 102"W X 104"H
FITS 33-35FT	425"L X 102"W X 104"H
FITS 35-38FT	462"L X 102"W X 104"H

Image: Diagram illustrating the correct method for measuring your RV's length, width, and height to ensure proper cover fit.

Size Chart for Travel Trailer Covers

RV Length	Cover Dimensions (L x W x H)
Fits 14-16FT	196"L x 102"W x 104"H
Fits 16-18FT	220"L x 102"W x 104"H
Fits 18-20FT	246"L x 102"W x 104"H
Fits 20-22FT	270"L x 102"W x 104"H
Fits 22-24FT	292"L x 102"W x 104"H
Fits 24-27FT	330"L x 102"W x 104"H
Fits 27-30FT	366"L x 102"W x 104"H
Fits 30-33FT	402"L x 102"W x 104"H
Fits 33-35FT	425"L x 102"W x 104"H
Fits 35-38FT	462"L x 102"W x 104"H

SETUP AND INSTALLATION

Follow these steps for proper installation of your RV cover:

1. **Prepare the RV:** Ensure your RV is clean and dry. Inspect the RV for any sharp edges, corners, or protrusions (e.g., gutters, antennas, ladders) that could potentially tear the cover. Use the included 6 gutter sharp edge protectors or additional padding (like pool noodles) to cover these areas.
2. **Unpack the Cover:** The cover is vacuum-compacted. Lay it out on a clean, flat surface, such as a driveway, and carefully unfold it to locate the "Front" and "Back" tags.
3. **Position the Cover:** Roll the cover lengthwise. Identify the front end of the cover (often indicated by a tag or specific design). Position the rolled cover on the roof of your RV, aligning the front end of the cover with the front of your RV. If your RV door is on the passenger side, ensure the yellow and black striped tag is positioned towards the front.
4. **Unroll and Drape:** Carefully unroll the cover towards the back of the RV, allowing it to drape down the sides. Adjust the cover to ensure it is centered and evenly distributed over the RV.

5. **Secure the Straps:** Utilize the weighted-buckle toss bag to route the undercarriage straps beneath the RV. Connect the reinforced fastening straps and inner buckles. Adjust the front-rear tension panels and elasticized hem corners to achieve a snug, custom fit. Ensure all straps are tightened to prevent billowing and shifting, especially in windy conditions.
6. **Install Accessories:** Place the 4 tire covers over your RV's tires. Install the tongue jack cover and ladder cover as appropriate.



Image: Illustration of the windproof upgrade features, including extra long straps and cross-strap panels, demonstrating improved fit.

Your browser does not support the video tag.

Video: A demonstration of securing the RV cover, highlighting the zipper panels and strap adjustments for a snug fit.

OPERATING AND ACCESS

The RV cover is designed for convenience, allowing access to your vehicle even when covered.

- **Zippered Access Panels:** The cover features three side zippered panels. These panels can be unzipped and rolled up to provide quick access to your RV's doors, storage compartments, and engine bays without needing to remove the entire cover.
- **Ventilation:** Integrated air vents promote continuous airflow, reducing moisture buildup and preventing mold and mildew under the cover.




Image: Illustration of the rollable zippered doors, providing easy access to the RV's interior and compartments.

Continuous Ventilation

The breathable cover keep the Vehicle dry



Image: Diagram illustrating continuous ventilation through integrated air vents, keeping the vehicle dry.

MAINTENANCE AND CARE

Proper maintenance extends the lifespan of your RV cover and ensures continued protection for your vehicle.

- **Cleaning:** The cover material is designed to be easy to clean. Use mild soap and water with a soft brush or cloth. Rinse thoroughly and allow to air dry completely before folding and storing.
- **Repairs:** A 39"L x 15"W extra-large repair patch is included for minor tears or damage. Apply the patch to a clean, dry surface.
- **Storage:** When not in use, fold the cover neatly and store it in the provided storage bag in a cool, dry place.
- **Seasonal Checks:** Periodically inspect the cover for any signs of wear, especially before and after long periods of storage or severe weather.
- **Weather Conditions:** While the cover is designed for all-weather protection, extra reinforcement of straps is advised under severe storm conditions to prevent damage to the cover and RV.

Water-resistant & Anti-UV prevent

Thick **5-Layer Top** use resistant non-woven fabric and breathable polypropylene material



Image: Detail of the water-resistant and anti-UV material, highlighting its protective properties and ease of cleaning.

TROUBLESHOOTING

- **Cover Tearing:** Most tears occur due to friction against sharp edges or protrusions on the RV. Before installation, ensure all sharp points (gutters, antennas, ladder rungs, sharp corners) are padded using the included gutter protectors or additional

soft materials like foam or pool noodles.

- **Cover Shifting in Wind:** Ensure all straps are securely fastened and tightened. The elasticized hem corners and tension panels should provide a snug fit. In extremely high winds, consider adding additional tie-downs or repositioning the RV in a more sheltered area if possible.
- **Moisture/Mold Under Cover:** While the cover is breathable, ensure adequate ventilation. Check that air vents are not obstructed. If storing in a humid environment, periodically remove the cover to allow the RV and cover to air out completely.
- **Difficulty Installing:** The cover can be bulky. Unpack it fully on a flat surface and identify the front and back before attempting to place it on the RV. A weighted toss bag is provided to help route straps under the vehicle. Installation is easier with two people.

SPECIFICATIONS

Model Number	90101005
Brand	Leader Accessories
Material	Polypropylene
Color	1 Grey
Item Dimensions (L x W x H)	292 x 102 x 104 inches (for 22-24 ft RVs)
Item Weight	34.3 pounds
UV Protection	Yes (Anti-UV coating)
Water Resistance Level	Water Resistant
Fit Type	Universal Fit (for specified RV lengths)
Included Components	1 RV cover, 4 tire covers, 1 tongue jack cover, 1 ladder cover, 1 x 39"L x 15"W repair patch, 1 storage bag, 6 gutter protect bags

RICH ACCESSORIES LIST





6* Sleeve Bags



1* Toss Bag



2* Reinforced Straps



1* Tongue Jack Cover



1* Pearl Cotton Gutter Protector



1* Adhesive Repair Patch



4* Tire Covers



1* Ladder Cap Cover



1* Storage Bag



1* Trailer Cover

Image: A visual list of all rich accessories included with the RV cover kit.

WARRANTY INFORMATION

This Leader Accessories RV Cover comes with a **One Year Manufacturer Warranty**. Please retain your proof of purchase for warranty claims. For specific warranty terms and conditions, refer to the documentation included with your product or contact

customer support.

CUSTOMER SUPPORT

For any questions, assistance, or support regarding your Leader Accessories RV Cover, please contact our customer service team. You can find contact information on the official Leader Accessories website or through your purchase platform. Visit the official [Leader Accessories Store](#) for more products and information.

© 2026 Leader Accessories. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question