

[Manuals.plus](#) /

› [Geberit](#) /

› Geberit G156050001 Acoustic Insulation Set for Wall-Mounted Toilets and Bidets

Geberit 156.050.00.1

Geberit G156050001 Acoustic Insulation Set for Wall-Mounted Toilets and Bidets

Instruction Manual

1. PRODUCT OVERVIEW

The Geberit G156050001 Acoustic Insulation Set is designed to minimize sound transmission between a wall-mounted toilet or bidet and the wall structure. This set provides a protective layer and reduces noise generated during flushing and use, enhancing comfort in residential and commercial settings.




Figure 1: Geberit G156050001 Acoustic Insulation Set. This image displays the white insulation pad with cutouts for mounting bolts and plumbing connections, designed to fit between a wall-mounted ceramic fixture and the wall.

Key Features:

- Designed for wall-mounted bowls (toilets and bidets).
- Includes insulation pad and necessary hardware for installation.
- Compatible with ceramic appliances having fastening distances of 18 cm or 23 cm.
- Reduces sound transmission and protects ceramic from direct contact with the wall.

2. SETUP AND INSTALLATION

This section provides general guidelines for installing the Geberit G156050001 Acoustic Insulation Set. Professional installation is recommended. Always refer to the specific installation instructions provided with your wall-mounted toilet or bidet fixture, as well as local plumbing codes.

Required Tools (Not Included):

- Utility knife or sharp scissors
- Measuring tape
- Marker

Installation Steps:

1. **Prepare the Wall Surface:** Ensure the wall surface where the toilet or bidet will be mounted is clean, dry, and free from debris.
2. **Position the Insulation Set:** Place the acoustic insulation pad against the finished wall surface, aligning the cutouts with the mounting bolts and plumbing connections of your wall-mounted frame. The pad should sit flush against the wall.
3. **Install Mounting Hardware:** Slide the provided rubber sleeves over the threaded rods (mounting bolts) that extend from the wall. These sleeves protect the ceramic fixture and further reduce sound transmission.
4. **Mount the Ceramic Fixture:** Carefully slide the wall-mounted toilet or bidet onto the threaded rods, ensuring the fixture's mounting holes align with the rods and the insulation pad is correctly positioned between the fixture and the wall.
5. **Secure the Fixture:** Install the washers and nuts onto the threaded rods, tightening them evenly to secure the fixture. Do not overtighten, as this can damage the ceramic. The insulation pad will compress slightly, providing a snug fit and acoustic dampening.
6. **Trim Excess Material:** Once the ceramic fixture is securely mounted, use a utility knife or sharp scissors to carefully trim any excess insulation material that extends beyond the edges of the toilet or bidet. Ensure a neat and flush finish.
7. **Connect Plumbing:** Proceed with connecting the water supply and waste lines to the fixture according to the manufacturer's instructions for the toilet or bidet.

Safety Warning: Always wear appropriate personal protective equipment (PPE) during installation. If you are unsure about any step, consult a qualified plumber or professional installer.

3. OPERATING PRINCIPLES

The Geberit G156050001 Acoustic Insulation Set functions passively. Once installed, it creates a resilient layer between the ceramic fixture and the wall. This layer absorbs vibrations and prevents direct contact, thereby reducing the transmission of impact sound and flushing noise into the building structure. No active operation is required from the user.

4. MAINTENANCE

The acoustic insulation set requires no specific maintenance after proper installation. It is designed for long-term performance. In the event of fixture removal or replacement, inspect the insulation pad for any damage or degradation. If the pad is torn, compressed excessively, or shows signs of wear, it is recommended to replace it to maintain optimal acoustic performance and protection.

5. TROUBLESHOOTING

If you experience issues after installing the acoustic insulation set, consider the following:

- **Increased Noise:**
 - Ensure the insulation pad is correctly positioned and not pinched or misaligned.
 - Verify that the mounting bolts are tightened sufficiently, but not excessively, to create a firm connection without

damaging the ceramic or insulation.

- Check for any direct contact points between the ceramic fixture and the wall or mounting frame that bypass the insulation.

- **Fixture Instability:**

- Confirm that the mounting bolts are securely fastened to the wall frame and the nuts are properly tightened on the fixture.
- Ensure the insulation pad is not excessively thick or improperly cut, which could prevent a stable mount.

For persistent issues, consult a professional plumber or contact Geberit customer support.

6. SPECIFICATIONS

Attribute	Detail
Brand	Geberit
Model Number	156.050.00.1
Color	White
Material	Plastic (Insulation Pad)
Installation Type	Wall Mounted
Item Weight	0.01 Ounces (approx.)
Product Dimensions	12.4 x 8.86 x 4.33 inches (packaging/overall)
Fastening Distance Compatibility	18 cm or 23 cm
UPC	785577068829

7. WARRANTY AND SUPPORT

Warranty Information:

This Geberit product comes with a **1 Year Limited Warranty**. Please retain your proof of purchase for warranty claims. The warranty covers defects in materials and workmanship under normal use and service.

Customer Support:

For technical assistance, product inquiries, or warranty service, please contact Geberit customer support directly. Refer to the official Geberit website or product packaging for the most current contact information.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question