

[manuals.plus](#) /› [Electro-Voice](#) /› [Electro-Voice ZLX-15P 15-inch 2-Way 1000W Powered Loudspeaker User Manual](#)

## Electro-Voice ZLX-15P

# Electro-Voice ZLX-15P 15-inch 2-Way 1000W Powered Loudspeaker User Manual

Model: ZLX-15P

## 1. Introduction

This manual provides essential information for the safe and effective operation of your Electro-Voice ZLX-15P 15-inch 2-Way 1000W Powered Loudspeaker. Please read this manual thoroughly before using the product to ensure proper setup, optimal performance, and longevity.

### KEY FEATURES:

- Integrated 1000W Class-D amplifier for powerful sound.
- 15-inch woofer and 1.5-inch high-frequency titanium compression driver.
- LCD display and single-knob DSP control with presets for quick setup.
- Input level meters and independent amplifier control for optimal gain structure.
- Lightweight, durable polypropylene composite construction with ergonomic hi/lo grip design.
- Patented split-baffle design for superior driver time alignment.





Figure 1.1: The Electro-Voice ZLX-15P powered loudspeaker, showcasing its robust design and front grille.

## 2. Safety Information

---

Always observe the following safety precautions to prevent electric shock, injury, or damage to the equipment.

- **Power Source:** Connect the loudspeaker only to a power supply of the type described in this manual and marked on the unit.
- **Grounding:** Ensure the power cord is properly grounded to prevent electrical shock. Do not defeat the safety purpose of the polarized or grounding-type plug.
- **Ventilation:** Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- **Water and Moisture:** Do not expose this apparatus to rain or moisture. Do not use near water.
- **Heat:** Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.

- **Cables:** Protect the power cord from being walked on or pinched, particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- **Servicing:** Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.
- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

## 3. Setup

---

### 3.1 UNPACKING

Carefully remove the loudspeaker from its packaging. Inspect the unit for any signs of damage that may have occurred during transit. Retain the original packaging for future transport or storage.

### 3.2 PLACEMENT OPTIONS

The ZLX-15P is designed for versatile placement:

- **Pole Mounting:** The loudspeaker features a standard pole mount socket for use with speaker stands. Ensure the stand is stable and rated for the weight of the ZLX-15P.
- **Floor Monitor:** The cabinet design allows for use as a floor monitor, angled towards the performer.
- **Stacking:** For larger setups, multiple units can be safely stacked on a stable surface.



Figure 3.1: The ZLX-15P's lightweight design and integrated handles facilitate easy transport and setup.

### 3.3 CONNECTIONS

The rear panel of the ZLX-15P provides various input and output options:

1. **Input 1 & 2 (XLR/TRS Combo Jacks):** Connect your audio sources (mixers, microphones, instruments) to these inputs. Each input has independent gain control.
2. **Mix Out (XLR):** Provides a mixed output of Input 1 and Input 2, useful for linking to additional loudspeakers or sending a signal to a recording device.
3. **Power Inlet:** Connect the supplied AC power cable here.
4. **Power Switch:** Turns the unit on or off.



Figure 3.2: Detailed view of the ZLX-15P's rear control panel, including inputs, outputs, and DSP interface.

## 4. Operation

---

### 4.1 POWERING ON/OFF

Ensure all connections are secure before powering on. Turn on your mixer or audio source first, then the ZLX-15P. When powering off, turn off the ZLX-15P first, then your audio source.

### 4.2 DSP CONTROL AND PRESETS

The ZLX-15P features an intuitive LCD display and a single-knob DSP (Digital Signal Processing) control. Rotate the knob to navigate menus and press to select. Available presets optimize the loudspeaker's performance for various applications:

- **Music:** Optimized for general music playback.
- **Club:** Enhanced bass response for dance music.
- **Live:** Balanced sound for live performances with instruments and vocals.
- **Speech:** Clear vocal reproduction, often with reduced bass.

You can also adjust parameters like EQ, crossover, and input sensitivity through the DSP menu.

### 4.3 INPUT LEVEL AND GAIN CONTROL

Each input has an independent gain control knob. Use the input level meters on the LCD display to set appropriate levels. Avoid clipping (indicated by a red 'LIMIT' LED on the front panel) to prevent distortion and potential damage to the speaker.

### 4.4 BLUETOOTH CONNECTIVITY

The ZLX-15P supports Bluetooth wireless communication. Refer to the DSP menu for pairing instructions to stream audio wirelessly from compatible devices.

## 5. Maintenance

---

Proper maintenance ensures the longevity and optimal performance of your ZLX-15P loudspeaker.

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the loudspeaker. For stubborn dirt, a slightly damp cloth with mild soap can be used, followed by a dry cloth. Do not use abrasive cleaners or solvents.
- **Grille:** The metal grille can be gently cleaned with a soft brush to remove dust or debris.
- **Storage:** When not in use, store the loudspeaker in a cool, dry environment, away from direct sunlight and extreme temperatures. Using a protective cover or the original packaging is recommended.
- **Handling:** While the composite construction is durable, avoid impacts and rough handling to prevent cosmetic damage such as scratches or chips. Always use the integrated handles for lifting and carrying.

## 6. Troubleshooting

---

If you encounter issues with your ZLX-15P, refer to the following common troubleshooting steps:

- **No Sound:**

- Check if the loudspeaker is powered on and the power LED is illuminated.
- Verify that the audio source is active and sending a signal.

- Ensure input cables are securely connected and not damaged.
- Check the input gain levels on the ZLX-15P and your audio source.
- Confirm the correct DSP preset is selected.

• **Distorted Sound:**

- Reduce the input gain on the ZLX-15P or the output level from your audio source to prevent the 'LIMIT' LED from illuminating.
- Check for damaged cables.
- Ensure the DSP settings are appropriate for your application.

• **Hum or Noise:**

- Ensure all equipment is properly grounded.
- Try using balanced XLR cables instead of unbalanced TRS cables if possible.
- Isolate the loudspeaker from other electrical devices that may cause interference.

If the issue persists after attempting these steps, contact qualified service personnel.

## 7. Specifications

---

Feature	Specification
Model	ZLX-15P
Speaker Type	Powered Loudspeaker, 2-Way
Woofer Diameter	15 Inches
Tweeter Diameter	1.5 Inches
Amplifier Power	1000 Watts (Class D)
Material	Polypropylene
Connectivity Technology	Wired, Bluetooth
Control Method	Touch (DSP Knob)
Product Dimensions (D x W x H)	19.2" x 19" x 29"
Item Weight	36.6 pounds (16.6 kg)
Power Source	Corded Electric




Figure 7.1: Dimensional overview of the ZLX-15P loudspeaker.

## 8. Warranty and Support

---

### 8.1 WARRANTY INFORMATION







The Electro-Voice ZLX-15P is covered by a limited warranty. For specific terms and conditions, please refer to the warranty card included with your product or visit the official Electro-Voice website. Keep your proof of purchase for warranty claims.


### 8.2 CUSTOMER SUPPORT

For technical assistance, service, or further information, please contact Electro-Voice customer support. You can find contact details on the official Electro-Voice website or in the documentation provided with your product. Additional resources, including a detailed user manual in PDF format, may be available online:

- [User Manual \(PDF\)](#)
- [Installation Manual \(PDF\)](#)

## Related Documents - ZLX-15P

	<p><a href="#">Electro-Voice ZLX Series Loudspeaker Owner's Manual</a></p> <p>Comprehensive owner's manual for the Electro-Voice ZLX Series loudspeakers, covering safety instructions, system features, setup, operation, specifications, and troubleshooting for powered and passive models.</p>
	<p><a href="#">Electro-Voice ZLX-G2 Full-Range Loudspeaker User Manual</a></p> <p>Comprehensive user manual for the Electro-Voice ZLX-G2 series of full-range loudspeakers, covering setup, operation, features, technical specifications, and troubleshooting for both powered and passive models.</p>
	<p><a href="#">Electro-Voice ZLX Portable Loudspeaker Series Installation Manual</a></p> <p>This manual provides installation and operational guidance for the Electro-Voice ZLX Portable Loudspeaker Series, covering safety precautions, product features, setup, and troubleshooting.</p>
	<p><a href="#">Electro-Voice ZLX-G2 Series Loudspeaker Quick Start Guide and Setup</a></p> <p>Comprehensive guide to setting up, mounting, and pairing the Electro-Voice ZLX-G2 series full-range powered loudspeakers with the QuickSmart Mobile app. Includes quick setup, mounting instructions, and Bluetooth pairing.</p>
	<p><a href="#">Electro-Voice ZLX Powered Loudspeaker Series Installation Manual</a></p> <p>Comprehensive installation manual for Electro-Voice ZLX Powered Loudspeaker Series, detailing setup, operation, DSP features, and technical specifications for models like ZLX-12BT and ZLX-15BT.</p>
	<p><a href="#">Electro-Voice ZLX Powered Loudspeaker Series Installation Manual</a></p> <p>Comprehensive installation manual for the Electro-Voice ZLX Powered Loudspeaker Series, covering setup, operation, DSP controls, troubleshooting, and technical specifications for models ZLX-12BT and ZLX-15BT.</p>




## [\[pdf\] User Manual Owner's Manual Instructions](#)

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installation Provided By MANUALSLIB COM manualslib 5caf3d2cd9fb kino rent products product instructions ZLX Series Loudspeaker Owner's Manual Electro Voice Important Safety Instructions 1 Read these 2 Keep 3 Heed all warnings |||

**ZLX Series Loudspeaker Owner's Manual ZLX-12P****ZLX-15P** ZLX-12 ZLX-15  
Downloaded from [www.Manualslib.com](http://www.Manualslib.com) manuals search engine Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOIS...

lang:en **score:59** filesize: 4.41 M page\_count: 22 document date: 2014-01-24




## [\[pdf\] User Manual Instructions Troubleshooting Guide](#)

ZLX G2 UM V01 en Manual Electro Voice 12P 12 inch 2 Way 1000W Powered Loudspeaker with Bluetooth ev zlx 15p g2 manual proacousticsusa media wysiwyg |||

**ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2, ZLX15PG2** en User manual ... Description 8 2-way powered speaker, US cord ZLX-12P-G2-US 12 2-way powered speaker, US cord **ZLX-15P-G2-US** 15 2-way powered speaker, US cord ZLX-8P-G2-EU 8 2-way powered speaker, EU cord ...

lang:en **score:47** filesize: 8 M page\_count: 80 document date: 2023-10-31




## [\[pdf\] User Manual Owner's Manual Instructions Troubleshooting Guide Dimension Guide](#)

971ZLX15P EV ZLX 15P CRUTCHFIELD COM JOSHN Electro Voice owner's manual Electro Series 15 powered loudspeaker — 1 000W peak at Crutchfieldv1crutchfieldonline ImageBank v20161004103300 Manuals 971 |||

**ZLX Series ZLX-12P-UX, ZLX-15P-UX, ZLX-12P-EX, ZLX-15P-EX, ZLX-12P-AX, and ZLX-15P-AX** en User Manual Table of contents 1 1.1 1.2 1.3 1.4 1.5 2 3 3.1 3.2 4 4.1 4.2 5 5.1 5.2 5.3 5.3.1 6 6.1 6.1.1 6.1.2 6.1.3 6.1.4 6.2 6.2.1 6.2.2 6.2.3 7 8 8.1 8.2 9 Safety Important Safety Instructions Suspens...


lang:en **score:46** filesize: 6.12 M page\_count: 36 document date: 2016-10-04



[\[pdf\]](#) User Manual Owner's Manual Installation Guide Instructions

ZLX Series Loudspeaker Owner's Manual Parts Express 12—12 inch Passive System A compact and versatile loudspeaker featuring EV engineered drivers in a rugged enclosure. Whether pole mounted or used as floor monitor delivers stunning sonic impact intelligibility—the legendary Sound the pros trust. utf 8 electro voice zlx series manual parts express pedocs manuals Electro Voice Important Safety Instructions 1 Read these instructions 2 Keep 3 Heed all warnings 4 Follow 5 Do not use this apparatus near water 6 Clean only with dry cloth 7 block any ventilation openings Install accordance manufacturers ZLX Series Loudspeaker Owner's Manual ZLX-12P**ZLX-15P** ZLX-12 ZLX-15 Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:45 filesize: 4.33 M page count: 22 document date: 2020-02-07




[\[pdf\]](#) Datasheet

Loa Electro Voice ZLX 15P G2 datasheet liền công suất EV loa electro voice zlx 15p g2 trungchinhanh  
vn media lib 19 03 2024 |||


Electro-Voice **ZLX-15P-G2** 15 2-way powered speaker **ZLX-15P-G2** 15 2-way powered speaker ZLX-G2 is the next generation of the best- selling pro-audio loudspeaker series from Electro-Voice. Increased maximum SPL output and extended frequency response. Robust and ergonomic design for day-to-day dur...

lang:en score:43 filesize: 1.42 M page count: 2 document date: 2024-03-19



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Dimension Guide

ZLX PortableLoudspeakerSeries zh CHS Portable Loudspeaker Series Products Installation manual  
Electro Voice 1 Safety Important safety instructions WARNING TO REDUCE THE RISK OF FIRE OR  
ELECTRIC SHOCK DO NOT file id 974217 products electrovoice  
ZLX Portable Loudspeaker Series en Installation manual ZLX Portable Loudspeaker  
Series Table o ... identifying product name DESCRIPTION. CTN ZLX-12P-AX ZLX-  
12P-EX ZLX-12P-US ZLX-12BT-EU ZLX-12BT-US **ZLX-15P-AX ZLX-15P-EX ZLX-  
15P-US ZLX-15BT-EU ZLX-15BT-US ZLX-12 ZLX-15** Description 12 2-way powere...  
lang:en **score:43** filesize: 8.31 M page\_count: 44 document\_date: 2019-07-23




### [pdf] User Manual Owner's Manual Instructions

ZLX Series Loudspeaker Owner's Manual Sound Productions Electro Voice Important Safety Instructions

1 Read these instructions 2 Keep 3 Heed all warnings 4 Follow and maintenance servicing in the literature accompanying appliance The asterisk within an equilateral triangle is intended to inform user necessary installation or removal regarding equipment hardware use relating system WARNING TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK 12 usermanual soundpro content product documents

ZLX Series Loudspeaker Owner's Manual ZLX-12P**ZLX-15P** ZLX-12 ZLX-15 Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:42 filesize: 4.6 M page\_count: 22 document date: 2013-11-22




### [pdf] User Manual Owner's Manual Quick Start Guide Instructions Guide

Quick Start Guide for ZLX 12P and 15P Loudspeakers Electro Voice Series Part Number F01U280690

Rev 01 Step ev zlx powered quick start guide more info parts express pedocs

Quick Start Guide for ZLX-12P and **ZLX-15P** Loudspeakers Packing List A. ZLX-12P unit, 12 Two-Way Powered Loudspeaker OR **ZLX-15P** unit, 15 Two-Way Powered Loudspeaker B. ZLX Series Loudspeaker Owner's Manual C. Power Cord

Instructions Step 1. Connect the AC power cord from a grounded line receptacle...  
lang:en score:42 filesize: 603.56 K page\_count: 2 document date: 2020-02-07



### [pdf] User Manual Owner's Manual Instructions

fullcompass common files 17938 ZLXSeriesOwnersManual ZLX Series Loudspeaker Owner's Manual


Sound Productions Thank you for choosing an Electro Voice series powered and passive loudspeaker systems Please take time to consult this manual understand all the Important Safety Instructions 1 Read these instructions 2 Keep 3 Heed warnings 4 Follow System Features 12P 15P—Powered Systems The only in its class that matches EV engineered drivers with a custom built Class D amplifier module powerful DSP Whether pole mounted or used as floor monitor delivers stunning sonic impact intelligibility—the 17933 ElectroVoiceZLXSeriesOwnersManual

ZLX Series Loudspeaker Owner's Manual ZLX-12P**ZLX-15P** ZLX-12 ZLX-15 Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:42 filesize: 4.6 M page\_count: 22 document date: 2013-02-04

## Electro-Voice ZLX-15P Powered Loudspeaker Review

A comprehensive review of the Electro-Voice ZLX-15P powered loudspeaker, detailing its features, performance, ease of use, and specifications for musicians and audio professionals. Covers physical design, DSP controls, audio quality, and value.




## [\[pdf\]](#) User Manual Owner's Manual Instructions Specifications

See Electro Voice F 01U 272 256 Manual Specs ZLX 15 Inch Two Way Passive Loudspeaker markertek  
Attachments Manuals |||

ZLX Series Loudspeaker Owner's Manual ZLX-12P**ZLX-15P** ZLX-12 ZLX-15  
Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT  
OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO  
NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE  
CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:40 filesize: 4.6 M page\_count: 22 document\_date: 2016-06-15



[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications

See Electro Voice F 01U 272 255 Manual Specs ZLX 12 Inch Two Way Passive Loudspeaker markertek  
Attachments Manuals |||

ZLX Series Loudspeaker Owner's Manual ZLX-12P**ZLX-15P** ZLX-12 ZLX-15  
Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT  
OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO  
NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE  
CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:40 filesize: 4.6 M page\_count: 22 document\_date: 2016-06-15

## [pdf] Datasheet

Loa Electro Voice ZLX 15P G2 datasheet 15 2 way powered speaker The new professional audio loudspeaker series is the next generation of best selling speakers from which raises the loa electro voice zlx 15p g2 datasheet trungchinahaudio vn media lib 19 03 2024 loa srstid

AfmBOoqBfMnzsFa6BaUtXTalLgLJwrvCfhkjC8 C4Sx6ymfD54YMvIUI |||

Electro-Voice **ZLX-15P-G2** 15 2-way powered speaker **ZLX-15P-G2** 15 2-way powered speaker ZLX-G2 is the next generation of the best- selling pro-audio loudspeaker series from Electro-Voice. Increased maximum SPL output and extended frequency response. Robust and ergonomic design for day-to-day dur...

lang:en score:40 filesize: 1.42 M page\_count: 2 document date: 2024-03-19

The image shows the front cover of the 'ZLX Series Loudspeaker Owner's Manual'. The cover features the 'ZLX' logo in a large, bold, sans-serif font at the top. Below it, the text 'ZLX Series' is followed by 'Loudspeaker' and 'Owner's Manual' on separate lines. The background of the cover is a light gray, and the text is in a dark gray or black color. The overall design is clean and professional.

[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications

See Electro Voice F 01U 272 251 Manual Specs ZLX 12P 12 Inch Two Way Powered Loudspeaker  
markertek Attachments Manuals |||

ZLX Series Loudspeaker Owner's Manual ZLX-12P**ZLX-15P** ZLX-12 ZLX-15  
Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT  
OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO  
NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE  
CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:40 filesize: 4.6 M page\_count: 22 document date: 2016-06-15

 Electro-Voice

[pdf] User Manual Instructions Troubleshooting Guide

Loa Electro Voice ZLX G2 User Manual liền công suất EV 12P loa electro voice zlx g2 user manual  
trungchinhanhaudio.vn media lib 19.03.2024 III

ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2, ZLX15PG2 en User manual ... Description 8 2-way powered speaker, US cord ZLX-12P-G2-US 12 2-way powered speaker, US cord **ZLX-15P-G2-US** 15 2-way powered speaker, US cord ZLX-8P-G2-FU 8 2-way powered speaker, EU cord ...

lang:en score:39 filesize: 7.93 M page\_count: 80 document\_date: 2024-03-19

## [pdf] Datasheet

ZLX 15P G2 15 2 way powered speaker Datasheet 51 en 103434880779 Product Data Sheet Electro  
Voice inch Way Powered Loudspeaker ev zlx 15p q2 cdn shopify s files 1 0290 4132 8221 |||

Electro-Voice **ZLX-15P-G2** 15 2-way powered speaker **ZLX-15P-G2** 15 2-way

powered speaker ZLX-G2 is the next generation of the best- selling pro-audio loudspeaker series from Electro-Voice. Increased maximum SPL output and extended frequency response. Robust and ergonomic design for day-to-day dur...


lang:en score:39 filesize: 1.42 M page\_count: 2 document date: 2024-02-21

[\[pdf\]](#) User Manual Owner's Manual Installation Guide Instructions Declaration of Conformity

ZLX Series Loudspeaker Owner's Manual 12 12P 15 15P Sound Productions Electro Voice Important Safety Instructions 1 Read these instructions 2 Keep 3 Heed all warnings 4 Follow 5 Do not use this apparatus near water 6 Clean only with a dry cloth 7 Block any ventilation openings Install in accordance with the manufacturer's System Features 15P—Powered Systems The loudspeaker its class that matches EV engineered drivers custom built Class D amplifier module and powerful DSP Whether pole mounted or used as floor monitor delivers stunning sonic impact intelligibility—the 97342 home httpd data media manual 323 file man PRID 9646 doc Final Owners 9647 18170 static bhphotovideo lit files c3 zzounds 724f8be00b2c54c844a80c95eab60828 starin info Product Info Bosch Manuals dj store ru 80 billebro se proddoc fullcompass common

ZLX Series Loudspeaker Owner's Manual ZLX-12P **ZLX-15P** ZLX-12 ZLX-15  
Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT  
OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO  
NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE  
CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:39 filesize: 4.6 M page\_count: 22 document date: 2012-12-17




### [\[pdf\] User Manual Installation Guide Guide](#)

Provided by ManualsAndMore Download User Manual Electro Voice ZLX BRKT Installation ElectroVoice ZLXBRKT manualsandmore |||

ZLX Wall Mount Bracket ZLX-BRKT en Installation Guide 1 Safety en 3 Warning Suspending an ... Mount down position en 5 Lower Mount up position Lower Mount up position ZLX-12P/ZLX-12 **ZLX-15P**/ZLX-15 Figure 2.2: Attach Mounts 4. Using the four 4 screws you removed from the bottom ...

lang:en score:39 filesize: 2.18 M page\_count: 12 document date: 2019-07-23




### [\[pdf\] User Manual Owner's Manual Instructions](#)

ZLX Series Loudspeaker Owner's Manual Sound Productions Electro Voice Important Safety Instructions

1 Read these instructions 2 Keep 3 Heed all warnings Missing System Features 12P 15P—Powered Systems The only loudspeaker in its class that matches EV engineered drivers with a custom built Class D amplifier module and powerful DSP Whether pole mounted or used as floor monitor delivers stunning sonic impact intelligibility—the CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN lightning flash arrowhead symbol within an equilateral triangle is intended to alert the user presence of uninsulated dangerous 15 ownersmanual soundpro content product documents

ZLX Series Loudspeaker Owner's Manual ZLX-12P **ZLX-15P** ZLX-12 ZLX-15 Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:39 filesize: 4.6 M page\_count: 22 document date: 2013-11-22



### [\[pdf\] User Manual Owner's Manual Installation Guide Instructions](#)

ZLX Series Loudspeaker Owner's Manual Electro Voice Important Safety Instructions 1 Read these instructions 2 Keep 3 Heed all warnings 4 Follow 5 Do not use this apparatus near water 6 Clean only with a dry cloth 7 block any ventilation openings Install in accordance the manufacturers System Features 12P 15P—Powered Systems The loudspeaker its class that matches EV engineered drivers custom built Class D amplifier module and powerful DSP Whether pole mounted or used as floor monitor delivers stunning sonic impact intelligibility—the C14wG4yM11S ecx images amazon I na ssl

ZLX Series Loudspeaker Owner's Manual ZLX-12P **ZLX-15P** ZLX-12 ZLX-15 Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en score:39 filesize: 4.6 M page\_count: 22 document date: 2015-04-09



### [pdf] User Manual

MANUAL Electro voice ZLX 15 G2 Παθητικό Ηχείο 360226 manual djmania gr manuals ||| DJ REGIS Electro-Voice user OUR ELECTRO-VOICE COMMUNITY MORE BOOM IN THE ROOM Increased output and ... ount bracket 15 padded cover Wall-mount bracket Long pole wall-mount bracket ZLX-8P-G2 ZLX-12P-G2 **ZLX-15P-G2** 1.4 DECA2516 titanium compression driver 8 WECA2088 ferrite 12 WECA2128 ferrite 15...

lang:en score:38 filesize: 1.98 M page\_count: 2 document date: 2023-10-30




### [pdf] User Manual

Provided by ManualsAndMore Download User Manual Electro Voice ZLX BRKT Installation Note ElectroVoice ZLXBRKT manualsandmore |||

ZLX-BRKT ZLX Wall Mount Bracket ZLX-BRKT en Installation Note 1 en 3 Safety Caution Due to ... Mount down position en 5 Lower Mount up position Lower Mount up position ZLX-12P/ZLX-12 **ZLX-15P/ZLX-15** Figure 2.2: ZLX Attach Mounts 4. Attach the lower mount with four 4 of the screws ...

lang:en score:38 filesize: 2.19 M page\_count: 11 document date: 2019-07-24



### [pdf] User Manual Owner's Manual Quick Start Guide Instructions Guide Declaration of Conformity

Quick Start Guide for ZLX 12P and 15P Loudspeakers Electro Voice Series Part Number F01U280690 Rev 01 Step Illustration 1 Connect the AC power cord from a grounded line receptacle to MAINS IN 2 Switch POWER ON 3 All input channels should be turned left before connecting any jack 4 5 mm mini XLR or TRS cable an B Loudspeaker Owner's Manual C Power Cord Instructions A Packing List Push hold DSP knob select application MODE LOCATION Select EXIT return home screen unit 12 Two Way Powered OR 15 6 From increase Tighten thumb screw secure loudspeaker pole D 912TwDMd9DL file id 972331 yucheniyuzlx12pzlx15pangl 181078 httpd data media adga guide PRID 9646 doc 9647 m amazon images I audioprofi sk files ev products electrovoice soundpro content product documents starin info Product Info Bosch EV Manuals storage ua prom st 252136 d1aeri3ty3izns cloudfont net 18 c3 zzounds 518e9f4b15cff8c4ef1633970466ee18 80 billebro se proddoc Quick Start Guide for ZLX-12P and **ZLX-15P** Loudspeakers Packing List A. ZLX-12P unit, 12 Two-Way Powered Loudspeaker OR **ZLX-15P** unit, 15 Two-Way Powered Loudspeaker B. ZLX Series Loudspeaker Owner's Manual C. Power Cord Instructions Step 1. Connect the AC power cord from a grounded line receptacle...

lang:en score:38 filesize: 1016.73 K page\_count: 2 document date: 2013-01-15

Electro-Voice | ZLX-15P-G2 15" 2-way powered speaker

Electro-Voice

ZLX-15P-G2 15" 2-way powered speaker




**ZLX-G2** is the next generation of the best-selling pro audio loudspeaker series from Electro-Voice.

- Increased maximum SPL output and extended frequency response
- Robust and ergonomic design for day-to-day durability and portability
- Advanced connectivity with Bluetooth® wireless stereo streaming and QuickSync™ link
- POWERED BY DYNAMICs** built-in digital mixer with FX, AFS, ducking, PCD and more


The new ZLX-G2 professional audio loudspeaker series is the next generation of the best-selling pro audio loudspeaker series from Electro-Voice, which serves the standard for performance in the industry. The ZLX-G2 series is offered in 15 inch, 12 inch, and 10 inch models, with a variety of finishes and mounting options.

ZLX-G2 loudspeakers lead with acoustic output and extended frequency range. The Electro-Voice patented SICK™ technology ensures enhanced bass response, smaller size and more power. The ZLX-G2 is designed with a robust and ergonomic design for day-to-day durability and portability. POWERED BY DYNAMICs, all prove ZLX-G2 with 50, 60, 80, 100, 120, 150, 180, 200, 220, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1150, 1200, 1250, 1300, 1350, 1400, 1450, 1500, 1550, 1600, 1650, 1700, 1750, 1800, 1850, 1900, 1950, 2000, 2050, 2100, 2150, 2200, 2250, 2300, 2350, 2400, 2450, 2500, 2550, 2600, 2650, 2700, 2750, 2800, 2850, 2900, 2950, 3000, 3050, 3100, 3150, 3200, 3250, 3300, 3350, 3400, 3450, 3500, 3550, 3600, 3650, 3700, 3750, 3800, 3850, 3900, 3950, 4000, 4050, 4100, 4150, 4200, 4250, 4300, 4350, 4400, 4450, 4500, 4550, 4600, 4650, 4700, 4750, 4800, 4850, 4900, 4950, 5000, 5050, 5100, 5150, 5200, 5250, 5300, 5350, 5400, 5450, 5500, 5550, 5600, 5650, 5700, 5750, 5800, 5850, 5900, 5950, 6000, 6050, 6100, 6150, 6200, 6250, 6300, 6350, 6400, 6450, 6500, 6550, 6600, 6650, 6700, 6750, 6800, 6850, 6900, 6950, 7000, 7050, 7100, 7150, 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7600, 7650, 7700, 7750, 7800, 7850, 7900, 7950, 8000, 8050, 8100, 8150, 8200, 8250, 8300, 8350, 8400, 8450, 8500, 8550, 8600, 8650, 8700, 8750, 8800, 8850, 8900, 8950, 9000, 9050, 9100, 9150, 9200, 9250, 9300, 9350, 9400, 9450, 9500, 9550, 9600, 9650, 9700, 9750, 9800, 9850, 9900, 9950, 10000, 10050, 10100, 10150, 10200, 10250, 10300, 10350, 10400, 10450, 10500, 10550, 10600, 10650, 10700, 10750, 10800, 10850, 10900, 10950, 11000, 11050, 11100, 11150, 11200, 11250, 11300, 11350, 11400, 11450, 11500, 11550, 11600, 11650, 11700, 11750, 11800, 11850, 11900, 11950, 12000, 12050, 12100, 12150, 12200, 12250, 12300, 12350, 12400, 12450, 12500, 12550, 12600, 12650, 12700, 12750, 12800, 12850, 12900, 12950, 13000, 13050, 13100, 13150, 13200, 13250, 13300, 13350, 13400, 13450, 13500, 13550, 13600, 13650, 13700, 13750, 13800, 13850, 13900, 13950, 14000, 14050, 14100, 14150, 14200, 14250, 14300, 14350, 14400, 14450, 14500, 14550, 14600, 14650, 14700, 14750, 14800, 14850, 14900, 14950, 15000, 15050, 15100, 15150, 15200, 15250, 15300, 15350, 15400, 15450, 15500, 15550, 15600, 15650, 15700, 15750, 15800, 15850, 15900, 15950, 16000, 16050, 16100, 16150, 16200, 16250, 16300, 16350, 16400, 16450, 16500, 16550, 16600, 16650, 16700, 16750, 16800, 16850, 16900, 16950, 17000, 17050, 17100, 17150, 17200, 17250, 17300, 17350, 17400, 17450, 17500, 17550, 17600, 17650, 17700, 17750, 17800, 17850, 17900, 17950, 18000, 18050, 18100, 18150, 18200, 18250, 18300, 18350, 18400, 18450, 18500, 18550, 18600, 18650, 18700, 18750, 18800, 18850, 18900, 18950, 19000, 19050, 19100, 19150, 19200, 19250, 19300, 19350, 19400, 19450, 19500, 19550, 19600, 19650, 19700, 19750, 19800, 19850, 19900, 19950, 20000, 20050, 20100, 20150, 20200, 20250, 20300, 20350, 20400, 20450, 20500, 20550, 20600, 20650, 20700, 20750, 20800, 20850, 20900, 20950, 21000, 21050, 21100, 21150, 21200, 21250, 21300, 21350, 21400, 21450, 21500, 21550, 21600, 21650, 21700, 21750, 21800, 21850, 21900, 21950, 22000, 22050, 22100, 22150, 22200, 22250, 22300, 22350, 22400, 22450, 22500, 22550, 22600, 22650, 22700, 22750, 22800, 22850, 22900, 22950, 23000, 23050, 23100, 23150, 23200, 23250, 23300, 23350, 23400, 23450, 23500, 23550, 23600, 23650, 23700, 23750, 23800, 23850, 23900, 23950, 24000, 24050, 24100, 24150, 24200, 24250, 24300, 24350, 24400, 24450, 24500, 24550, 24600, 24650, 24700, 24750, 24800, 24850, 24900, 24950, 25000, 25050, 25100, 25150, 25200, 25250, 25300, 25350, 25400, 25450, 25500, 25550, 25600, 25650, 25700, 25750, 25800, 25850, 25900, 25950, 26000, 26050, 26100, 26150, 26200, 26250, 26300, 26350, 26400, 26450, 26500, 26550, 26600, 26650, 26700, 26750, 26800, 26850, 26900, 26950, 27000, 27050, 27100, 27150, 27200, 27250, 27300, 27350, 27400, 27450, 27500, 27550, 27600, 27650, 27700, 27750, 27800, 27850, 27900, 27950, 28000, 28050, 28100, 28150, 28200, 28250, 28300, 28350, 28400, 28450, 28500, 28550, 28600, 28650, 28700, 28750, 28800, 28850, 28900, 28950, 29000, 29050, 29100, 29150, 29200, 29250, 29300, 29350, 29400, 29450, 29500, 29550, 29600, 29650, 29700, 29750, 29800, 29850, 29900, 29950, 30000, 30050, 30100, 30150, 30200, 30250, 30300, 30350, 30400, 30450, 30500, 30550, 30600, 30650, 30700, 30750, 30800, 30850, 30900, 30950, 31000, 31050, 31100, 31150, 31200, 31250, 31300, 31350, 31400, 31450, 31500, 31550, 31600, 31650, 31700, 31750, 31800, 31850, 31900, 31950, 32000, 32050, 32100, 32150, 32200, 32250, 32300, 32350, 32400, 32450, 32500, 32550, 32600, 32650, 32700, 32750, 32800, 32850, 32900, 32950, 33000, 33050, 33100, 33150, 33200, 33250, 33300, 33350, 33400, 33450, 33500, 33550, 33600, 33650, 33700, 33750, 33800, 33850, 33900, 33950, 34000, 34050, 34100, 34150, 34200, 34250, 34300, 34350, 34400, 34450, 34500, 34550, 34600, 34650, 34700, 34750, 34800, 34850, 34900, 34950, 35000, 35050, 35100, 35150, 35200, 35250, 35300, 35350, 35400, 35450, 35500, 35550, 35600, 35650, 35700, 35750, 35800, 35850, 35900, 35950, 36000, 36050, 36100, 36150, 36200, 36250, 36300, 36350, 36400, 36450, 36500, 36550, 36600, 36650, 36700, 36750, 36800, 36850, 36900, 36950, 37000, 37050, 37100, 37150, 37200, 37250, 37300, 37350, 37400, 37450, 37500, 37550, 37600, 37650, 37700, 37750, 37800, 37850, 37900, 37950, 38000, 38050, 38100, 38150, 38200, 38250, 38300, 38350, 38400, 38450, 38500, 38550, 38600, 38650, 38700, 38750, 38800, 38850, 38900, 38950, 39000, 39050, 39100, 39150, 39200, 39250, 39300, 39350, 39400, 39450, 39500, 39550, 39600, 39650, 39700, 39750, 39800, 39850, 39900, 39950, 40000, 40050, 40100, 40150, 40200, 40250, 40300, 40350, 40400, 40450, 40500, 40550, 40600, 40650, 40700, 40750, 40800, 40850, 40900, 40950, 41000, 41050, 41100, 41150, 41200, 41250, 41300, 41350, 41400, 41450, 41500, 41550, 41600, 41650, 41700, 41750, 41800, 41850, 41900, 41950, 42000, 42050, 42100, 42150, 42200, 42250, 42300, 42350, 42400, 42450, 42500, 42550, 42600, 42650, 42700, 42750, 42800, 42850, 42900, 42950, 43000, 43050, 43100, 43150, 43200, 43250, 43300, 43350, 43400, 43450, 43500, 43550, 43600, 43650, 43700, 43750, 43800, 43850, 43900, 43950, 44000, 44050, 44100, 44150, 44200, 44250, 44300, 44350, 44400, 44450, 44500, 44550, 44600, 44650, 44700, 44750, 44800, 44850, 44900, 44950, 45000, 45050, 45100, 45150, 45200, 45250, 45300, 45350, 45400, 45450, 45500, 45550, 45600, 45650, 45700, 45750, 45800, 45850, 45900, 45950, 46000, 46050, 46100, 46150, 46200, 46250, 46300, 46350, 46400, 46450, 46500, 46550, 46600, 46650, 46700, 46750, 46800, 46850, 46900, 46950, 47000, 47050, 47100, 47150, 47200, 47250, 47300, 47350, 47400, 47450, 47500, 47550, 47600, 47650, 47700, 47750, 47800, 47850, 47900, 47950, 48000, 48050, 48100, 48150, 48200, 48250, 48300, 48350, 48400, 48450, 48500, 48550, 48600, 48650, 48700, 48750, 48800, 48850, 48900, 48950, 49000, 49050, 49100, 49150, 49200, 49250, 49300, 49350, 49400, 49450, 49500, 49550, 49600, 49650, 49700, 49750, 49800, 49850, 49900, 49950, 50000, 50050, 50100, 50150, 50200, 50250, 50300, 50350, 50400, 50450, 50500, 50550, 50600, 50650, 50700, 50750, 50800, 50850, 50900, 50950, 51000, 51050, 51100, 51150, 51200, 51250, 51300, 51350, 51400, 51450, 51500, 51550, 51600, 51650, 51700, 51750, 51800, 51850, 51900, 51950, 52000, 52050, 52100, 52150, 52200, 52250, 52300, 52350, 52400, 52450, 52500, 52550, 52600, 52650, 52700, 52750, 52800, 52850, 52900, 52950, 53000, 53050, 53100, 53150, 53200, 53250, 53300, 53350, 53400, 53450, 53500, 53550, 53600, 53650, 53700, 53750, 53800, 53850, 53900, 53950, 54000, 54050, 54100, 54150, 54200, 54250, 54300, 54350, 54400, 54450, 54500, 54550, 54600, 54650, 54700, 54750, 54800, 54850, 54900, 54950, 55000, 55050, 55100, 55150, 55200, 55250, 55300, 55350, 55400, 55450, 55500, 55550, 55600, 55650, 55700, 55750, 55800, 55850, 55900, 55950, 56000, 56050, 56100, 56150, 56200, 56250, 56300, 56350, 56400, 56450, 56500, 56550, 56600, 56650, 56700, 56750, 56800, 56850, 56900, 56950, 57000, 57050, 57100, 57150, 57200, 57250, 57300, 57350, 57400, 57450, 57500, 57550, 57600, 57650, 57700, 57750, 57800, 57850, 57900, 57950, 58000, 58050, 58100, 58150, 58200, 58250, 58300, 58350, 58400, 58450, 58500, 58550, 58600, 58650, 58700, 58750, 58800, 58850, 58900, 58950, 59000, 59050, 59100, 59150, 59200, 59250, 59300, 59350, 59400, 59450, 59500, 59550, 59600, 59650, 59700, 59750, 59800, 59850, 59900, 59950, 60000, 60050, 60100, 60150, 60200, 60250, 60300, 60350, 60400, 60450, 60500, 60550, 60600, 60650, 60700, 60750, 60800, 60850, 60900, 60950, 61000, 61050, 61100, 61150, 61200, 61250, 61300, 61350, 61400, 61450, 61500, 61550, 61600, 61650, 61700, 61750, 61800, 61850, 61900, 61950, 62000, 62050, 62100, 62150, 62200, 62250, 62300, 62350, 62400, 62450, 62500, 62550, 62600, 62650, 62700, 62750, 62800, 62850, 62900, 62950, 63000, 63050, 63100, 63150, 63200, 63250, 63300, 63350, 63400, 63450, 63500, 63550, 63600, 63650, 63700, 63750, 63800, 63850, 63900, 63950, 64000, 64050, 64100, 64150, 64200, 64250, 64300, 64350, 64400, 64450, 64500, 64550, 64600, 64650, 64700, 64750, 64800, 64850, 64900, 64950, 65000, 65050, 65100, 65150, 65200, 65250, 65300, 65350, 65400, 65450, 65500, 65550, 65600, 65650, 65700, 65750, 65800, 65850, 65900, 65950, 66000, 66050, 66100, 66150, 66200, 66250, 66300, 66350, 66400, 66450, 66500, 66550, 66600, 66650, 66700, 66750, 66800, 66850, 66900, 66950, 67000, 67050, 67100, 67150, 67200, 67250, 67300, 67350, 67400, 67450, 67500, 67550, 67600, 67650, 67700, 67750, 67800, 67850, 67900, 67950, 68000, 68050, 68100, 68150, 68200, 68250, 68300, 68350, 68400, 68450, 68500, 68550, 68600, 68650, 68700, 68750, 68800, 68850, 68900, 68950, 69000, 69050, 69100, 69150, 69200, 69250, 69300, 69350, 69400, 69450, 69500, 69550, 69600, 69650, 69700, 69750, 69800, 69850, 69900, 69950, 70000, 70050, 70100, 70150, 70200, 70250, 70300, 70350, 70400, 70450, 70500, 70550, 70600, 70650, 70700, 70750, 70800, 70850, 70900, 70950, 71000, 71050, 71100, 71150, 71200, 71250, 71300, 71350, 71400, 71450, 71500, 71550, 71600, 71650, 71700, 71750, 71800, 71850, 71900, 71950, 72000, 72050, 72100, 72150, 72200, 72250, 72300, 72350, 72400, 72450, 72500, 72550, 72600, 72650, 72700, 72750, 72800, 72850, 72900, 72950, 73000, 73050, 73100, 73150, 73200, 73250, 73300, 73350, 73400, 73450, 73500, 73550, 73600, 73650, 73700, 73750, 73800, 73850, 73900, 73950, 74000, 74050, 74100, 74150, 74200, 74250, 74300, 74350, 74400, 74450, 74500, 74550, 74600, 74650, 74700, 74750, 74800, 74850, 74900, 74950, 75000, 75050, 75100, 75150, 75200, 75250, 75300, 75350, 75400, 75450, 75500, 75550, 75600, 75650, 75700, 75750, 75800, 75850, 75900, 75950, 76000, 76050, 76100, 76150, 76200, 76250, 76300, 76350, 76400, 76450, 76500, 76550, 76600, 76650, 76700, 76750, 76800, 76850, 76900, 76950, 77000, 77050, 77100, 77150, 77200, 77250, 77300, 77350, 77400, 77450, 77500, 77550, 77600, 77650, 77700, 77750, 77800, 77850, 77900, 77950, 78000, 78050, 78100, 78150, 78200, 78250, 78300, 78350, 78400, 784



## [\[pdf\]](#) User Manual Instructions Troubleshooting Guide Dimension Guide Catalog


EKX Powered Installation Manual Loudspeakers User Electro Voice en 7 2 Description Please take time to consult the manual understand all features built into your EV system and fully utilize its performance Table of contents 1 Safety 4 Important Instructions FCC Information 5 3 Precautions 6 Suspension System 8 ekx powered soundpro catalog documents content product EKX Powered Loudspeakers EKX-12P, EKX-15P, EKX-15SP, and EKX-18SP en User Manual Table of conte ... NORMAL Default CARDIOID 80Hz 100Hz Default 120Hz 150Hz EKX-12P EKX-15P ELX112P ELX115P ZLX-12P **ZLX-15P** ON Default OFF LIMIT ON Default OFF 5 Default 1 to 10 5 Default 1 to 10 EXIT, 1, 2, ... lang:en **score:38** filesize: 5.43 M page\_count: 48 document date: 2015-02-05



## [\[pdf\]](#) User Manual Owner's Manual Instructions


im static thomann de pics atgZLX Series Loudspeaker Owner's Manual and maintenance servicing instructions in the literature accompanying appliance The asterisk within an equilateral triangle is intended to inform user necessary installation or removal regarding equipment hardware use relating system WARNING TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK Electro Voice ZLX System Features 12P 15P—Powered Systems only loudspeaker its class that matches EV engineered drivers with a custom built Class D amplifier module powerful DSP Whether pole mounted used as floor monitor delivers stunning sonic impact intelligibility—the Tripod Floor Monitor Operation series loudspeakers may be by placing speaker on integral angle 313075 atg atgdata document manual images images6 images4 ZLX Series Loudspeaker Owner's Manual ZLX-12P **ZLX-15P** ZLX-12 ZLX-15 Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en **score:37** filesize: 4.6 M page\_count: 22 document date: 2013-04-15



## [\[pdf\]](#) User Manual Instructions Troubleshooting Guide Dimension Guide


ZLX PortableLoudspeakerSeries F01U319253 en Portable Loudspeaker Series AUDIOPROFI Electro Voice Installation manual 2019 05 03 F 01U 319 253 Table of contents1Safety 4 1 Important safety instructions 2 Suspension 5 3 FCC Information Precautions 6 Certifications 7 Notices 8 Description 10 Short information System features Quick setup 12 wireless streaming 13 zlx portable loudspeaker audioprofi sk files ev ZLX Portable Loudspeaker Series en Installation manual ZLX Portable Loudspeaker Series Table o ... identifying product name DESCRIPTION. CTN ZLX-12P-AX ZLX-12P-EX ZLX-12P-US ZLX-12BT-EU ZLX-12BT-US **ZLX-15P-AX ZLX-15P-EX ZLX-15P-US** ZLX-15BT-EU ZLX-15BT-US ZLX-12 ZLX-15 Description 12 2-way powere... lang:en **score:36** filesize: 8.31 M page\_count: 44 document date: 2019-12-05



### [\[pdf\]](#) User Manual Instructions Troubleshooting Guide Dimension Guide

ElectroVoice EKX Series Manual Tony Schwartz Electro Voice Rent A 15SP PLAY Event Rentals playeventrentals s manuals |||

EKX Powered Loudspeakers EKX-12P, EKX-15P, EKX-15SP, and EKX-18SP en User Manual Table of contents 50Hz EKX-12P EKX-15P ELX112P ELX115P ZLX-12P LED LCD DIM BRIGHT CONTRAST STORE RECALL LOCK RESET **ZLX-15P** ON Default OFF LIMIT ON Default OFF 5 Default 1 to 10 5 Default 1 to 10 EXIT, 1, 2, ... lang:en **score:36** filesize: 7.39 M page\_count: 47 document date: 2021-04-02




### [\[pdf\]](#) User Manual Instructions Troubleshooting Guide

ZLX G2 UM V01 en Electro Voice 8P User Manual ďalšia generácia série zlx g2 um v01 m sbl sk files ev |||

ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2, ZLX15PG2 en User manual ... Description 8 2-way powered speaker, US cord ZLX-12P-G2-US 12 2-way powered speaker, US cord **ZLX-15P-G2-US** 15 2-way powered speaker, US cord ZLX-8P-G2-EU 8 2-way powered speaker, EU cord ...

lang:en **score:35** filesize: 7.93 M page\_count: 80 document date: 2024-03-08




### [\[pdf\]](#) User Manual Owner's Manual Instructions

ZLX Series Loudspeaker Owner's Manual ProMusicBari Electro Voice Tripod and Floor Monitor Operation series loudspeakers may be used as a floor monitor by placing the speaker on integral angle 100620817538073bf15fc3 promusicbari it products images |||

ZLX Series Loudspeaker Owner's Manual ZLX-12P **ZLX-15P** ZLX-12 ZLX-15 Important Safety Instructions CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. AVIS: RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR. Th...

lang:en **score:35** filesize: 4.6 M page\_count: 22 document date: 2014-05-24



### [\[pdf\]](#) User Manual Instructions Troubleshooting Guide Dimension Guide

EKX Powered Installation Manual sdm m netdna ssl media mana 3c1930eac876fcEKX Loudspeakers Table of contents 1 Safety 4 Important Instructions 2 FCC Information 5 3 Precautions 6 Suspension Description 7 System features 8 consult the manual to understand all built into your EV system and fully utilize its performance capabilities The series is newest member Electro Voice portable loudspeaker family combines legendary sound quality reliability with latest technology — in a home httpd data 3c1930eac876fc41793c22d4ea3d62be c3 zzounds 80

EKX Powered Loudspeakers EKX-12P, EKX-15P, EKX-15SP, and EKX-18SP en User Manual Table of conte ... NORMAL Default CARDIOID 80Hz 100Hz Default 120Hz 150Hz EKX-12P EKX-15P ELX112P ELX115P ZLX-12P **ZLX-15P** ON Default OFF LIMIT ON Default OFF 5 Default 1 to 10 5 Default 1 to 10 EXIT, 1, 2, ... lang:en **score:35** filesize: 5.51 M page\_count: 48 document date: 2015-01-28




### [\[pdf\]](#) User Manual

Manual de Instalación del altavoz activo ZLX Electro Voice 12 Un enchufe con toma tierra dispone dos terminales y un tercero para su conexión a 1 Series 2015 02 F 01U 319 253 User F01U319253 es media djmania net manuales electrovoice 80 binary file i 974226

ZLX Series ZLX-12P-UX, **ZLX-15P-UX**, ZLX-12P-EX, **ZLX-15P-EX**, ZLX-12P-AX, and **ZLX-15P-AX** es User Manual Tabla de contenidos 1 1.1 1.2 1.3 1.4 1.5 2 3 3.1 3.2 4 4.1 4.2 5 5.1 5.2 5.3 5.3.1 6 6.1 6.1.1 6.1.2 6.1.3 6.1.4 6.2 6.2.1 6.2.2 6.2.3 7 8 8.1 8.2 9 Seguridad Instrucciones importantes de seg...

lang:es **score:35** filesize: 7.38 M page\_count: 40 document date: 2016-06-02




### [\[pdf\]](#) User Manual Instructions


ZLX G2 UM V01 en Electro Voice ZLX15G2 User Manual files thelostmanual org data display embed toolleft true toolright false print zoom auto quot |||

ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2, ZLX15PG2 en User manual ... Description 8 2-way powered speaker, US cord ZLX-12P-G2-US 12 2-way powered speaker, US cord **ZLX-15P-G2-US** 15 2-way powered speaker, US cord ZLX-8P-G2-EU 8 2-way powered speaker, EU cord ...


lang:en **score:35** filesize: 6.95 M page\_count: 80 document date: 2024-08-08




[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Specifications Dimension Guide  
EKX Powered Installation Manual See Electro Voice F 01U 303 387 Specs 15SP US 15 Inch Subwoofer  
Cord markertek Attachments Manuals |||  
EKX Powered Loudspeakers EKX-12P, EKX-15P, EKX-15SP, and EKX-18SP en  
User Manual Table of conte ... NORMAL Default CARDIOID 80Hz 100Hz Default  
120Hz 150Hz EKX-12P EKX-15P ELX112P ELX115P ZLX-12P **ZLX-15P** ON Default  
OFF LIMIT ON Default OFF 5 Default 1 to 10 5 Default 1 to 10 EXIT, 1, 2, ...  
lang:en **score:34** filesize: 5.2 M page\_count: 48 document date: 2016-06-15



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Specifications Dimension Guide  
EKX Powered Installation Manual See Electro Voice F 01U 303 389 Specs 18SP US 18 Inch Subwoofer  
Cord markertek Attachments Manuals |||  
EKX Powered Loudspeakers EKX-12P, EKX-15P, EKX-15SP, and EKX-18SP en  
User Manual Table of conte ... NORMAL Default CARDIOID 80Hz 100Hz Default  
120Hz 150Hz EKX-12P EKX-15P ELX112P ELX115P ZLX-12P **ZLX-15P** ON Default  
OFF LIMIT ON Default OFF 5 Default 1 to 10 5 Default 1 to 10 EXIT, 1, 2, ...  
lang:en **score:34** filesize: 5.2 M page\_count: 48 document date: 2016-06-15




[\[pdf\]](#) User Manual Owner's Manual Instructions Troubleshooting Guide Dimension  
Guide  
971ZL15BT EV ZLX 15BT 15 Powered Speaker W BT CRUTCHFIELD COM HNEWBERRY Electro  
Voice owner s manual Series Bluetooth enabled 2 way powered PA speaker — 1 000W peak at  
Crutchfield crutchfieldonline ImageBank v20210625121700 Manuals 971 |||  
ZLX Portable Loudspeaker Series en Installation manual ZLX Portable Loudspeaker  
Series Table o ... identifying product name DESCRIPTION. CTN ZLX-12P-AX ZLX-  
12P-EX ZLX-12P-US ZLX-12BT-EU ZLX-12BT-US **ZLX-15P-AX ZLX-15P-EX ZLX-  
15P-US** ZLX-15BT-EU ZLX-15BT-US ZLX-12 ZLX-15 Description 12 2-way powere...  
lang:en **score:34** filesize: 8.3 M page\_count: 44 document date: 2021-06-25



### [Electro-Voice ZLX-G2 Full-Range Loudspeaker User Manual](#)

Comprehensive user manual for the Electro-Voice ZLX-G2 series of full-range  
loudspeakers, covering setup, operation, features, technical specifications, and  
troubleshooting for both powered and passive models.

lang:en **score:34** filesize: 6.95 M page\_count: 80 document date: 2024-08-08




[\[pdf\]](#) User Manual Instructions

ZLX G2 UM V01 en Electro Voice ZLX8 G2 User Manual files thelostmanual.org data display embed toolleft true toolright false print zoom auto quot |||

ZLXG2 Fullrange loudspeaker ZLX8G2, ZLX12G2, ZLX15G2, ZLX8PG2, ZLX12PG2, ZLX15PG2 en User manual ... Description 8 2-way powered speaker, US cord ZLX-12P-G2-US 12 2-way powered speaker, US cord **ZLX-15P-G2-US** 15 2-way powered speaker, US cord ZLX-8P-G2-EU 8 2-way powered speaker, EU cord ...

lang:en **score:34** filesize: 6.95 M page\_count: 80 document date: 2024-08-08




[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Dimension Guide

ZLX PortableLoudspeakerSeries F01U319253 en Portable Loudspeaker Series Electro Voice User

Manual 8 3 MB Installation manual 2019 05 03 F 01U 319 253 Table of contents1Safety 4 1 Important safety instructions 2 Suspension 5 FCC Information Precautions 6 Certifications 7 Notices Description 10 Short information System features Quick setup 12 wireless streaming 13 Please take time to consult the understand all built into your EV system and fully utilize its performance capabilities contents 2020 07 08 — Dimensions 41 Frequency response 42 Page Safety D1X3r7G pHS products electrovoice binary images na ssl amazon I

ZLX Portable Loudspeaker Series en Installation manual ZLX Portable Loudspeaker Series Table o ... identifying product name DESCRIPTION. CTN ZLX-12P-AX ZLX-12P-EX ZLX-12P-US ZLX-12BT-EU ZLX-12BT-US **ZLX-15P-AX ZLX-15P-EX ZLX-15P-US** ZLX-15BT-EU ZLX-15BT-US ZLX-12 ZLX-15 Description 12 2-way powere... lang:en **score:34** filesize: 8.31 M page\_count: 44 document date: 2019-05-03




[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Specifications Dimension Guide

ELX200 PoweredManual F01U326891 en Powered Loudspeakers Electro Voice instructions regarding equipment or Low Energy BTLE technology allows intuitive system control configuration and monitoring 2020 06 22 — All content including specifications data illustrations in this manual are subject to change without prior notice Notice! Bluetooth® is available in products electrovoice binary

ELX200 Powered Loudspeakers en Installation manual ELX200 Powered Loudspeakers Table of conten ... ual ELX200 Powered Loudspeakers ELX200-12P ELX200-15P ZX1 EKX-12P EKX-15P ELX112P ELX115P ZLX-12P **ZLX-15P** ON Default OFF LIMIT ON Default OFF 5 Default 1 to 10 5 Default 1 to 10 EXIT, 1, 2, ... lang:en **score:34** filesize: 10.11 M page\_count: 44 document date: 2019-04-16

# EKX Powered Loudspeakers

EKX-12P, EKX-15P, EKX-15SP, and EKX-18SP



## [pdf] User Manual Instructions Troubleshooting Guide Specifications Dimension Guide

EKX Powered Installation Manual See Electro Voice F 01U 303 370 Specs 15P US 15 Inch Two Way Loudspeaker Cord markertek Attachments Manuals |||

**EKX Powered Loudspeakers EKX-12P, EKX-15P, EKX-15SP, and EKX-18SP en User Manual Table of contents ... NORMAL Default CARDIOID 80Hz 100Hz Default 120Hz 150Hz EKX-12P EKX-15P ELX112P ELX115P ZLX-12P ZLX-15P ON Default OFF LIMIT ON Default OFF 5 Default 1 to 10 5 Default 1 to 10 EXIT, 1, 2, ... lang:en score:34 filesize: 5.2 M page\_count: 48 document date: 2016-06-15**



## [pdf] Datasheet

ZLX 15P G2 15 2 way powered speaker Datasheet 51 es 103434880779 Altavoz autoamplificado de vías 2024 01 18 — La nueva serie altavoces audio profesionales la generación los más vendidos Electro Voice que eleva el nivel EDS avelec co cr images uploaded |||

**Electro-Voice Altavoz autoamplificado de 2 vas de 15" ZLX-15P-G2 Altavoz autoamplificado de 2 vas de 15" ZLX-15P-G2 ZLX-G2 es la nueva generación de la serie de altavoces de audio profesional más vendido de Electro-Voice Mayor salida SPL mxima y respuesta en frecuencia ampliada**

lang:es score:34 filesize: 981.75 K page\_count: 2 document date: 2024-01-18



## [pdf] Datasheet

ZLX 15P G2 15 2 way powered speaker Datasheet 51 ja 103434880779 EDS products electrovoice binary |||

**Electro-Voice ZLX-15P-G2 15 2 ZLX-15P-G2 15 2 ZLX-G2 Electro-Voice SPL Bluetooth QuickSmart Mobile POWERED BY DYNACORD - FXAFS PEQ ZLX-G2 Electro-Voice ZLX-G2 15 12 8 ZLX-G2 Electro-Voice SST ZLX-G2 POWERED BY DYNACORDZLX-G2 FXEQ AFS 2 XLR/TRS 24 V Hi-Z...**

lang:de score:33 filesize: 1 M page\_count: 2 document date: 2024-01-18

