

Puig 6320H

Puig 6320H Multi-Adjustable Clip-On Visor Instruction Manual

Brand: Puig | Model: 6320H

1. INTRODUCTION

This manual provides instructions for the proper installation, operation, and maintenance of your Puig 6320H Light Smoke Multi-Adjustable Clip-On Visor. This visor is designed to enhance wind protection and reduce turbulence and noise on your motorcycle windshield.

Key features include:

- Multi-adjustable design for personalized wind deflection.
- Easy clip-on mounting, requiring no drilling into your existing windshield.
- Designed for quick installation and removal.



Image 1.1: The Puig 6320H Light Smoke Multi-Adjustable Clip-On Visor.

2. SAFETY INFORMATION

Please read all safety information before installation and use. Failure to follow these instructions may result in product damage, injury, or property damage.

- **Secure Installation:** Ensure the visor is securely attached to the windshield according to the installation instructions. A loose visor can detach during operation, posing a hazard.
- **Visibility:** Always ensure the visor does not obstruct your field of vision. Adjust its position to maintain clear visibility.
- **Material Compatibility:** This product is made of acrylic. Avoid using harsh chemicals or abrasive materials for cleaning, as this can damage the visor.
- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1 x Puig 6320H Multi-Adjustable Clip-On Visor
- Mounting hardware (clips, screws, washers)

If any parts are missing or damaged, please contact Puig customer support immediately.

4. SETUP AND INSTALLATION

The Puig 6320H visor features a clip-on installation method, eliminating the need for drilling into your motorcycle's windshield.

1. **Prepare the Windshield:** Ensure your motorcycle's windshield is clean and free of debris where the visor will be attached.
2. **Assemble Mounting Clips:** Attach the provided mounting clips to the visor. Ensure all screws and washers are used as per the diagram. Do not overtighten.
3. **Position the Visor:** Carefully place the assembled visor onto the top edge of your motorcycle's windshield. The clips should securely grip the windshield.
4. **Secure the Visor:** Tighten the clips to firmly hold the visor in place. Ensure the visor is centered and stable. Verify that there is no movement or looseness.
5. **Final Check:** Gently attempt to move the visor by hand to confirm it is securely mounted and will not detach during riding.



Image 4.1: Diagram illustrating the clip-on installation process. Note: Drilling is not required.



Image 4.2: The Puig 6320H visor shown installed on a motorcycle windshield.

5. OPERATING AND ADJUSTMENT

The Puig 6320H visor is multi-adjustable, allowing you to fine-tune its position for optimal wind protection and reduced noise.

- **Adjusting Angle:** The visor features adjustable hinges on each side. Loosen the adjustment points slightly to change the angle of the visor relative to your main windshield.
- **Adjusting Height:** The clips allow for minor vertical adjustment along the top edge of your windshield.
- **Testing Adjustments:** After making adjustments, ensure all fasteners are tightened. Test the new position at low speeds in a safe environment to confirm desired wind deflection and stability before riding at higher speeds.

Note: When adjusting, manipulate both sides of the visor simultaneously and carefully to avoid stressing the hinges. Avoid forcing adjustments.

6. MAINTENANCE

Proper care will extend the life and maintain the clarity of your Puig visor.

- **Cleaning:** Clean the visor with a soft cloth and mild soap and water. Avoid using abrasive cleaners, solvents, or ammonia-based products, as these can damage the acrylic material.
- **Inspection:** Periodically inspect the visor and its mounting hardware for any signs of wear, damage, or looseness. Tighten any loose fasteners.
- **Storage:** When not in use for extended periods, store the visor in a clean, dry place away from direct sunlight and extreme temperatures.

7. TROUBLESHOOTING

This section addresses common issues you might encounter.

- **Visor feels loose or detaches:**
 - Ensure all mounting screws and clips are securely tightened.
 - Verify that the clips are correctly gripping the windshield without obstruction.
 - Inspect the windshield for any damage that might prevent a secure attachment.
- **Increased noise or turbulence after installation:**
 - Adjust the angle and height of the visor. Small changes can significantly impact airflow.
 - Experiment with different positions to find the optimal setting for your riding posture and motorcycle.
- **Missing parts upon delivery:**
 - Refer to the "Package Contents" section. If parts are missing, contact Puig customer support immediately for assistance.

8. SPECIFICATIONS

Feature	Detail
Model Number	6320H
Brand	Puig
Color	Light Smoke
Material	Acrylic
Exterior Finish	Painted
Style	Classic
Number of Pieces	1
Installation Type	Clip-On
Fit Type	Universal Fit
Compatible Vehicle Type	Street-sport-motorcycles, street-touring-motorcycles
Item Weight	12 ounces

Compatible Models

This visor is designed for universal fitment on various motorcycle windshields. Specific compatible models include, but are not limited to:



Image 8.1: Example of compatible Yamaha Tenere models.

9. WARRANTY

The Puig 6320H Multi-Adjustable Clip-On Visor is covered by a manufacturer's warranty. For specific details regarding warranty coverage, duration, and claims, please refer to the documentation included with your purchase or contact Puig directly.

10. SUPPORT

For technical assistance, troubleshooting not covered in this manual, or warranty inquiries, please contact Puig customer support.

- **Online:** Visit the official Puig website for support resources and contact information.
- **Email/Phone:** Refer to your product packaging or the Puig website for current contact details.