Manuals+
Q & A | Deep Search | Upload

Schneider Electric AL800SN

Schneider Electric AL800SN 1000-Amp Neutral Assembly Instruction Manual

Model: AL800SN | Brand: Schneider Electric

1. Introduction

This manual provides essential information for the safe and correct installation, operation, and maintenance of the Schneider Electric AL800SN 1000-Amp Neutral Assembly. Please read this manual thoroughly before proceeding with any installation or service to ensure proper function and safety.

1.1 Safety Information

- All electrical work must be performed by qualified personnel in accordance with national and local electrical codes and regulations.
- Always disconnect power before installing, servicing, or removing the neutral assembly.
- Use appropriate personal protective equipment (PPE) when working with electrical components.
- Ensure all connections are properly torqued to prevent overheating and potential hazards.

2. Product Overview

The Schneider Electric AL800SN is a 1000-Amp neutral assembly designed for use in electrical distribution systems. It provides a robust and reliable connection point for neutral conductors, facilitating safe and efficient power distribution.



Figure 1: Schneider Electric AL800SN 1000-Amp Neutral Assembly. This image displays the complete neutral assembly, featuring multiple wire connection points, a robust base, and clear labeling for specifications and torque requirements.

3. Setup and Installation

Follow these steps for proper installation of the AL800SN Neutral Assembly:

1. **Preparation:** Ensure all power to the installation area is disconnected and verified as off. Gather all necessary tools, including a 1/4 inch hex drive for the binding screws.
2. **Mounting:** Securely mount the neutral assembly within the electrical enclosure using appropriate fasteners. Ensure the mounting surface is stable and capable of supporting the assembly and connected conductors.
3. **Wire Connection (Neutral):**
   - Strip the insulation from the neutral conductors to the appropriate length.
   - Insert the neutral wires (sizes 30-500 kcmil Cu-Al) into the main binding screw terminals.
   - Tighten the binding screws using a 1/4 inch hex drive to a torque of**300 lb-in**. Verify that each wire is securely seated and cannot be pulled out.
4. **Wire Connection (Ground):**
   - Strip the insulation from the ground conductors.
   - Insert the ground wires (sizes 6-250 kcmil Cu-Al) into the designated ground terminals.
   - Tighten the ground terminal screws using a 1/4 inch hex drive to a torque of**275 lb-in**. Verify secure connection.
5. **Final Inspection:** Double-check all connections for tightness and proper wire seating. Ensure no loose strands are present. Confirm that the assembly is free from any physical damage.

4. Operating Principles

The AL800SN Neutral Assembly functions as a common connection point for the neutral conductors within an electrical system. It provides a safe and low-resistance path for return current under normal operating conditions. Proper installation ensures the integrity of the neutral path, which is critical for system stability and safety.

5. Maintenance

Regular maintenance helps ensure the longevity and safe operation of the neutral assembly.

- **Periodic Inspection:** Annually inspect the neutral assembly for signs of wear, corrosion, discoloration, or loose connections.
- **Cleaning:** If dust or debris accumulates, disconnect power and carefully clean the assembly using a dry, non-conductive brush or compressed air. Do not use liquid cleaners.
- **Re-torque Connections:** Periodically re-check the torque of all binding and ground screws, especially after initial installation and during routine maintenance, to ensure they remain at the specified values (300 lb-in for neutral, 275 lb-in for ground).
- **Damage Assessment:** If any damage is observed, such as cracks, severe corrosion, or deformation, the assembly should be replaced immediately by qualified personnel.

6. Troubleshooting

Should issues arise, consider the following:

- **Overheating:** If the neutral assembly or connected conductors show signs of overheating (discoloration, melting insulation), immediately disconnect power. This often indicates loose connections, improper wire sizing, or excessive current. Re-torque connections and verify load calculations.
- **Intermittent Power:** Loose neutral connections can lead to intermittent power issues or voltage fluctuations. Inspect and re-torque all connections.
- **Physical Damage:** Any physical damage to the assembly can compromise its integrity and safety. Replace damaged components promptly.

For complex issues or if you are unsure about any troubleshooting steps, contact a qualified electrician or Schneider Electric technical support.

7. Specifications

Attribute	Value
Brand	Schneider Electric
Model Number	AL800SN
Current Rating	1000 Amps
Voltage	240 Volts
Material	Copper (terminals), Aluminum (body)
Item Weight	5.58 pounds
Product Dimensions	14.2 x 6.5 x 4.6 inches

Attribute	Value
UPC	785901239826
Wire Size (Binding Screws)	30-500 kcmil Cu-Al
Wire Size (Neutral Terminal)	6-250 kcmil Cu-Al
Torque (Binding Screws)	300 lb-in
Torque (Ground Terminal)	275 lb-in
Drive Type (Screws)	1/4 inch Hex Drive

8. Warranty Information

This product is sold without an explicit warranty. For specific details regarding Schneider Electric's general product policies or any implied warranties, please refer to the terms and conditions of purchase or contact Schneider Electric directly.

9. Support

For technical assistance, product inquiries, or further support, please visit the official Schneider Electric website or contact their customer service department. Always provide the model number (AL800SN) when seeking support.

Schneider Electric Website: www.se.com/us/en/

Related Documents - AL800SN

	Schneider Electric QO/QOB Dual Function Circuit Breaker Installation and Testing Guide This document provides essential information for the installation, testing, and removal of Schneider Electric QO and QOB Dual Function (AFCI/GFCI) circuit breakers. It includes detailed safety warnings, step-by-step instructions, and troubleshooting notes for proper operation and maintenance.
	Schneider Electric PrismaSeT LVS04854 Installation Guide Detailed installation guide for the Schneider Electric PrismaSeT LVS04854 system, covering the assembly of ComPact NS and MasterPact NT electrical components. Includes safety precautions and step-by-step instructions for building the enclosure system.

[Schneider Charge Pro EV Charging Station Commissioning Guide]

Comprehensive guide for setting up and commissioning the Schneider Charge Pro electric vehicle charging station using the eSetup mobile application. Covers installation, network configuration, electrical settings, load management, remote management, and troubleshooting.

[Schneider Electric Resi9 R9H1342/R9H1842 Installation and Safety Guide]

This document provides essential safety precautions and installation instructions for Schneider Electric Resi9 R9H1342 and R9H1842 electrical enclosures, emphasizing qualified personnel and regulatory compliance.



[Schneider Electric IDIS Technical Instruction: Operation and Replacement of Intelligent Density Information System]

This technical instruction manual from Schneider Electric details the operation and replacement procedures for the Intelligent Density Information System (IDIS), model AGS 531691-01. It covers system design, technical specifications, safety guidelines, and component replacement for medium-voltage switchgear.



[Resi9 MP Installation Guide]

Detailed installation instructions for the Schneider Electric Resi9 MP electrical enclosure, covering assembly, mounting, cable entry, and internal component installation with clear steps and safety information.

Documents - Schneider Electric – AL800SN



[pdf] Instructions

40281 603 01 fm mcr796 AL800SN Neutral Assembly Installation Instructions Square D Province Electric Supply media province electric schneider synd 2022q1 documents a68cdfba2710e8ba07dbfae631feccfdb38aa068 |||

Instruction Bulletin Boletn de Directives instrucciones d utilisation **AL800SN** Neutral Assembly Installation Instalacin del ensamble de neutro **AL800SN** Installation de l assemblage du neutre **AL800SN** 40281-603-01 10/2006 Lexington, KY, USA Class Series Clase Serie Classe Srie 610 B03 Retain fo...

lang:es score:37 filesize: 115.38 K page_count: 4 document date: 2006-11-07



Instruction Bulletin | Boletín de Instrucciones | Directives d'utilisation

40281-603-01
10/2006
Lexington, KY, USA

AL800SN Neutral Assembly Installation
Instalación del ensamble de neutro AL800SN
Installation de l'assemblage du neutre AL800SN

Class | Series
Clase | Serie
Classe | Serie
610 | B03

Retain for future use. / Conservar para uso futuro. / À conserver pour usage ultérieur.

PRECAUTIONS | PRECAUCIONES | PRÉCAUTIONS

⚠ DANGER / PELIGRO / DANGER

HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH
- Apply appropriate personal protective equipment (PPE) and follow safe electrical work practices. See NFPA 70E.
- This equipment must only be installed and serviced by qualified electrical personnel.
- Turn off all power supplying this equipment before working on or inside equipment.
- Always use a properly rated voltage sensing device to confirm power is off.
- Replace all devices, doors and covers before turning on power to this equipment.

Failure to follow these instructions will result in death or serious injury.

PELIGRO DE DESCARGA ELÉCTRICA, EXPLOSIÓN O DESTELLO POR ARQUEO
- Utilice equipo de protección personal (EPP) apropiado y siga las prácticas de seguridad eléctrica establecidas por la Compañía, consulte la norma 70E de NFPA.
- Solamente el personal eléctrico calificado debe instalar y prestar servicio/mantenimiento a este equipo.
- Desenergice el equipo antes de realizar cualquier trabajo en él.
- Siempre utilice un dispositivo detector de tensión nominal adecuado para confirmar la desenergización del equipo.
- Vuelva a colocar todos los dispositivos, las puertas y las cubiertas antes de volver a energizar el equipo.

El incumplimiento de estas instrucciones podrá causar la muerte o lesiones serias.

RISQUE D'ÉLECTROCUTION, D'EXPLOSION OU D'ÉCLAIR D'ARC
- Portez un équipement de protection personnelle (EPP) approprié et observez les méthodes de travail électrique sécuritaire. Voir NFPA 70E.
- Seulun personnel qualifié doit effectuer l'installation et l'entretien de cet appareil.
- Coupez l'alimentation de l'appareil avant d'y travailler.
- Utilisez toujours un dispositif de détection de tension ayant une valeur nominale appropriée pour vous assurer de l'absence de courant.
- Replacez tous les dispositifs, les portes et les couvercles avant de mettre l'équipement sous tension.

Si ces directives ne sont pas respectées, cela entraînera la mort ou des blessures graves.

INSTALLING NEUTRAL ASSEMBLY
1. Turn off all power supplying the enclosure, including control circuits and follow lockout / tagout procedures.
2. Turn circuit breaker handle to OFF (O) position.
3. Remove or open cover.
4. Position the neutral assembly over the mounting holes in the mounting pan. Verify the bonding screw hole is aligned with the bonding hole in the mounting pan (see Figure 1).

INSTALACIÓN DEL ENSAMBLE DE NEUTRO
1. Desenergice el gabinete incluyendo los circuitos de control y siga los procedimientos de bloqueo / etiquetado.
2. Coloque la palanca del interruptor automático en la posición de abierto (O).
3. Abra o retire la cubierta.
4. Coloque el ensamble de neutro sobre los agujeros de montaje en la bandeja. Verifique que el agujero del tornillo de sujeción esté alineado con el agujero en la bandeja de montaje, vea la figura 1.

INSTALLATION DE L'ASSEMBLAGE DU NEUTRE
1. Couper toute alimentation du coffret y compris les circuits de contrôle et observer toutes les procédures d'intervertouillage et d'étiquetage.
2. Amener la poignée du disjoncteur à la position disnêté (O).
3. Enlever ou ouvrir le couvercle.
4. Positionner l'assemblage du neutre sur les trous de montage de la cuve. S'assurer que le trou de la vis de fixation est aligné avec le trou sur la cuve de montage (voir la figure 1).

SQUARE D

1

[pdf] Instructions Catalog

40281 603 01 fm mcr796 Installation Instructions NEUTRAL ASSEMBLY 1000A Crescent Electric Supply Company sqd al800sn installationinstructions 22 crescentelectric 4932a6 globalassets catalogs c c89 c895e c895eb5f ec49 4ef4 a471 285c6e90da788 285c6e90da78835 |||

Instruction Bulletin Boletn de Directives instrucciones d utilisation **AL800SN** Neutral Assembly Installation Instalacin del ensamble de neutro **AL800SN** Installation de l assemblage du neutre **AL800SN** 40281-603-01 10/2006 Lexington, KY, USA Class Series Clase Serie Classe Srie 610 B03 Retain fo...

lang:es score:35 filesize: 115.29 K page_count: 4 document date: 2006-11-07

Schneider Electric Industries

Schneider Electric

Date: Monday, May 15, 2023
Object: Schneider Electric RoHS declaration (RoHS: Restriction of Hazardous Substances)
Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC -"Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipments of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).

Schneider Electric decided to make RoHS compliance of its products one of its priorities, even if they do not fall in RoHS scope, and most of Schneider Electric products are RoHS compliant. This stance is fully in line with Schneider Electric environmental policy and EN IEC 63000:2018 standard.

The information below provides the current product status according to regulation in force at the date of publication of this present document. Any future changes, either in product design or in the Directive may change the status reported here. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Schneider Electric download center. In the context of the sustainable development policy of our Company we continuously work towards products and services which reduce the impact on environment or human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.
In the following declaration, a "Pro-active compliance" wording means that the product is not an EEE or not in the legal scope of the regulation, but is in line with the substances restrictions and corresponding exemptions.

Shall you need any further information or have specific questions (eg. related to phased out products), our Customer Care Centers will support you. Please Note: You can find more information about Schneider Electric environmental commitment on Green Premium webpage

Best Regards,

Vanessa MILER-FELS
VP Environment

Global Safety, Environment & Real Estate Senior Vice President
Schneider Electric Industries SAS

Schneider Electric Industries SAS
Postal address / Adresse postale :
Le Hive
35 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 68
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
804 583 430 rcs Nanterre - code APE : 2710Z
Siret : 804 583 430 01718
eTaxes: TVA : FR 04 804 583 430
Siège Social: 35, rue Joseph Monier
F - 92506 Rueil-Malmaison

export_RoHS_20230515_21182918da526571-3edd-4d06-9667-fe0d207873af.pdf - Monday, May 15, 2023 - Page: 1

[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project AL800SN Neutral assembly PowerPacT M P up to 800A USA export 20230515 21182918da526571 3edd 4d06 9667 fe0d207873af schneider electric files p Doc Ref ROHS DECLARATION FileName US en |||

Schneider Electric Industries Date: Monday, May 15, 2023 Object: Schneider Electric RoHS declarati ... eet are related to the following version of the RoHS directive: 2011/65/EU Commercial ref. Brand **AL800SN** Square D Range Product description NEUTRAL ASSEMBLY 1000A Compliance status RoHS 10 subs...

lang:en score:25 filesize: 216.72 K page_count: 3 document date: 2023-05-15

Schneider Electric Industries

Schneider Electric

Date: Monday, May 15, 2023
Object: Schneider Electric RoHS declaration (RoHS: Restriction of Hazardous Substances)
Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC -"Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipments of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).

Schneider Electric decided to make RoHS compliance of its products one of its priorities, even if they do not fall in RoHS scope, and most of Schneider Electric products are RoHS compliant. This stance is fully in line with Schneider Electric environmental policy and EN IEC 63000:2018 standard.

The information below provides the current product status according to regulation in force at the date of publication of this present document. Any future changes, either in product design or in the Directive may change the status reported here. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Schneider Electric download center. In the context of the sustainable development policy of our Company we continuously work towards products and services which reduce the impact on environment or human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.
In the following declaration, a "Pro-active compliance" wording means that the product is not an EEE or not in the legal scope of the regulation, but is in line with the substances restrictions and corresponding exemptions.

Shall you need any further information or have specific questions (eg. related to phased out products), our Customer Care Centers will support you. Please Note: You can find more information about Schneider Electric environmental commitment on Green Premium webpage

Best Regards,

Vanessa MILER-FELS
VP Environment

Global Safety, Environment & Real Estate Senior Vice President
Schneider Electric Industries SAS

Schneider Electric Industries SAS
Postal address / Adresse postale :
Le Hive
35 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 68
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
804 583 430 rcs Nanterre - code APE : 2710Z
Siret : 804 583 430 01718
eTaxes: TVA : FR 04 804 583 430
Siège Social: 35, rue Joseph Monier
F - 92506 Rueil-Malmaison

export_RoHS_20230515_08363636f81622fe-5f69-4b58-902e-ad36f5832a49.pdf - Monday, May 15, 2023 - Page: 1

[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project AL800SN Neutral assembly PowerPacT M P up to 800A USA export 20230515 08363636f81622fe 5f69 4b58 902e ad36f5832a49 schneider electric files p Doc Ref ROHS DECLARATION FileName US en |||

Schneider Electric Industries Date: Monday, May 15, 2023 Object: Schneider Electric RoHS declarati ... eet are related to the following version of the RoHS directive: 2011/65/EU Commercial ref. Brand **AL800SN** Square D Range Product description NEUTRAL ASSEMBLY 1000A Compliance status RoHS 10 subs...

lang:en score:25 filesize: 217.33 K page_count: 3 document date: 2023-05-15

Schneider Electric Industries

Date: Monday, May 15, 2023
Object: Schneider Electric RoHS declaration (RoHS: Restriction of Hazardous Substances)
Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipments of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).

Schneider Electric decided to make RoHS compliance of its products one of its priorities, even if they do not fall in RoHS scope, and most of Schneider Electric products are RoHS compliant. This stance is fully in line with Schneider Electric environmental policy and EN IEC 63000:2018 standard.

The information below provides the current product status according to regulation in force at the date of publication of this present document. Any future changes, either in product design or in the Directive may change the status reported here. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Schneider Electric download center. In the context of the sustainable development policy of our Company we continuously work towards products and services which reduce the impact on environment or human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.
In the following declaration, a "Pro-active compliance" wording means that the product is not an EEE or not in the legal scope of the regulation, but is in line with the substances restrictions and corresponding exemptions.

Shall you need any further information or have specific questions (eg. related to phased out products), our Customer Care Centers will support you. Please Note: You can find more information about Schneider Electric environmental commitment on Green Premium webpage

Best Regards,

Vanessa MILER-FELS
VP Environment

Global Safety, Environment & Real Estate Senior Vice President
Schneider Electric Industries SAS

Schneider Electric Industries SAS
Postal address / Adresse postale :
Le Vitse
38 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
804 928 439 ccs Nanterre - code APE : 27 CZ
Siret : 804 928 439 01114
n°Vaires, TVA : FR 94 804 928 439
Siège Social 35, rue Joseph Monier
F - 92500 Rueil-Malmaison

export_RoHS_20230515_08085208317f9c54-38b7-4029-98d5-26f3301557e3.pdf - Monday, May 15, 2023 - Page: 1

[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project AL800SN Neutral assembly PowerPacT M P up to 800A USA export 20230515 08085208317f9c54 38b7 4029 98d5 26f3301557e3 schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref ROHS DECLARATION FileName US en |||

Schneider Electric Industries Date: Monday, May 15, 2023 Object: Schneider Electric RoHS declarati ... eet are related to the following version of the RoHS directive: 2011/65/EU Commercial ref. Brand **AL800SN** Square D Range Product description NEUTRAL ASSEMBLY 1000A Compliance status RoHS 10 subs...

lang:en score:25 filesize: 219.28 K page_count: 3 document date: 2023-05-15

Schneider Electric Industries

Date: Monday, May 15, 2023
Object: Schneider Electric RoHS declaration (RoHS: Restriction of Hazardous Substances)
Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipments of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).

Schneider Electric decided to make RoHS compliance of its products one of its priorities, even if they do not fall in RoHS scope, and most of Schneider Electric products are RoHS compliant. This stance is fully in line with Schneider Electric environmental policy and EN IEC 63000:2018 standard.

The information below provides the current product status according to regulation in force at the date of publication of this present document. Any future changes, either in product design or in the Directive may change the status reported here. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Schneider Electric download center. In the context of the sustainable development policy of our Company we continuously work towards products and services which reduce the impact on environment or human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.
In the following declaration, a "Pro-active compliance" wording means that the product is not an EEE or not in the legal scope of the regulation, but is in line with the substances restrictions and corresponding exemptions.

Shall you need any further information or have specific questions (eg. related to phased out products), our Customer Care Centers will support you. Please Note: You can find more information about Schneider Electric environmental commitment on Green Premium webpage

Best Regards,

Vanessa MILER-FELS
VP Environment

Global Safety, Environment & Real Estate Senior Vice President
Schneider Electric Industries SAS

Schneider Electric Industries SAS
Postal address / Adresse postale :
Le Vitse
38 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
804 928 439 ccs Nanterre - code APE : 27 CZ
Siret : 804 928 439 01114
n°Vaires, TVA : FR 94 804 928 439
Siège Social 35, rue Joseph Monier
F - 92500 Rueil-Malmaison

export_RoHS_20230515_02295329b496213e-081c-40fd-8f4a-135d05577e8c.pdf - Monday, May 15, 2023 - Page: 1

[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project AL800SN Neutral assembly PowerPacT M P up to 800A USA export 20230515 02295329b496213e 081c 40fd 8f4a 135d05577e8c schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref ROHS DECLARATION FileName US en |||

Schneider Electric Industries Date: Monday, May 15, 2023 Object: Schneider Electric RoHS declarati ... eet are related to the following version of the RoHS directive: 2011/65/EU Commercial ref. Brand **AL800SN** Square D Range Product description NEUTRAL ASSEMBLY 1000A Compliance status RoHS 10 subs...

lang:en score:25 filesize: 219.27 K page_count: 3 document date: 2023-05-15

Schneider Electric Industries

Date: Wednesday, July 31, 2024
Object: Schneider Electric RoHS declaration (RoHS: Restriction of Hazardous Substances)
Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipments of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).

Schneider Electric decided to make RoHS compliance of its products one of its priorities, even if they do not fall in RoHS scope, and most of Schneider Electric products are RoHS compliant. This stance is fully in line with Schneider Electric environmental policy and EN IEC 63000:2018 standard.

The information below provides the current product status according to regulation in force at the date of publication of this present document. Any future changes, either in product design or in the Directive may change the status reported here. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Schneider Electric download center. In the context of the sustainable development policy of our Company we continuously work towards products and services which reduce the impact on environment or human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.
In the following declaration, a "Pro-active compliance" wording means that the product is not an EEE or not in the legal scope of the regulation, but is in line with the substances restrictions and corresponding exemptions.

Shall you need any further information or have specific questions (eg. related to phased out products), our Customer Care Centers will support you. Please Note: You can find more information about Schneider Electric environmental commitment on Green Premium webpage

Best Regards,

Vanessa MILER-FELS
VP Environment

Global Safety, Environment & Real Estate Senior Vice President
Schneider Electric Industries SAS

Schneider Electric Industries SAS
Postal address / Adresse postale :
Le Vitse
38 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
804 928 439 ccs Nanterre - code APE : 27 CZ
Siret : 804 928 439 01114
n°Vaires, TVA : FR 94 804 928 439
Siège Social 35, rue Joseph Monier
F - 92500 Rueil-Malmaison

export_RoHS_20240731_18470747eacec3b6-992a-4124-a0f5-7f90bae55d6a.pdf - Wednesday, July 31, 2024 - Page: 1

[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project declaration cloudfront net In case the product is inside legal scope of please note that this document not CE To access to square d al800sn rohs d35yacua9reot7 userfiles ad documents |||

Schneider Electric Industries Date: Wednesday, July 31, 2024 Object: Schneider Electric RoHS decla ... are related to the following production Date Code: 31/2024 Week / Year Commercial ref. Brand **AL800SN** Square D Range Product description Industrial Circuit Breaker Enclosures NEUTRAL ASSEMBLY...

lang:en score:25 filesize: 197.69 K page_count: 2 document date: 2024-07-31

Schneider Electric Industries

Date: Monday, May 15, 2023
REACh Project
Dear Customer,

Schneider Electric SE and its affiliates (Schneider Electric) have undertaken since 2008 to comply strictly with the Reach regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).
As per our commitment under article 33 of the said regulation, you will find attached herebelow information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Schneider Electric products.

This information will evolve over time in function of the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Moreover, Schneider Electric has taken into account the judgement of the EU Court of Justice of 10 September 2015 in case C-106/14 and is currently investigating what needs to be done to implement this judgement as soon as possible.

In accordance with its environmental strategy, Schneider Electric and its affiliates have decided to apply REACH regulation on a worldwide basis.

In accordance with the Environment policy of our Company, we continuously work towards products and services which reduce the impact to the environment or on human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric. With this objective, Schneider Electric willingness is to substitute as soon as possible substances of concern with a specific focus on REACH Annex XIV replacement before their sunset date.

At life end, we invite you to follow appropriate waste and recycling procedures. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Customer Care Centers.

Best Regards,

Vanessa MILER-FELS
VP Environment

Schneider Electric Industries SAS
Postal address / Adresse postale :
La Vigie
35 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
954 503 439 rcs Nanterre - code APE : 2710Z
Siret : 954 503 439 01719
eTaxes, TVA : FR 04 954 503 439
Siège Social 35, rue Joseph Monier
F - 92506 Rueil-Malmaison

export_REACH_20230515_095728576a033b97-ffac-4caf-b81f-e9518ccf1b28.pdf - Monday, May 15, 2023 - Page: 1

[pdf] Decleration of Conformity

Commercial references informations on the REACh regulation Schneider Electric Project AL800SN Neutral assembly PowerPacT M P up to 800A USA export REACH 20230515 095728576a033b97 ffac 4caf b81f e9518ccf1b28 schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref DECLARATION FileName US en |||

Schneider Electric Industries Date: Monday, May 15, 2023 REACh Project Dear Customer, Schneider ... ary 2023 candidate list Commercial ref. : Range : Brand : Product description : SCIP ID : **AL800SN** Square D NEUTRAL ASSEMBLY 1000A No need to declare in the SCIP database In this product,...

lang:en score:25 filesize: 195.65 K page_count: 2 document date: 2023-05-15



Schneider Electric Industries

Date: Monday, May 15, 2023
China RoHS Project
Dear customer,

As per the obligations defined in the "Administrative Measures for the Restriction of Hazardous Substances in Electric Appliances and Electronic Products" called China RoHS and released January 21st 2016 which requires to declare the presence of use of of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, you will find attached below our best information, as of the date of publication of this information, regarding the presence of Hazardous Substances Schneider Electric products.

For products outside the legal scope, a declaration, only for information, could be provided.

This information will evolve over time, in function of the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Since several years, China RoHS and RoHS Europe are Schneider Electric priorities as far as the removing of hazardous substances from its products is concerned.

In accordance with the Environment policy of our Company, we continuously work towards products and services which reduce the impact on the environment or an human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.

At end of life, we invite you to follow appropriate waste and recycling procedures.

In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Customer Care Centers.

Best Regards,

Vanessa MILER-FELS
VP Environment

Schneider Electric Industries SAS
Postal address / Adresse postale :
La Vigie
35 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
954 503 439 rcs Nanterre - code APE : 2710Z
Siret : 954 503 439 01719
eTaxes, TVA : FR 04 954 503 439
Siège Social 35, rue Joseph Monier
F - 92506 Rueil-Malmaison

export_RohsChina_20230515_150748075722fdd3-9a92-4982-a5be-6c40906c8a0e.pdf - Monday, May 15, 2023 - Page: 1

[pdf] Decleration of Conformity

RoHS China information on commercial references Schneider Electric Project AL800SN Neutral assembly PowerPacT M P up to 800A USA export RohsChina 20230515 150748075722fdd3 9a92 4982 a5be 6c40906c8a0e schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref ROHS CHINA DECLARATION FileName US en |||

Schneider Electric Industries Date: Monday, May 15, 2023 China RoHS Project Dear customer, As pe ... nces and Electronic Products released January 21st 2016. 2011/65/EU Commercial ref. Range Brand **AL800SN** Square D Hazardous Substance Table Part Name Metal parts Plastic parts Electronic ...

lang:en score:24 filesize: 208.94 K page_count: 2 document date: 2023-05-15



Schneider Electric Industries

Date: Sunday, May 14, 2023
China RoHS Project
Dear customer,

As per the obligations defined in the "Administrative Measures for the Restriction of Hazardous Substances in Electric Appliances and Electronic Products" called China RoHS and released January 21st 2016 which requires to declare the presence of use of of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, you will find attached below our best information, as of the date of publication of this information, regarding the presence of Hazardous Substances Schneider Electric products.

For products outside the legal scope, a declaration, only for information, could be provided.

This information will evolve over time, in function of the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Since several years, China RoHS and RoHS Europe are Schneider Electric priorities as far as the removing of hazardous substances from its products is concerned.

In accordance with the Environment policy of our Company, we continuously work towards products and services which reduce the impact on the environment or an human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.

At end of life, we invite you to follow appropriate waste and recycling procedures.

In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the Customer Care Centers.

Best Regards,

Vanessa MILER-FELS
VP Environment

Schneider Electric Industries SAS
Postal address / Adresse postale :
La Vigie
35 rue Joseph Monier - CS 30323
F-92506 Rueil-Malmaison Cedex
Phone: +33 (0)4 76 57 60 60
http://www.schneider-electric.com

Legal information / Mentions légales :
Société par actions simplifiée au capital de 896,313,776 euros
954 503 439 rcs Nanterre - code APE : 2710Z
Siret : 954 503 439 01719
eTaxes, TVA : FR 04 954 503 439
Siège Social 35, rue Joseph Monier
F - 92506 Rueil-Malmaison

export_RohsChina_20230514_215013504eb6de1a-50c5-4856-8fb5-fe196fef72a5.pdf - Sunday, May 14, 2023 - Page: 1

[pdf] Decleration of Conformity

RoHS China information on commercial references Schneider Electric Project AL800SN Neutral assembly PowerPacT M P up to 800A USA export RohsChina 20230514 215013504eb6de1a 50c5 4856 8fb5 fe196fef72a5 schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref ROHS CHINA DECLARATION FileName US en |||

Schneider Electric Industries Date: Sunday, May 14, 2023 China RoHS Project Dear customer, As pe ... nces and Electronic Products released January 21st 2016. 2011/65/EU Commercial ref. Range Brand **AL800SN** Square D Hazardous Substance Table Part Name Metal parts Plastic parts Electronic ...

lang:en score:24 filesize: 211.47 K page_count: 2 document date: 2023-05-14



[pdf] Catalog

Digest 177 Manufacturer Spec Sheet SQUARE D AL800SN NEUTRAL ASSEMBLY 1000A Gordon Electric Supply Inc SCHNDRE07424 7 78 80 images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100248 |||

Circuit Breaker Enclosures Enclosures Class 610 schneider-electric.us PowerPact M- and P-Frame Cir ... M800SS M800AWK PGL, PJL, PKL, PLL 2501200 A 2, 3 -- -- P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 -- -- -- CT Neutral Kit ...

lang:en score:23 filesize: 182.02 K page_count: 2 document date: 2019-04-27

[pdf] Datasheet Documentation

AL800SN ECAT Spec Sheet Square D Province Electric Supply document media province electric schneider synd 2022q1 documents 2361c2511916c717dd58aa2ab65e8b8033d1e752 |||

Product data sheet Characteristics **AL800SN** NEUTRAL ASSEMBLY 1000A Main Circuit breaker type Standard The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intend...

lang:en score:22 filesize: 73.84 K page_count: 2 document date: 2022-01-12



[pdf] Datasheet Documentation Warranty Catalog

Standard AL800SN Catalogue Retriever Servlet Spec Sheet Square D Buy Online Westway Electric Supply media distributordatasolutions schneider2 2019q3 be7468dea332dd2988ce121dfdd1243b7dfb1f26 |||

The information provided in this documentation contains general descriptions and/or technical charac ... ible or liable for misuse of the information contained herein. Product data sheet Characteristics **AL800SN** NEUTRAL ASSEMBLY 1000A Product availability: Stock - Normally stocked in distribution facil...

lang:en score:22 filesize: 69.29 K page_count: 1 document date: 2019-08-09

Product datasheet Characteristics **AL800SN**

Main

Circuit breaker type	Standard

Complementary

AWG gauge	AWG 6...250 kcmil 1 aluminium AWG 3/0...500 kcmil 6 aluminium/copper

Environment

Offer Sustainability

Not Green Premium product	Not Green Premium product
Will be Compliant on 3Q2014	Will be Compliant on 3Q2014 Will be Compliant on 3Q2014
Reference not containing SVHC above the threshold	Reference not containing SVHC above the threshold
WARNING: This product can expose you to chemicals including:	WARNING: This product can expose you to chemicals including:
Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm	Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm
For more information go to www.p65warnings.ca.gov	For more information go to www.p65warnings.ca.gov

Contractual warranty

Warranty period	18 months

Schneider Electric 1 / 1

[pdf] Datasheet Documentation Warranty

Cut Sheet Square D AL800SN NEUTRAL ASSEMBLY 1000A Rexel USA generate i D2146432 F24E 4D4C B6B8 34FC29AA0496 rexel cdn products |||

Product datasheet Characteristics **AL800SN** Main Circuit breaker type Standard Complementary AWG gauge AWG 6...250 kcmil 1 aluminium AWG 3/0...500 kcmil 6 aluminium/copper Environment Offer Sustainability Not Green Premium product Not Green Premium product Will be Compliant on 3Q2014 Will b...

lang:en score:21 filesize: 169.26 K page_count: 1 document date: 0000-00-00

Product data sheet Characteristics AL800SN NEUTRAL ASSEMBLY 1000A

Main

Circuit breaker type	Standard

Complementary

Width	11.75 in (298.45 mm)
Depth	3.38 in (86.42 mm)
Height	5.89 in (149.59 mm)

Ordering and shipping details

Category	00050-IND CB ENCL NEMA 1,3R
Discount Schedule	DE1
GTIN	7650012398626
Nbr. of units in pkg.	1
Package weight(Lbs)	5.48 lb(US) (2.486 kg)
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	4.00 in (10.16 cm)
Package 1 width	6.38 in (16.002 cm)
Package 1 Length	14.50 in (36.83 cm)
Unit Type of Package 2	PAL
Number of Units in Package 2	144
Package 2 Weight	894.24 lb(US) (394.798 kg)
Package 2 Height	40.00 in (101.6 cm)
Package 2 width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes

Apr 10, 2022 1

[pdf] Specifications Datasheet Documentation

AL800SN ECAT Specification Sheet Square D 1000 Amp Neutral Assembly Irby document media distributordatasolutions schneider synd 2022q2 documents 2361c2511916c717dd58aa2ab65e8b8033d1e752 |||

Product data sheet Characteristics **AL800SN** NEUTRAL ASSEMBLY 1000A Main Circuit breaker type Standard The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intend...

lang:en score:21 filesize: 74.77 K page_count: 2 document date: 2022-04-10

Product data sheet Characteristics AL800SN NEUTRAL ASSEMBLY 1000A

Main

Circuit breaker type	Standard

Complementary

Width	11.75 in (298.45 mm)
Depth	3.38 in (86.42 mm)
Height	5.89 in (149.59 mm)

Ordering and shipping details

Category	00050 - IND CB ENCL NEMA 1,3R
Discount Schedule	DE1
GTIN	00785901239626
Nbr. of units in pkg.	1
Package weight(Lbs)	5.48 lb(US) (2.486 kg)
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	4.00 in (10.16 cm)
Package 1 width	6.38 in (16.002 cm)
Package 1 Length	14.50 in (36.83 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information
PVC free	Yes

Aug 18, 2021 1

[pdf] Datasheet Documentation

AL800SN ECAT Product Spec Sheet SQUARE D NEUTRAL ASSEMBLY 1000A Gordon Electric Supply Inc 11003 FVPHJL2E5N7AZDXM ideadigitalasset DAMRoot Original 10945 |||

Product data sheet Characteristics **AL800SN** NEUTRAL ASSEMBLY 1000A Main Circuit breaker type Standard The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intend...

lang:en score:21 filesize: 73.68 K page_count: 2 document date: 2021-08-15



Product data sheet
Characteristics

AL800SN
NEUTRAL ASSEMBLY 1000A

Product availability: Stock - Normally stocked in distribution facility
Price*: 365.00 USD

Main
Commercial Status Commercialized

Ordering and shipping details
Category 00030 - IND CB ENCL NEMA 1,3R
Discount Schedule DE1
GTIN 7650012398826
Nbr. of units in pkg. 1
Package weight(Lbs) 5.80
Product availability Stock - Normally stocked in distribution facility
Returnability Y
Country of origin US

Offer Sustainability
Sustainable offer status Nul Green Premium product
RoHS Will be Compliant in 012014
REACh Reference not containing SVHC above the threshold

Contractual warranty
Period 18 months

[pdf] Datasheet Documentation Warranty Catalog

AL800SN Catalogue Retriever Servlet Cut Sheet Square D NEUTRAL ASSEMBLY 1000A Rexel USA sqd54006 i AD5481F8 A2AC 418E BD0D 3470B1422A5E rexel cdn products |||

Product data sheet Characteristics Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg. Package weight Lbs Product availability Returnability Country of origin Offer Sustainability Sustainable offer status RoHS REACh Contractual warranty Period **AL800SN** NEUTRAL ASSEM...

lang:en score:21 filesize: 32.49 K page_count: 1 document date: 2014-07-23

Product data sheet
Characteristics

AL800SN
Neutral assembly, PowerPact M, PowerPact P, up to 800A

Main
Circuit breaker type Standard

Complementary
Width 11.75 in (298.45 mm)
Depth 3.68 in (96.42 mm)
Height 5.85 in (148.59 mm)

Ordering and shipping details
Category 00030-IND CB ENCL NEMA 1,3R
Discount Schedule DE1
GTIN 7650012398826
Nbr. of units in pkg. 1
Package weight(Lbs) 5.48 lb(US) (2.486 kg)
Returnability Yes
Country of origin US

Packing Units
Unit Type of Package 1 PCE
Package 1 Height 4.00 in (10.16 cm)
Package 1 Width 6.50 in (16.002 cm)
Package 1 Length 14.50 in (36.83 cm)
Unit Type of Package 2 PAL
Number of Units in Package 2 144
Package 2 Weight 864.24 lb(US) (392.708 kg)
Package 2 Height 48.00 in (121.92 cm)
Package 2 Width 40.00 in (101.6 cm)
Package 2 Length 48.00 in (121.92 cm)

[pdf] Datasheet Documentation

AL800SN ECAT Product Spec Sheet Square D 1000 Amp Neutral Assembly Cooper Electric document media distributordatasolutions schneider synd 2022q3 documents 2361c2511916c717dd58aa2ab65e8b8033d1e752 |||

Product data sheet Characteristics **AL800SN** Neutral assembly, PowerPact M, PowerPact P, up to 800A Main Circuit breaker type Standard The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. ...

lang:en score:21 filesize: 75.3 K page_count: 2 document date: 2022-07-14

Product data sheet
Characteristics

AL800SN
Neutral assembly, PowerPacT M, PowerPacT P, up to 800A

Main
Circuit breaker type Standard

Complementary
Width 11.75 in (298.45 mm)
Depth 3.68 in (96.42 mm)
Height 5.85 in (148.59 mm)

Ordering and shipping details
Category 00030-IND CB ENCL NEMA 1,3R
Discount Schedule DE1
GTIN 7650012398826
Returnability Yes
Country of origin US

Packing Units
Unit Type of Package 1 PCE
Number of Units in Package 1 1
Package 1 Height 4.00 in (10.16 cm)
Package 1 Width 6.50 in (16.002 cm)
Package 1 Length 14.50 in (36.83 cm)
Package 1 Weight 5.48 lb(US) (2.486 kg)
Unit Type of Package 2 PAL
Number of Units in Package 2 144
Package 2 Height 48.00 in (121.92 cm)
Package 2 Width 40.00 in (101.6 cm)
Package 2 Length 48.00 in (121.92 cm)
Package 2 Weight 864.24 lb(US) (392.708 kg)

[pdf] Specifications Datasheet Documentation

AL800SN ECAT Specification Sheet Square D 1000 Amp Neutral Assembly Crawford Electric Supply document media distributordatasolutions schneider synd rework 2024q1 documents 2361c2511916c717dd58aa2ab65e8b8033d1e752 |||

Product data sheet Characteristics **AL800SN** Neutral assembly, PowerPacT M, PowerPacT P, up to 800A Main Circuit breaker type Standard The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. ...

lang:en score:21 filesize: 72.5 K page_count: 2 document date: 2024-01-11

Table of Contents
Section 7
Miniature and Molded Case Circuit Breakers

Selection Information 7-1
QO™ and QOU Miniature Circuit Breakers 7-11
Homeline™ Miniature Circuit Breakers 7-32
Multi 9™ Miniature Circuit Breakers 7-35
PowerPact™ Molded Case Circuit Breakers 7-31
Mission Critical Circuit Breakers 7-46
600 Vdc Circuit Breakers 7-48
Automatic Switches 7-46
Motor Circuit Protectors 7-47
PowerPact™ Circuit Breaker Accessories 7-61
MicroLogic™ Electronic Trip Units 7-61
MasterPact™ Power Circuit Breakers 7-66
Energin'X Digital Solutions 7-91
Ground-Fault Protection 7-95
Dimensions and Shipping Weights 7-96
Circuit Breaker Enclosures 7-98

[pdf] Instructions Specifications Dimension Guide Documentation Decleration of Conformity Accessories Catalog

Section 7 Circuit Breakers Product Documentation Specs W C 375B GEN SN30 · SN42 4 2 0 AWG 300 kcmil The cables must be laced with rope per lug instructions See the Supplemental Digest 10 for circuit breakers short current rating of enclosed is 0100CT1901 SEC 07 schneider electric files p enDocType Catalog File Name Doc Ref

B-Frame H-Frame J-Frame L-Frame M-Frame Table of Contents Section 7 Miniature and Molded Case ... el 15 15 2, 3 M800DS M800SS M800AWK 2, 3 -- -- P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 -- -- -- CT Neutral Kit ...

lang:en score:19 filesize: 9.01 M page_count: 92 document date: 2021-09-17



[pdf] Datasheet Catalog

Full Digest Jan 2023 Catalog Square D Schneider Electric SchneiderElectric APC 03370 7 88 CATassets gordonelectricsupply datasheets ts CAT |||

Circuit Breaker Enclosures Enclosures Class 610 www.se.com/us PowerPacT L-Frame Circuit Breaker a ... teel 15 15 2, 3 M800DS M800SS M800AWK 2, 3 - - P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 - - - CT Neutral Kit Ser...

lang:en score:19 filesize: 138.17 K page_count: 1 document date: 2023-04-24



[pdf] Catalog

Full Digest Jan 2023 Catalog Square D Schneider Electric SchneiderElectric SquareD 74913 7 88 CAT images tradeservice 13BYHRKQL6TDUOZN ATTACHMENTS DIR100399 |||

Circuit Breaker Enclosures Enclosures Class 610 www.se.com/us PowerPacT L-Frame Circuit Breaker a ... el 15 15 2, 3 M800DS M800SS M800AWK 2, 3 -- -- P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 -- -- -- CT Neutral Kit ...

lang:en score:18 filesize: 138.17 K page_count: 1 document date: 2023-03-20



[pdf] Catalog

Full Digest 1 2024 Catalog Square D Schneider Electric Page SN100FA SQD NEUTRAL ASSEMBLY Kendall Inc SchneiderElectric 46314 7 84 87 CAT images tradeservice 67RP0R567XIGR4O8 ATTACHMENTS DIR100456 |||

Circuit Breaker Enclosures Enclosures Class 610 www.se.com/us PowerPacT Circuit Breaker Enclosure ... 1250 Al/Cu, plus 2 4300 Al/Cu SN1000MA 6 3/0500 Al/Cu, plus 1 14/0 Al/Cu SNC400LX SNC800LX **AL800SN** SN1200 S33576MK -- -- 6 3/0500 Al/Cu, plus 2 6250 Al/Cu 8 3/0750 Al/Cu, plus 2 6350...

lang:en score:16 filesize: 162.81 K page_count: 2 document date: 2024-02-07



Schneider Electric Digest 176: Energy Management Solutions and Products

Explore Schneider Electric's Digest 176, a comprehensive guide to energy management solutions. Discover products and services for power, IT, building, and industrial applications, featuring EcoStruxure architecture and leading brands like Square D, APC, and Juno.

lang:en score:16 filesize: 46.36 M page_count: 974 document date: 2014-04-30



[pdf] Catalog

Digest Sec 7 Circuit Breakers Square D and Schneider Electric Molded Case Miniature Manufacturer Spec Sheet SQUARE PKOGTJ250 J ENCLOSURE EQUIPMENT GROUND ASSEMBLY Gordon Supply Inc SchneiderElectric SquareD 00084 84 87 CAT images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100290 |||

Circuit Breaker Enclosures Enclosures Class 610 www.se.com/us PowerPact Circuit Breaker Enclosure ... 1250 Al/Cu, plus 2 4300 Al/Cu SN1000MA 6 3/0500 Al/Cu, plus 1 14/0 Al/Cu SNC400LX SNC800LX **AL800SN** SN1200 S33576MK -- -- 6 3/0500 Al/Cu, plus 2 6250 Al/Cu 8 3/0750 Al/Cu, plus 2 6350...

lang:en score:16 filesize: 153.4 K page_count: 2 document date: 2020-07-06



[pdf] Datasheet Catalog

Full Digest 1 2024 Catalog Square D Schneider Electric Manufacturer Spec SheetSquare SN225KA Neutral Assembly Insulated Groundable Gordon Supply IncSchneiderElectric 46314 7 84 86 87 CATassets gordonelectricsupply datasheets ts SchneiderElectric CAT |||

Circuit Breaker Enclosures Enclosures Class 610 www.se.com/us PowerPacT Circuit Breaker Enclosure ... 0 Al/Cu, plus 2 4-300 Al/Cu SN1000MA 6 3/0-500 Al/Cu, plus 1 1-4/0 Al/Cu SNC400LX SNC800LX **AL800SN** SN1200 S33576MK - - 6 3/0-500 Al/Cu, plus 2 6-250 Al/Cu 8 3/0-750 Al/Cu, plus 2 6-3...

lang:en score:16 filesize: 194.63 K page_count: 3 document date: 2024-02-07



[pdf] Dimension Guide Accessories

untitled Circuit Breaker Enclosures EnclosureSQUARE D TELEMECANIQUE SN400LA 78590149598 SPECpimmedia winsupplyinc pim SPEC 032019 SQUARE |||

Circuit Breaker Enclosures Enclosure Accessories and Dimensions Class 610 www.us.schneider-electr ... Cu, plus 1 24/0 Cu MAL, MHL, MXLb MAL, MHL, MXLb, MELb LCL, LXLb, LIL, LXILb, LELb 1000d 1000d **AL800SN** -- 243.00 -- -- -- -- -- SN1000MA 243.00 -- -- 6 3/0500 Al/Cu, plus 2 6250 Al/...

lang:es score:15 filesize: 150 K page_count: 1 document date: 2009-02-20



Schneider Electric Digest 176: Global Specialist in Energy Management Solutions

Explore Schneider Electric's Digest 176, a comprehensive guide to energy management and electrical distribution solutions. Discover products and services for buildings, industrial plants, data centers, and smart grids, focusing on efficiency, reliability, and sustainability.

lang:en score:15 filesize: 48.43 M page_count: 980 document date: 2014-08-01



[Schneider Electric Digest 176: Energy Management & Electrical Solutions]

Explore Schneider Electric's Digest 176, a comprehensive catalog showcasing solutions for energy management, electrical distribution, automation, and more. Discover how Schneider Electric drives energy efficiency and sustainability across industrial, commercial, and residential sectors with innovative products and services.
lang:en score:15 filesize: 48.98 M page_count: 982 document date: 2014-10-31



[pdf] Catalog

Digest 177 Manufacturer Spec Sheet SQUARE D M800R N3R ENCLOSURE FOR MG MJ CIRCUIT BREAKER Gordon Electric Supply Inc SCHNDRE07424 7 78 81 images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100248 |||

Circuit Breaker Enclosures Enclosures Class 610 schneider-electric.us PowerPact M- and P-Frame Cir ... M800SS M800AWK PGL, PJL, PKL, PLL 2501200 A 2, 3 -- -- P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 -- -- -- CT Neutral Kit ...
lang:en score:15 filesize: 296.72 K page_count: 2 document date: 2019-05-13



[pdf] Accessories Catalog

Digest 177 Manufacturer Spec Sheet SQUARE D SN1200 NEUTRAL ASSEMBLY INSULATE GROUNDABLE KIT Gordon Electric Supply Inc SCHNDRE07424 7 30 78 images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100250 |||

PowerPactTM Molded Case Circuit Breakers PowerPact Family Class 611, 612 schneider-electric.us B- ... M800SS M800AWK PGL, PJL, PKL, PLL 2501200 A 2, 3 -- -- P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 -- -- -- CT Neutral Kit ...
lang:en score:15 filesize: 234.08 K page_count: 2 document date: 2019-05-25



[pdf] User Manual Specifications Dimension Guide Accessories Catalog

Section 29 auxiliary contacts manual and magnetic contactors starters TeSys GV protectors 18 52 56 19 119 XESP2021 thru XESP2031 632600 Catalog cesco resources E93

ADVANCED PRODUCTS 29 Back to Product Index Section Listing Table of Contents Section 29 Advanced ... . 9-23 AL600LF52K3 thru AL800P7K4 ..... 7-42 **AL800SN** ..... 7-58 AL90...
lang:en score:14 filesize: 2.01 M page_count: 50 document date: 2014-02-14



[pdf]

Digest 177 Manufacturer Spec Sheet SQUARE D PKOGTA4 HDSS EQUIPMENT GROUND ASSEMBLY Gordon Electric Supply Inc SCHNDRE07424 7 77 78 images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100250 |||

schneider-electric.us Enclosures Class 610 Circuit Breaker Enclosures PowerPact Circuit Breaker En ... M800SS M800AWK PGL, PJL, PKL, PLL 2501200 A 2, 3 -- -- P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 -- -- -- CT Neutral Kit ...

lang:en score:14 filesize: 189.51 K page_count: 2 document date: 2019-05-20



[pdf] Dimension Guide Accessories Catalog

Square D Catalog 270009325 Cut Sheet LA400S Breaker Molded Case 3P 400A Enclosure Surface L Frame NEMA 1 Rexel USA sqdla400s i C66AE2B3 E089 478D 8565 5021A37E9779 rexel cdn products |||

Circuit Breaker Enclosures Enclosure Accessories and Dimensions Class 610 ZZZVFKQHLGHUHOHFWULFXV ... 2600 Cu, plus 2 6250 Cu 4 2600 Cu, plus 1 24/0 Cu 1000d LCL, LXLb, LIL, LXILb, LELb 1000d **AL800SN** -- 365.00 -- -- -- -- -- SN1000MA 365.00 -- -- 6 3/0500 Al/Cu, plus 2 6250 Al...

lang:es score:14 filesize: 64.92 K page_count: 1 document date: 2014-02-25



[pdf] Dimension Guide Accessories Catalog

Square D Catalog 270009325 Cut Sheet Q22200NRB Breaker Enclosure 100 200A 2P Type Q 240VAC NEMA 3R Rexel USA sqdq22200nrb i 76759031 0D11 4954 BB32 44075E898754 rexel cdn products |||

Circuit Breaker Enclosures Enclosure Accessories and Dimensions Class 610 ZZZVFKQHLGHUHOHFWULFXV ... 2600 Cu, plus 2 6250 Cu 4 2600 Cu, plus 1 24/0 Cu 1000d LCL, LXLb, LIL, LXILb, LELb 1000d **AL800SN** -- 365.00 -- -- -- -- -- SN1000MA 365.00 -- -- 6 3/0500 Al/Cu, plus 2 6250 Al...

lang:es score:14 filesize: 64.92 K page_count: 1 document date: 2014-02-26



[pdf] Dimension Guide Accessories Catalog

Square D catalog 270009345 Cut Sheet SN20A Safety Switch Solid Neutral Assembly Kit 200A 600V AC DC Rexel USA sqdsn20a i 46DCB6E1 C47F 43E4 87D3 BF26341DA321 rexel cdn products |||

Circuit Breaker Enclosures Enclosure Accessories and Dimensions Class 610 ZZZVFKQHLGHUHOHFWULFXV ... 2600 Cu, plus 2 6250 Cu 4 2600 Cu, plus 1 24/0 Cu 1000d LCL, LXLb, LIL, LXILb, LELb 1000d **AL800SN** -- 365.00 -- -- -- -- -- SN1000MA 365.00 -- -- 6 3/0500 Al/Cu, plus 2 6250 Al...

lang:es score:14 filesize: 64.92 K page_count: 1 document date: 2014-02-25



[pdf] Dimension Guide Accessories Catalog

Square D Catalog 270009325 Cut Sheet PKOGTA2 Switch Ground Bar Kit 2 Circuit 200A x 0AWG CU AL Rexel USA sqdpkogta2 i B8BEE350 3C29 42E3 985B 5C404FBE43A3 rexel cdn products |||

Circuit Breaker Enclosures Enclosure Accessories and Dimensions Class 610 ZZZVFKQHLGHUHOHFWULFXV ... 2600 Cu, plus 2 6250 Cu 4 2600 Cu, plus 1 24/0 Cu 1000d LCL, LXLb, LIL, LXILb, LELb 1000d **AL800SN** -- 365.00 -- -- -- -- -- SN1000MA 365.00 -- -- 6 3/0500 Al/Cu, plus 2 6250 Al...

lang:es score:14 filesize: 64.92 K page_count: 1 document date: 2014-02-25



[pdf] Dimension Guide Accessories

Cut Sheet Square D Q23225NS Breaker Enclosure 100 225A 3P Type Q 240VAC NEMA 1 Surface Rexel USA 60114spec1 i 64D48BA9 1554 4408 808D 93EE08F4203C rexel cdn products |||

MINIATURE AND MOLDED CASE 7 CIRCUIT BREAKERS Circuit Breaker Enclosures FA100S FA100RB FA100DS 7-56 ... 2600 Cu, plus 2 6250 Cu 4 2600 Cu, plus 1 24/0 Cu 1000d LCL, LXLb, LIL, LXILb, LELb 1000d **AL800SN** -- 365.00 -- -- -- -- -- SN1000MA 365.00 -- -- 6 3/0500 Al/Cu, plus 2 6250 Al...

lang:en score:14 filesize: 144.07 K page_count: 2 document date: 2014-06-23



[pdf] Catalog

Digest Section 7 Miniature and Molded Case Circuit Breakers SchneiderElectric SquareD 03280 86 89 CATPower Distribution Load Centers Meters Electrical Enclosures ARCASchneiderElectric CATimages tradeservice ATTACHMENTS DIR100329 CAT |||

Circuit Breaker Enclosures Enclosures Class 610 www.se.com/us PowerPact L-Frame Circuit Breaker a ... teel 15 15 2, 3 M800DS M800SS M800AWK 2, 3 - - P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 - - - CT Neutral Kit Ser...

lang:en score:14 filesize: 139.08 K page_count: 2 document date: 2021-06-23

Product datasheet
Characteristics

AL800SN
NEUTRAL ASSEMBLY 1000A

Main

Circuit breaker type	Standard

Complementary

AWG gauge	AWG 6...250 kcmil 1 aluminium AWG 3/0...500 kcmil 6 aluminium/copper

Environment

Offer Sustainability

Sustainable offer status	Not Green Premium product
RoHS date code: YYWW	Will be Compliant on 3/2014
	Will be Compliant on 3/2014
REACh	Reference not containing SVHC above the threshold

[pdf] Datasheet Documentation

EE746EF4 2AFB 4F2A AF90 F7F92E3BC47A rexel cdn Products |||

Product datasheet Characteristics Complementary AWG gauge Environment Offer Sustainability Sustainable offer status RoHS date code: YYWW REACh **AL800SN** NEUTRAL ASSEMBLY 1000A Main Circuit breaker type AWG 6...250 kcmil 1 aluminium AWG 3/0...500 kcmil 6 aluminium/copper Not Green Premium product...

lang:en score:14 filesize: 172.41 K page_count: 1 document date: 0000-00-00



[pdf] Catalog

ZERTIFIKAT Karina Christiansen Circuit Breakers Molded Case and breaker Enclosures Mx800 Px1200 Square D P1200R Province Electric Supply E136861 20140113 CertificateofCompliance media province electric schneider synd 2022q1 documents 5a9d1724fc40b91c4e1e89ed0d081b5352201d8b |||

CERTIFICATE OF COMPLIANCE Certificate Number Report Reference Issue Date 20160316 - E136861 E13686 ... log numbers may include any of the following suffixes: S, R, AWK, DS and SS. Neutral terminal kits: **AL800SN**, **AL800SN**I and SN1200. Current transformer kit S33576 and S33575MK. Have been investigated b...

lang:en score:14 filesize: 235.41 K page_count: 1 document date: 2016-03-15

Fiche produit
Caractéristiques

AL800SN

Principales

Type de disjoncteur	Standard

Complémentaires

Jauge AWG	AWG 6...250 kcmil 1 aluminium AWG 3/0...500 kcmil 6 aluminium / cuivre

Environnement

Durabilité de l'offre

Statut environnemental	Produit non Green Premium
RoHS (code date: AnneeSemaine)	Sera conforme sur 3/2014
	Sera conforme sur 3/2014
REACh	Référence ne contenant pas de SVHC au-delà du seuil

[pdf]

7DB09D5D 4602 4D05 8CF6 99A56290B89B rexel cdn Products |||

Fiche produit Caractristiques Complmentaires Jauge AWG Environnement Durabilit de l offre Statut environnemental RoHS code date: AnneSemaine REACh **AL800SN** Principales Type de disjoncteur AWG 6...250 kcmil 1 aluminium AWG 3/0...500 kcmil 6 aluminium / cuivre Produit non Green Premium Sera confo...

lang:fr score:14 filesize: 172.77 K page_count: 1 document date: 0000-00-00



[pdf] Catalog

ZERTIFIKAT Karina Christiansen E136861 20140113 CertificateofCompliance media distributordatasolutions schneider synd rework 2024q1 documents 5a9d1724fc40b91c4e1e89ed0d081b5352201d8b 081b5352201d8bfiles p enDocType Certificate File Name DownloadCircuit breaker enclosure PowerPacT M P 300A to 800A 2 and 3 pole NEMA 1 surface mount steel Mayer Electricfiles CertificateofCompliancemedia 228 json |||

CERTIFICATE OF COMPLIANCE Certificate Number Report Reference Issue Date 20160316 - E136861 E13686 ... log numbers may include any of the following suffixes: S, R, AWK, DS and SS. Neutral terminal kits: **AL800SN**, **AL800SN**l and SN1200. Current transformer kit S33576 and S33575MK. Have been investigated b...

lang:en score:14 filesize: 235.33 K page_count: 1 document date: 2016-03-15

CERTIFICATE OF COMPLIANCE

Certificate Number 20140610-E6294
Report Reference E6294-19920909
Issue Date 2014-JUNE-10

Issued to: SCHNEIDER ELECTRIC USA INC / SQUARE D CO
1010 AIRPARK CENTER DR
NASHVILLE, TN 37217

This is to certify that representative samples of COMPONENT - PANELBOARD AND SWITCHBOARD ACCESSORIES
Neutral assembly, Cat. Nos. H-30SN-2, 100SN, 100SNA, SN100FA, Q-100-N, 225SN, 225SNA, SN225KA, 400SN, 400SNA, SN400LA, AL800SN, AL1200SN, SN-1000MA, SNC400LX, SNC800LX, SNC600LXCT, SN600LXCT, SN600LX200

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL67, Panelboards
Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Recognized Component Mark should be considered as being covered by UL's Recognition and Follow Up Service.
The UL Recognized Component Mark generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark, may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions.
Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Recognized Component Mark on the product.

William R. Carey
William R. Carey, Director, North American Certification Program

Page 1 of 1

[pdf] Accessories Catalog

Microsoft Word E6294 19920909 CertificateofCompliance rtf mrai83 UL Certificate neutral bars Square D SN100FA Province Electric Supply 20140610 media province electric schneider synd 2022q1 documents 1ab3ffbeb255289f46387f865fc0af9cf4fdc126 |||

CERTIFICATE OF COMPLIANCE Certificate Number Report Reference Issue Date 20140610-E6294 E6294-1992 ... at. Nos. H-30SN-2, 100SN, 100SNA, SN100FA, Q-100-N, 225SN, 225SNA, SN225KA, 400SN, 400SNA, SN400LA, **AL800SN**, AL1200SN, SN-1000MA. SNC400LX, SNC800LX, SNC600LXCT, SN600LXCT, SN600LX200 Have been inves...

lang:en score:13 filesize: 350.72 K page_count: 1 document date: 2014-08-20



SQUARE D by Schneider Electric
Enclosure Accessories and Dimensions
Class 610
Circuit Breaker Enclosures

Enclosure Accessories

Table 7.4.1B. Neutral Kit Terminal Data

Neutral Kit Catalog Number	Neutral Bar Size (Aluminum/Copper)	Kit Copper Neutral Terminal Lug Data Sheet Number (Aluminum Neutral Bar Lugs Sheet)
SN100FA	(2) 1/0 Al/Cu, (1) 1/0 Al/Cu	—
	(1) 1/0 Al/Cu, (1) 1/0 Al/Cu	—
SN100FA	(1) 1/0 Al/Cu, (1) 1/0 Al/Cu	—
	(1) 1/0 Al/Cu, (1) 1/0 Al/Cu	—
SN100MA	(2) 4/0 Al/Cu, (2) 4/0 Al/Cu	—
	(2) 4/0 Al/Cu, (2) 4/0 Al/Cu	—
SN1200	(2) 1/0 Al/Cu, (2) 1/0 Al/Cu	—
	(4) 1/0 Al/Cu, (4) 1/0 Al/Cu	—
SN1200LX	(4) 1/0 Al/Cu, (4) 1/0 Al/Cu	—
	(4) 1/0 Al/Cu, (4) 1/0 Al/Cu	—
SN1200LX	(4) 4/0 Al/Cu, (4) 4/0 Al/Cu	—
	(4) 4/0 Al/Cu, (4) 4/0 Al/Cu	—
SN1200LX	(4) 4/0 Al/Cu, (4) 4/0 Al/Cu	(3) 1/0 Al/Cu, (4) 1/0 Al/Cu
SN1200LX	(4) 4/0 Al/Cu, (4) 4/0 Al/Cu	(3) 2/0 Al/Cu, (4) 2/0 Al/Cu
SN1200	(2) 250-750 MCM, (4) 1/0 Al/Cu	—
SN1200	(2) 250-750 MCM, (4) 1/0 Al/Cu	—
SN1200	(2) 250-750 MCM, (4) 1/0 Al/Cu	—

Table 7.4.1B. Service Grounded N Terminal Data

Service Neutral Kit Catalog Number	Terminal Size	Lugs/Pole(s)
AL800SN	1/0 - 250 MCM	2
AL800SN-DS	4/0 - 250 MCM	2
AL800SN-SS	4/0 - 250 MCM	2
AL800SN-R	4/0 - 250 MCM	2

Terminal Shields for Service Entrance Applications
• Can be applied on the side Series 6 service entrance applications
• Will fit on top or bottom of the circuit breaker

Table 7.4.1T. Terminal Shields

	Part #	UL	IP
Panel Left	—	—	IP20
Panel Left KO Fill Plate (Big Step)	—	—	IP20
Panel Left KO Fill Plate (Mini Step)	—	—	IP20
Panel Right	—	—	IP20
Panel Left Kit	—	—	IP20
Panel Right Kit	—	—	IP20
Kit Fill	—	—	IP20

J Frame Shield Top View

See Supplemental Digest Section 3 for special options for enclosures:
• Stainless steel bolts
• Pilot lights, push buttons
• Lock on SPLZ
• Key interlock systems
• Legend plates

Circuit Breaker Enclosures

7

© 2020 Schneider Electric All Rights Reserved

[pdf] Dimension Guide Accessories Catalog

Digest Full Download May 2020 Manufacturer Spec Sheet SQUARE D MGJTC PANELBOARD BREAKER SHIELD Gordon Electric Supply Inc SchneiderElectric Telemecanique 00020 7 87 CAT images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100290 |||

www.se.com/us Enclosure Accessories and Dimensions Class 610 Circuit Breaker Enclosures J-Frame S ... 1250 Al/Cu, plus 2 4300 Al/Cu SN1000MA 6 3/0500 Al/Cu, plus 1 14/0 Al/Cu SNC400LX SNC800LX **AL800SN** SN1200 S33576MK -- -- 6 3/0500 Al/Cu, plus 2 6250 Al/Cu 8 3/0750 Al/Cu, plus 2 6350...

lang:en score:13 filesize: 164.78 K page_count: 1 document date: 2020-07-06



[pdf] Catalog

Digest 177 Catalog Page Circuit Breaker Neutral Assembly Wholesale Electric Supply SCHNDRE05886 7 76 80 images tradeservice ATTACHMENTS DIR100233 |||

Circuit Breaker Enclosures FA100S FA100RB FA100DS Enclosures Class 610 schneider-electric.us C ... 1250 Al/Cu, plus 2 4300 Al/Cu SN1000MA 6 3/0500 Al/Cu, plus 1 14/0 Al/Cu SNC400LX SNC800LX **AL800SN** SN1200 S33576MK -- -- 6 3/0500 Al/Cu, plus 2 6250 Al/Cu 8 3/0750 Al/Cu, plus 2 6350...

lang:en score:13 filesize: 604.5 K page_count: 2 document date: 2018-07-16



[pdf] Accessories Catalog

Tab6 book The G3 Enclosed Molded Case Switches Circuit Breaker Enclosures 1 24 4 01 © 2001 Schneider Electric all rights reserved Class 1131 LOAD CENTERS Q2 and Q2L 76207 Catalog cesco resources 2A3 |||

LOAD CENTERS 1 Enclosed Molded Case Switches Circuit Breaker Enclosures Class 1131 Enclosed Molded ... . . SN400LA . . . . 159.00 . . . . . SNC400LXd 731.00 . . . . . SNC800LXd 956.00 **AL800SN** . . . . SN1200NA SN1200NACTf 231.00 . . . . 272.00 663.00 . . . . SN1000MA SN1200NA SN1200...

lang:en score:13 filesize: 510.4 K page_count: 3 document date: 2002-12-02



[pdf] Dimension Guide

Digest 177 Manufacturer Spec Sheet SQUARE D 400SN SOLID NEUTRAL 400A Gordon Electric Supply Inc SCHNDRE07424 7 76 80 images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100246 |||

schneider-electric.us Molded Case Circuit Breakers Class 931, 940, 960 Dimensions and Shipping Wei ... 1250 Al/Cu, plus 2 4300 Al/Cu SN1000MA 6 3/0500 Al/Cu, plus 1 14/0 Al/Cu SNC400LX SNC800LX **AL800SN** SN1200 S33576MK -- -- 6 3/0500 Al/Cu, plus 2 6250 Al/Cu 8 3/0750 Al/Cu, plus 2 6350...

lang:en score:13 filesize: 388.99 K page_count: 2 document date: 2019-03-25



[pdf] User Manual Accessories Catalog

Digest 176 Backup Power Solutions and Manual Transfer Accessories 1 9 Special Applications 10 QO Load Center 11 Homeline™ Circuit Breakers 101971 Catalog cesco resources FDA

2012 Digest 176 Global Specialist in Energy Management 12 Power Management Process Machines Man ... , LRL 250600 -- -- SNC800LXc 1506.00 -- -- 4 2600 Cu, plus 1 24/0 Cu MGL, MJLd 300800 **AL800SN** 365.00 **AL800SN** 365.00 -- -- 6 3/0500 Al/Cu, plus 2 6250 Al/Cu PGL, PJL, PKL, PLLe ...

lang:en score:13 filesize: 44.83 M page_count: 980 document date: 2014-06-05

[pdf] Dimension Guide Accessories Catalog

Digest 178 Miniature and Molded Case Circuit Breakers square d catalog digest schneider electric Square D Schneider Electric 45DIG178 CIRCUIT BREAKERS stevenengineering 2021 04 |||

B-Frame H-Frame J-Frame L-Frame M-Frame Table of Contents Section 7 Miniature and Molded Case ... el 15 15 2, 3 M800DS M800SS M800AWK 2, 3 -- -- P1200AWK Cat. No. Neutral Assembly Kit **AL800SN** SN1200 **AL800SN** SN1200 200 Neutral Kit SN800SNI and 2 each SN1200 -- -- -- CT Neutral Kit ...

lang:en score:13 filesize: 14.3 M page_count: 89 document date: 2021-04-22