

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Pyramis](#) /
- › [Pyramis ET33 Fork 100145302 Stainless Steel Inset Sink User Manual](#)

Pyramis 100145302

Pyramis ET33 Fork 100145302 Stainless Steel Inset Sink User Manual

Model: 100145302

1. INTRODUCTION

This manual provides essential information for the safe and efficient installation, operation, and maintenance of your Pyramis ET33 Fork 100145302 Stainless Steel Inset Sink. Please read these instructions carefully before beginning installation or use, and retain them for future reference.

2. PRODUCT OVERVIEW

The Pyramis ET33 Fork 100145302 is a high-quality stainless steel inset sink designed for modern kitchens. It features a single bowl and an integrated drainer, offering both functionality and a sleek aesthetic. The sink is constructed from durable 1.4301 chrome-nickel steel, ensuring longevity and resistance to corrosion.



Figure 2.1: Pyramis ET33 Fork Stainless Steel Inset Sink.

3. SAFETY INFORMATION

- Always ensure that installation is performed by a qualified professional if you are unsure of the process.
- Turn off the main water supply before beginning any plumbing work.
- Wear appropriate personal protective equipment, such as gloves and eye protection, during installation.
- Handle the sink with care to avoid scratches or damage to the finish.
- Do not use abrasive cleaners or harsh chemicals on the stainless steel surface, as this can cause damage.

4. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Pyramis ET33 Fork Stainless Steel Inset Sink
- Installation material (clips, screws)
- Polyurethane foam seal
- Large strainer plug

5. SETUP AND INSTALLATION

The Pyramis ET33 Fork sink is designed for inset installation into a countertop. It is suitable for cabinets from 45 cm wide.

5.1. Planning and Preparation

1. Ensure the countertop material is suitable for cutting and supporting the sink's weight.
2. Measure the available space to confirm compatibility with the sink dimensions.
3. Mark the cutout area on the countertop using the provided template or the dimensions below.



Figure 5.1: Overall Sink Dimensions (W x D: 860mm x 435mm).

Figure 5.2: Recommended Countertop Cutout Dimensions (W x D: 840mm x 415mm).

5.2. Installation Steps

1. **Cut the Countertop:** Carefully cut the opening in the countertop according to the marked dimensions. Ensure clean edges.
2. **Apply Seal:** Apply the polyurethane foam seal around the edge of the sink cutout on the underside of the sink flange. This creates a watertight seal.
3. **Position Sink:** Carefully lower the sink into the cutout opening, ensuring it is properly aligned.

- Secure Sink:** From underneath the countertop, attach the provided installation clips and screws to secure the sink firmly in place. Tighten evenly to ensure a snug fit.
- Install Faucet and Drain:** Install your chosen faucet and connect the drain assembly, including the large strainer plug, according to their respective manufacturer's instructions.
- Connect Plumbing:** Connect the water supply lines to the faucet and the drain pipe to the household drainage system. Ensure all connections are tight and leak-free.
- Test for Leaks:** Turn on the water supply and check all connections for any leaks. Address any leaks immediately.

6. OPERATING INSTRUCTIONS

The Pyramis ET33 Fork sink operates like any standard kitchen sink. Use the faucet to control water flow and temperature. The large strainer plug in the drain prevents food particles from entering the plumbing system. To drain water, simply open the strainer plug. To retain water in the bowl, close the strainer plug.

7. MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your stainless steel sink.

- Daily Cleaning:** After each use, rinse the sink thoroughly with water to remove food particles and soap residue. Wipe with a dry, soft cloth to prevent water spots and maintain shine.
- Regular Cleaning:** For more thorough cleaning, use a mild dish soap or a specialized stainless steel cleaner with a soft sponge or cloth. Always rub in the direction of the grain of the stainless steel.
- Avoid Abrasives:** Do not use abrasive cleaners, steel wool, wire brushes, or harsh chemicals (e.g., bleach, strong acids) as these can scratch the surface or cause discoloration.
- Prevent Stains:** Avoid leaving acidic foods (e.g., citrus, tomatoes) or corrosive substances in contact with the sink surface for extended periods. Rinse immediately if contact occurs.
- Hard Water Spots:** For hard water spots, use a solution of vinegar and water, then rinse and dry thoroughly.

8. TROUBLESHOOTING

- Slow Drainage:** Check the strainer plug for blockages. If clear, inspect the P-trap and drain pipes for obstructions.
- Water Leaks:** Re-check all plumbing connections for tightness. Ensure the polyurethane foam seal is properly seated around the sink's edge.
- Water Spots/Dull Finish:** Ensure the sink is dried thoroughly after each use. Use a stainless steel cleaner to restore shine.
- Scratches:** Stainless steel can scratch. Minor scratches can sometimes be blended with specialized stainless steel scratch removal kits, following the grain of the steel.

9. SPECIFICATIONS

Feature	Specification
Brand	Pyramis
Model Number	100145302
Material	Stainless Steel (1.4301 chrome-nickel steel)
Installation Type	Inset
Overall Product Dimensions (W x D)	33.86" x 17.13" (860mm x 435mm)
Recommended Cutout Dimensions (W x D)	33.07" x 16.34" (840mm x 415mm)

Minimum Cabinet Width	45 cm
Item Weight	6.16 pounds (2.8 Kilograms)
Finish Type	Polished
Drain Type	Pop-Up (Large strainer plug included)
Compliance	CE mark, DIN EN 13310

10. WARRANTY AND SUPPORT

For warranty information or technical support regarding your Pyramis ET33 Fork 100145302 Stainless Steel Inset Sink, please contact Pyramis customer service directly. Refer to the official Pyramis website or your purchase documentation for contact details and specific warranty terms and conditions.