

[Manuals.plus](#) /

› [Gator Frameworks](#) /

› Gator Frameworks ID Series Speaker Stand (GFW-ID-SPKR) Instruction Manual

## Gator Frameworks GFW-ID-SPKR

# Gator Frameworks ID Series Speaker Stand (GFW-ID-SPKR) Instruction Manual

Model: GFW-ID-SPKR | Brand: Gator Frameworks

## INTRODUCTION

---

The Gator Frameworks ID Series Speaker Stand (GFW-ID-SPKR) is engineered for professional audio applications, offering robust stability and user-friendly operation. This stand incorporates a Lift-EEZ piston lift assist for effortless speaker elevation and a one-handed cam operation for secure height adjustments. It features an integrated adapter compatible with both 35mm and 38mm speaker mounts, along with an adjustable third leg to ensure stability on uneven surfaces. Its innovative cylindrical design facilitates compact storage and transport. This manual provides essential information for the safe and effective use of your speaker stand.



Figure 1: Gator Frameworks ID Series Speaker Stand (GFW-ID-SPKR)

## SAFETY INFORMATION

To prevent injury or damage to equipment, please observe the following safety guidelines:

- Always ensure the speaker stand is placed on a stable, level, and non-slip surface.
- Do not exceed the maximum load capacity of **125 lbs (56.7 kg)**.
- Distribute the speaker's weight evenly on the stand.
- Ensure all locking mechanisms are fully engaged and secure before placing a speaker on the stand or leaving it unattended.
- Keep hands and fingers clear of moving parts, especially during height adjustment.
- Regularly inspect the stand for any signs of wear, damage, or loose components. Do not use the stand if it appears damaged.
- Avoid placing the stand in high-traffic areas where it could be accidentally knocked over.

## PACKAGE CONTENTS

---

Verify that all items are present upon unpacking:

- 1 x Gator Frameworks ID Series Speaker Stand (GFW-ID-SPKR)

## FEATURES

---

- **Lift-EEZ Piston Lift Assist:** Automatically elevates speakers up to 45 lbs (20.4 kg) for effortless setup.
- **High Weight Capacity:** Supports speakers up to 125 lbs (56.7 kg); weights above 45 lbs require minimal user assistance.
- **One-Handed Cam Operation:** Allows for quick and secure height adjustments with a simple locking mechanism.
- **Integrated Adapter:** Compatible with both 35mm and 38mm speaker mounts.
- **Adjustable Third Leg:** Provides enhanced stability and leveling on uneven or sloped surfaces.
- **Collapsible, Compact Design:** Folds into a cylindrical shape for easy transport and storage.
- **Red Feet Markers:** For improved visibility and safety.

**LiftEEZ SELF-RAISING  
CENTER TUBE PISTON**

**ELEVATES  
SPEAKERS**

**UP TO 45 LBS**



*Figure 2: Lift-EEZ Piston Lift Assist*





*Figure 3: Collapsible, Compact Design*

## SETUP

---

1. **Unfolding the Stand:** Place the stand on a flat, stable surface. Release the leg locking mechanism and carefully extend the three legs outwards until they are fully spread and locked into position. Ensure the red feet markers are visible and the stand forms a stable tripod base.
2. **Adjusting for Uneven Surfaces:** If the surface is uneven, locate the adjustable knob on one of the legs. Rotate the knob to extend or retract the leg, ensuring the stand is level and stable.
3. **Preparing for Speaker Placement:** Verify that the integrated adapter at the top of the stand is correctly

positioned for your speaker's pole mount size (35mm or 38mm).

4. **Placing the Speaker:** Carefully lift your speaker and place it onto the stand's pole. Ensure it is seated securely and centered.



*Figure 4: Adjustable Third Leg for Leveling*

Your browser does not support the video tag.

*Video 1: Official product video demonstrating the features and operation of the Gator Frameworks ID Series Speaker Stand.*

## OPERATION

1. **Height Adjustment:** With the speaker securely mounted, use the one-handed cam lock mechanism to adjust the stand's height.
  - To raise: Release the cam lock and gently guide the speaker upwards. The Lift-EEZ piston will assist in elevating speakers up to 45 lbs. For heavier speakers (up to 125 lbs), apply slight upward pressure.
  - To lower: Release the cam lock and carefully guide the speaker downwards to the desired height.
2. **Securing Height:** Once the desired height is reached, firmly engage the cam lock to secure the stand in position. Verify that the stand is stable before leaving it unattended.

# QUICK + EASY HEIGHT ADJUSTMENT WITH SECURE CAM LOCK



Figure 5: Quick and Easy Height Adjustment with Cam Lock

## MAINTENANCE

- **Cleaning:** Wipe down the stand with a soft, dry cloth after each use to remove dust and debris. Avoid abrasive cleaners or solvents.
- **Inspection:** Periodically check all moving parts, locking mechanisms, and leg connections for signs of wear, damage, or loose components. Ensure all screws and bolts are tight.
- **Lubrication:** If the piston or cam mechanism feels stiff, apply a small amount of silicone-based lubricant to the moving parts. Do not use oil-based lubricants as they can attract dirt.
- **Storage:** Collapse the stand as instructed in the setup section and store it in a dry, protected environment, preferably in its carry bag, to prevent damage and prolong its lifespan.

## TROUBLESHOOTING

- **Stand is unstable:** Ensure all three legs are fully extended and locked. Adjust the third leg for uneven surfaces. Verify the speaker's weight does not exceed the stand's capacity.
- **Difficulty adjusting height:** Check if the cam lock is fully disengaged. Ensure the piston mechanism is clean and free of obstructions. Apply silicone lubricant if necessary.

- **Speaker wobbles on mount:** Confirm the speaker is correctly seated on the integrated adapter. Ensure the adapter size (35mm or 38mm) matches the speaker's pole mount.

## SPECIFICATIONS

Feature	Detail
Brand	Gator Frameworks
Model Number	GFW-ID-SPKR
Material	Synthetic
Color	Black
Item Weight	3.63 Kilograms (approx. 8 lbs)
Load Capacity	125 pounds (approx. 56.7 kg)
Piston Lift Assist Capacity	Up to 45 pounds (approx. 20.4 kg)
Minimum Height	48 inches (approx. 121.9 cm)
Maximum Height	75 inches (approx. 190.5 cm)
Adapter Compatibility	35mm and 38mm speaker mounts

# DIMENSIONS



**120 LBS**  
OVERALL CAPACITY

**45 LBS**  
PISTON CAPACITY



**49-75"**  
1244-1905mm

Figure 6: Speaker Stand Dimensions and Capacities

## WARRANTY AND SUPPORT

**Warranty:** This Gator Frameworks ID Series Speaker Stand (GFW-ID-SPKR) is covered by a **4-year warranty**. For detailed warranty terms, conditions, and registration information, please visit the official Gator Frameworks website.

**Support:** For technical assistance, troubleshooting, replacement parts, or any other inquiries, please contact Gator Frameworks customer support. Contact information, including phone numbers and email addresses, can be found on the official Gator Frameworks website: [www.gatorframeworks.com](http://www.gatorframeworks.com).