

Quorum International 143525-995

Quorum International 143525-995 Estate 52-Inch Patio Ceiling Fan User Manual

Model: 143525-995

IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before beginning installation. Improper installation or operation can lead to electric shock, fire, or personal injury. Always consult a qualified electrician if you are unsure about any part of the installation process.

- **WARNING:** To reduce the risk of electric shock, ensure electricity is turned off at the circuit breaker or fuse box before installation.
- **WARNING:** All wiring must be in accordance with national and local electrical codes.
- **WARNING:** To reduce the risk of personal injury, do not bend the blade brackets when installing, balancing blades, or cleaning the fan. Do not insert foreign objects between rotating fan blades.
- The fan must be mounted with a minimum of 7 feet (2.1 meters) clearance from the trailing edge of the blades to the floor.
- This fan is suitable for wet locations, making it ideal for outdoor patio use.

PACKAGE CONTENTS

Carefully unpack your fan and check the contents. Retain the carton and packaging for future use or if return is necessary. Ensure all parts listed below are present:

- Ceiling Fan Motor Assembly (Model 143525-995)
- 5 Walnut ABS Blades
- Satin Opal Glass Light Kit
- Two 60W Candelabra Base Incandescent Bulbs
- One 4-inch Down Rod
- One 6-inch Down Rod
- Mounting Hardware Pack



This image shows the complete Quorum International Estate 52-inch patio ceiling fan, featuring its Old World finish, walnut ABS blades, and satin opal glass light kit. The fan includes five blades and a central light fixture.

INSTALLATION INSTRUCTIONS

Professional installation is recommended for optimal safety and performance. Follow these steps carefully:

- 1. Turn Off Power:** Before starting, ensure the power supply to the fan location is turned off at the circuit breaker or fuse box.
- 2. Mounting Bracket Installation:** Securely attach the mounting bracket to a ceiling joist or an outlet box approved for fan support. Use hardware appropriate for your ceiling type.
- 3. Down Rod Assembly:** Select either the 4-inch or 6-inch down rod. Insert the down rod through the canopy and connect it to the fan motor assembly. Ensure all screws are tightened securely. The fan will be approximately 19.25 inches high using the shortest down rod.
- 4. Wiring Connections:** Connect the fan's electrical wires to the household supply wires according to the wiring diagram provided in the separate wiring guide (not included in this manual). Ensure all connections are secure and insulated with wire nuts.
- 5. Hang Fan:** Carefully lift the fan assembly and hang it from the mounting bracket.
- 6. Blade Attachment:** Attach the five walnut ABS blades to the blade holders, then secure the blade holders to the motor housing. Ensure all screws are tight. The blades have a 14-degree pitch.
- 7. Light Kit Installation:** Connect the light kit wiring to the fan motor wiring. Secure the satin opal glass light kit to the fan housing. Install the two 60W candelabra base incandescent bulbs.
- 8. Canopy Installation:** Slide the canopy up to the ceiling and secure it to the mounting bracket with the provided screws.

9. **Restore Power:** Once installation is complete and all connections are checked, restore power at the circuit breaker.

OPERATING INSTRUCTIONS

The Quorum International 143525-995 Estate ceiling fan is operated via a pull-chain control for fan speed and direction, and a separate pull-chain for the light.

- **Fan Speed Control:** The fan features 3 speeds. Pull the fan control chain repeatedly to cycle through High, Medium, Low, and Off settings.
- **Fan Direction (Reverse) Control:** A separate switch on the fan motor housing controls the direction of blade rotation. For summer operation, set the switch to circulate air downwards. For winter operation, set the switch to circulate air upwards, which helps distribute warm air. Ensure the fan is off before changing the direction switch.
- **Light Control:** Pull the light control chain to turn the light kit On or Off.
- **Optional Remote Controls:** For added convenience, this fan is compatible with optional remote controls (sold separately). Compatible models include: 7-3000 Hand-Held remote, 7-1401-0 Hand-Held remote, or 7-1305-0 Wall Control. Refer to the instructions provided with the remote control for pairing and operation.

Performance Data:

- Air Flow Capacity: 4710 Cubic Feet Per Minute
- Airflow Efficiency: 86 Cubic Feet Per Minute Per Watt
- Energy Used (High Speed): 55 Watts

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Periodically clean the fan with a soft, damp cloth. Do not use abrasive cleaners or solvents, as these can damage the finish or blades.
- **Blade Care:** The walnut ABS blades are durable and designed for outdoor use. Clean them gently to avoid scratching.
- **Tighten Fasteners:** Annually, check all screws and fasteners on the fan and mounting hardware to ensure they are secure. Loose connections can cause wobbling or noise.
- **Light Bulb Replacement:** Ensure power is off before replacing light bulbs. Use only 60W candelabra base incandescent bulbs or equivalent LED bulbs.

TROUBLESHOOTING

If you experience issues with your ceiling fan, refer to the following common problems and solutions:

- **Fan Does Not Start:**
 - Check that the circuit breaker is on and power is supplied to the fan.
 - Ensure all wire connections are secure.
 - Verify the pull chain is fully engaged.
- **Fan Wobbles:**

- Ensure all blade screws are tightened.
 - Check that the mounting bracket is securely fastened to the ceiling.
 - Verify the down rod is properly seated and secured.
 - Ensure blades are not bent or damaged.
- **Light Does Not Work:**
 - Check that the light pull chain is fully engaged.
 - Ensure light kit wiring connections are secure.
 - Replace bulbs to ensure they are not faulty.
- **Noisy Operation:**
 - Check for loose screws on the fan housing, blade holders, or light kit.
 - Ensure the canopy is not vibrating against the ceiling.
 - Allow a 24-hour break-in period for new fans, as some noises may disappear.

If problems persist after attempting these solutions, contact Quorum International customer support.

SPECIFICATIONS

Brand	Quorum International
Model Number	143525-995
Electric Fan Design	Ceiling Fan
Assembled Diameter	52 Inches
Number of Blades	5
Blade Material	Walnut ABS
Blade Pitch	14 Degrees
Finish Type	Old World
Light Kit	Satin Opal Glass, 2 x 60W Candelabra Base Incandescent Bulbs
Power Source	Corded Electric
Voltage	120 Volts
Maximum Power (High Speed)	55 Watts
Air Flow Capacity	4710 Cubic Feet Per Minute
Airflow Efficiency	86 Cubic Feet Per Minute Per Watt
Motor Size	153mm x 15mm
Switch Type	Pull Chain (3-speed, reverse, light)
Included Down Rods	4-inch and 6-inch

Indoor/Outdoor Usage	Outdoor (Wet Location)
Item Weight	21 Pounds
Certification	UL Listed

WARRANTY AND SUPPORT

This Quorum International ceiling fan is covered by a manufacturer limited lifetime motor warranty. For specific details regarding warranty coverage, please refer to the warranty card included with your product or contact Quorum International directly.

For technical assistance, replacement parts, or further inquiries, please contact Quorum International customer support. Keep your model number (143525-995) and purchase information readily available when contacting support.

Quorum International Contact Information: Please refer to the official Quorum International website or product packaging for the most current contact details.