

Blum 20K7041

Blum Inc. 20K7041 Aventos HK Angle Restriction Clips - 100 Degree Restriction Clip

Model: 20K7041 | **Brand:** Blum

INTRODUCTION

The Blum 20K7041 Aventos HK Angle Restriction Clip is an essential component designed to limit the opening angle of cabinet doors equipped with Blum Aventos HK lift systems. This clip specifically restricts the door's opening to 100 degrees, preventing it from colliding with adjacent walls, ceilings, or other furniture, thereby protecting both the door and surrounding structures from damage. It is made from durable plastic (PA6-GF30) and is intended for easy integration into the Aventos HK mechanism.

SETUP AND INSTALLATION

Installation of the 100-degree angle restriction clip is straightforward and designed for quick integration into your Blum Aventos HK lift mechanism. Ensure the cabinet door is in a closed or partially open position before beginning installation.



Image: Two black plastic clips designed to limit the opening angle of cabinet doors. Each clip has the marking '20K7041-01.01 >PA6-GF30<', indicating the model number and material. These clips are inserted into the Aventos HK lift mechanism.

1. **Identify the Mechanism:** Locate the Blum Aventos HK lift mechanism on the inside of your cabinet, typically near the top corners of the door opening.
2. **Locate the Clip Slot:** Within the Aventos HK mechanism, there is a designated slot or opening where the angle restriction clip is to be inserted. This slot is specifically designed to receive the "spoke clip" type of installation.
3. **Insert the Clip:** Align the Blum 20K7041 angle restriction clip with the slot. Gently but firmly push the clip into place until it clicks or sits securely. Ensure it is fully seated and does not wobble.
4. **Test Functionality:** Slowly open the cabinet door to its full extent. The clip should engage and stop the door at approximately a 100-degree angle, preventing it from opening further.
5. **Repeat for Second Mechanism (if applicable):** If your cabinet door uses two Aventos HK mechanisms, repeat the installation process for the second clip on the other side.

For detailed visual instructions, refer to the official Blum Aventos HK installation guides or videos available on the manufacturer's website.

OPERATING INSTRUCTIONS

Once correctly installed, the Blum 20K7041 angle restriction clip operates passively. It functions by physically limiting the range of motion of the Aventos HK lift mechanism, ensuring the cabinet door does not open beyond the specified 100-degree angle. No active operation or adjustment is required after installation. Simply open and close your cabinet door as usual, and the clip will automatically restrict its travel.

MAINTENANCE

The Blum 20K7041 angle restriction clip requires minimal maintenance. Regular inspection is recommended to ensure continued functionality:

- **Cleaning:** If necessary, wipe the clip with a soft, damp cloth to remove dust or debris. Avoid using harsh chemicals or abrasive cleaners.
- **Inspection:** Periodically check the clip for any signs of wear, cracks, or damage. Ensure it remains securely seated within the Aventos HK mechanism.
- **Functionality Check:** Occasionally test the door's opening angle to confirm the clip is still effectively restricting it to 100 degrees.

If the clip appears damaged or is no longer performing its function, it should be replaced.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Door opens beyond 100 degrees.	Clip not installed correctly or has come loose.	Ensure the clip is fully and securely inserted into the designated slot in the Aventos HK mechanism. Re-insert if necessary.
Clip falls out of the mechanism.	Improper installation or clip is damaged.	Verify correct insertion. If the clip does not stay in place, it may be damaged and require replacement.
Door still hits adjacent objects.	Clip is installed but the 100-degree restriction is insufficient for the specific installation.	While this clip provides a 100-degree restriction, some installations may require a smaller opening angle (e.g., 83 degrees). Ensure this 100-degree clip is suitable for your specific clearance needs. Consider alternative restriction clips if available for your Aventos system.
Clip appears broken or cracked.	Physical damage due to impact or wear.	Replace the damaged clip with a new Blum 20K7041 angle restriction clip.

SPECIFICATIONS

Product Name: Blum Inc. 20K7041 Aventos HK Angle Restriction Clip

Restriction Angle: 100 Degrees

Manufacturer: Blum

Part Number: SO43458

Item Model Number: 4250496643458

Material: PA6-GF30 (Polyamide 6 with 30% Glass Fiber)

Finish: Powder Coated (as per specifications, typically refers to the mechanism)

Installation Method: Spoke Clip

Mounting Type: Door Mount, Wall Mount (refers to the Aventos system)

Unit Count: 1 Clip (Product is typically sold individually)

Batteries Required: No

ASIN: B00D7SQKOC

First Available Date: May 1, 2011

WARRANTY INFORMATION

Specific warranty details for the Blum 20K7041 Aventos HK Angle Restriction Clip are not provided in this manual. For information regarding product warranty, please refer to the official Blum website or contact Blum customer service directly. Keep your purchase receipt as proof of purchase.

CUSTOMER SUPPORT


For further assistance, technical support, or inquiries regarding the Blum 20K7041 Aventos HK Angle Restriction Clip, please visit the official Blum website or contact their customer service department. You may find additional resources, FAQs, and contact information on their support pages.

Blum Official Website: www.blum.com

© 2023 Blum Inc. All rights reserved. This manual is for informational purposes only.

Related Documents

	Blum Singapore 2025/2026 Price Guide: Kitchen Fittings and Hardware Explore Blum's comprehensive 2025/2026 price guide for Singapore, featuring TANDEMBOX, MERIVOBX, AVENTOS lift systems, CLIP top hinges, ORGA-LINE, AMBIA-LINE, and more. Discover innovative kitchen hardware solutions with detailed specifications and pricing.
	Blum Product Book Singapore 2025/2026: Drawer Systems, Hinges & Cabinet Solutions Explore Blum's comprehensive range of innovative kitchen hardware, including TANDEMBOX and MERIVOBX drawer systems, AVENTOS lift systems, CLIP top hinges, and SPACE solutions, designed for enhanced functionality and modern living in Singapore.
	Julius Blum GmbH Company Information Contact and location details for Julius Blum GmbH, a manufacturer of furniture fittings.



Product details	
10° angle reduction clip for AVIDOT GS 8K	
	
Part number	20-2726
Item number	0700001
Color finish	black gr. 2
Package quantity	100
Storage in 30000000	2-60
File code	000007100014
UPC code	
Technical effects	
Effects	Value
Effect size	angle 10° for AVIDOT GS 8K
mounting type of component	angle formed by components
material	nylon
color finish	black gr. 2
coating thickness	100
plating method	electro
heat-treatment	temper
packaging	individual packing

BLUM SpecificationsBlum 20K7041 AVENTOS HK Angle Restriction Clip 100 Degree Ferguson

Homeblum 20k7041 specificationss1 img b build mediabase specifications blum 116115 |||

Product details 100 angle restriction clip for AVENTOS HK Technical attributes

[\[pdf\]](#) User Manual Installation Guide Reference Guide Guide

Slide 1 baa00050 BLUM 70T3553 User Manual FIXLIB user manuals library fixlib net 2022 11 |||

[\[pdf\]](#)

untitled Hardware Blum Products Aventos Lift Systems A H TurfTIP ON for AVENTOSahturf content TIP
AVENTOS |||



[pdf]

crossbase mediasolution GmbH kla0025 ma 482 bru dok bau \$sru \$aof \$v3d2 blum services BEC003


\$v3 |||

SERVO-DRIVE AVENTOS HK P SERVO-DRIVE AVENTOS HK SERVO-DRIVE
AVENTOS Blum : ... PZ2/PH2 Blum BIT-PZ KS2 BIT PZ2/PH2 Blum BIT-PZ KS2 7 8
2 mm 2 mm 2 mm 75 20K7011 100 **20K7041** SERVO-DRIVE AVENTOS HK * ...
lang:it score:22 filesize: 1.81 M page_count: 2 document date: 2017-07-20

[pdf]

AVENTOS8 feb 2025 — 22K2300 20F2200 N5 20S1A00 20L2100 20K2300 20K2B00 N1 20K1101
22K2500 20F2500 20S1B00 20L2300 20K2500 20K2C00 20K1301aventoschart pt dok bus \$sen us \$aof
\$v5aventoschart \$v5d2 blum services BEC003 aventoschart \$v5 |||
AVENTOS Lift Systems Overview Chart Lift mechanism AVENTOS HK top 22K2300
22K2500 22K2700 22K2900 ... 2700.N5 20K2900.N5 20K8000.NA Included with the
lift mechanism 20S4200 or 20S4F01* 20S4200A 20S42T1 **20K7041** 100 20K7011 75
65.1051.02 DB-5mm ZML.0040.01 AVENTOS HK-S 20K2B00.N1 20K2C00.N1
20K2E...

lang:en score:21 filesize: 786.9 K page_count: 2 document date: 2020-02-20



[pdf] Instructions Dimension Guide

MA 482 2 AVENTOS HK SML APR V3 indd bau07523 kla0025 ma dok bau \$sml \$aof \$v3d2 blum
services BEC003 \$v3 |||

AVENTOS HK Die Planungsmae fr SERVO-DRIVE fr AVENTOS entnehmen Sie bitte
den speziellen Planungsanga ... atore angolo di apertura / Limitador de ngulo de
apertura / Ogranicznik kta otwarcia 75 20K7011 100 **20K7041** SERVO-DRIVE fr / for /
pour / per / del / do AVENTOS HK Verteilerkabel nur auf linker Sei...

lang:it score:20 filesize: 1.75 M page_count: 6 document date: 2017-07-20




[pdf]

AVENTOS HK S2025 gada 9 febr — With S there is now a scaled down lift system that specially
designed for stay applications on smaller fronts It therefore perfectlymem004b p fl dok bsg \$sen sg \$aof
\$v1d2 blum services BEC003 mem004b \$v1 |||

AVENTOS HK-S The ideal choice for small stay lifts Less effort for assembly and
adjustment The symm ... l items Opening angle stop Article No. 20K7011 Opening
angle 75 QTY 1 Price per piece S 0.92 **20K7041** 100 1 S 0.92 Prices are subject to
change without prior notice. Please contact Blum for...

lang:en score:20 filesize: 106.37 K page_count: 2 document date: 2018-07-06



[pdf] Specifications

TIP ON for AVENTOS HK2025 gada 8 febr — Whether in the kitchen living room or bathroom Handle less furniture have become an established element of modern design our mechanicalmem020b p fl dok bsg \$sen sg \$aof \$v1d2 blum services BEC003 mem020b \$v1 |||

TIP-ON for AVENTOS HK The touch latch mechanism for handle-less stay lifts Easy assembly For drilli ... iption Size: 2; Length: 39 mm Qty Price/piece 1 S 6.97 Opening angle stop Article No. 20K7011 **20K7041** Opening angle 75 100 Qty Price/piece 1 S 0.92 1 S 0.92 Prices are subject to chang...

lang:en score:20 filesize: 161.01 K page_count: 2 document date: 2018-07-06




[pdf] Frequently Asked Questions Accessories Borchure

Julius Blum GmbH Beschlaegefabrik BAU15009 SLMA AVENTOS An inspiring range of lift systems SpecifiedBy KH 676 800 mm 526 675 350 525 SERVO DRIVE LW 164 2 165 HS Page 41 transformer flex and transformer blum uk aventos hk xs brochures 7 3603718f 66f6 4970 b1f5 58f064819607 specifiedby |||

AVENTOS An inspiring range of lift systems www.blum.com Ease of motion multitude of options The A Opening angle stop Nylon 100 Dark grey 75 Dust grey Bit PZ cross slot Size 2, length 39 mm 2 x **20K7041** 2 x 20K7011 BIT-PZ KS2 7, 8, 9 Blum transformer, flex and transformer unit housing Page...

lang:en score:17 filesize: 22.15 M page_count: 96 document date: 2017-04-24



[\[pdf\]](#) Accessories

untitled WerbeagenDür Walter Duer blum bp20k2300tna s3 absupply net amazonaws baersupply |||
 AVENTOS Lift Systems Lifting Cabinet Doors Up and Out of the Way AVENTOS lift systems are the prem ... W = top door height x .12 - 25 HK-S attachment 100 restriction clip 75 restriction clip Part no. **20K7041** 20K7011 AVENTOS HK-S angle restriction clips Restricts opening angle of the door 100 P...
 lang:en **score:17** filesize: 11.16 M page_count: 100 document date: 2016-08-08



[\[pdf\]](#) Frequently Asked Questions Specifications Accessories Borchure

EP 222 AVENTOS GESAMT KOMBI S SET BCA T1 01 41 SALL APR V1 indd bau08051 Product Information and Specs Rugby BLUM Brochure res cloudinary hdi image upload v1625093106 Suppliers Documents Brochures |||
 Hinge set AVENTOS An inspiring range of lift systems www.blum.com 2 Ease of motion multitude of ... A Opening angle stop Nylon 100 Dark grey 75 Dust grey Bit PZ cross slot Size 2, length 39 mm 2 x **20K7041** 2 x 20K7011 BIT-PZ KS2 1 Use 4 chipboard screws 609.1x00 per side for wooden fronts. ...
 lang:en **score:17** filesize: 13.38 M page_count: 84 document date: 2021-06-30



[\[pdf\]](#) User Manual

EP 208 AVENTOS GESAMT KOMBI S SET BAS T1 01 41 SALL APR V1 indd bau08051 kla0026 ep br dok bau \$spt \$aof \$v1d2 blum services BEC003 \$v1 |||
 dobradKiita AVENTOS Versatilidade em movimento para portas de elevao
 www.blum.com 2 Alto confort ... 200 20S4200A Limitador do ngulo de abertura Matria plstica 100 cinza-escuro 2 x 75 cinza 2 x **20K7041** 20K7011 Fenda em cruz Bit-PZ tamanho 2, comprimento 39 mm BIT-PZ KS2 1 Para frentes de m...
 lang:pt **score:17** filesize: 13.26 M page_count: 84 document date: 2017-07-20



[pdf]

Каталог 2013 2014 Julius Blum GmbH 6973 Höchst Austria ka110 kp 008 ka dok bau \$sru \$aof \$v3d2

blum BEC003 \$v3 |||

, . , . . . 684 2013/20 ... 20K2900.05 20K2900T 20K2B00.02 20K2B00T 20K2C00.02

20K2C00T 20K2E00.02 20K2E00T 20K4A00A01 20K7011 **20K7041** 20K7A11

20K7A41 20K8000 20L2100.05 20L2300.05 20L2500.05 20L2700.05 . 177 177 177

30, 31, 3...

lang:i-klngon **score:16** filesize: 5.01 M page_count: 53 document date: 2013-12-06



[pdf] Instructions Dimension Guide

MA 482 2 AVENTOS HK SML APR V2 indd bau07523 1206522 richelieu 80 documents docsPr 20 K2 50

0N 5 20K2500N5

AVENTOS HK Die Planungsmae fr SERVO-DRIVE fr AVENTOS entnehmen Sie bitte

den speziellen Planungsanga ... atore angolo di apertura / Limitador de ngulo de

apertura / Ogranicznik kta otwarcia 75 20K7011 100 **20K7041** H = 96 SERVO-DRIVE

fr / for / pour / per / del / do AVENTOS HK 5 45 10 15 52 10* Verte...

lang:it **score:16** filesize: 2.46 M page_count: 6 document date: 2010-09-09



[pdf] Instructions Dimension Guide

MA 482 2 AVENTOS HK SML APR V3 indd bau07523 SERVO DRIVE for v 202001101106 image

makewebeasy net makeweb 0 OtLwZ80OC Document |||

AVENTOS HK Die Planungsmae fr SERVO-DRIVE fr AVENTOS entnehmen Sie bitte

den speziellen Planungsanga ... atore angolo di apertura / Limitador de ngulo de

apertura / Ogranicznik kta otwarcia 75 20K7011 100 **20K7041** SERVO-DRIVE fr / for /


pour / per / del / do AVENTOS HK Verteilerkabel nur auf linker Sei...

lang:it **score:16** filesize: 1.75 M page_count: 6 document date: 2017-07-20



Каталог и техническое руководство 2013/2014

Совершенство движения для мебели



[\[pdf\]](#)

Каталог 2013 2014 Julius Blum GmbH 6973 Höchst Austria ka110 ka dok bau \$sru \$aof \$v3d2 blum
BEC003 \$v3 |||

aa0 exeoe ooo 2013/2014 www.blum.com DYNALOG 2.9 limited


DYNALOG26.90l:imited DYN ... 01 : 6c 1 x 6d 2 x HGR - SW NI-L .-. Aea oa 100 75
RAL 7037 - a. **20K7041** 20K7011 Maea a. Z10K0009 , AVENTOS HK Aea Blum
SERVO-DRIVE...

lang:tl **score:16** filesize: 123.16 M page_count: 742 document date: 2018-07-02



AVENTOS

Various applications for lift systems...



[\[pdf\]](#)

bro016 ep dok bsg \$sen sg \$aof \$v1d2 blum services BEC003 \$v1 |||

BLUMOTION inside AVENTOS Various applications for lift systems

connect.blum.com AVENTOS Movin ... omposed of: 2 x symmetrical front fixing

brackets Opening angle stop Nylon 100 75 20S4200 20S4200A **20K7041** 20K7011 1

Use 4 chipboard screws 609.1x00 for wooden fronts. Use 4 self tapping screw, c...

lang:en **score:16** filesize: 6.93 M page_count: 64 document date: 2018-06-27



[\[pdf\]](#) Specifications Accessories

untitled WerbeagenDür Walter Duer Product LiteratureBlum 20K4501 AVENTOS HK XS Screw On Lift

System Large Overlay Five Piece Cabinet Door Mounting Plate Buildblum 20k4501 product literatures1

img b build mediabase specifications blum 1210489 literature BuildHardware Blum Products Aventos

Systems A H Turfblum literatureahturf content LiteratureProduct BuildBlum 20K7041 Angle Restriction

Clip 100 Degree Ferguson HomeHardware literatureblum 20k7041 116115 ||| ||| AVENTOS Lift Systems

Lifting Cabinet Doors Up and Out of the Way AVENTOS lift systems are the premium functional hardware

for upper cabinets. Doors easily lift up and out of the way, thanks to low opening forces. This allows

complete access ||| AVENTOS Lift Systems Lifting Cabinet Doors Up and Out of the Way AVENTOS lift

systems are the premium functional hardware for upper cabinets. Doors easily lift up and out of the way,

thanks to low opening forces. This allows complete access


AVENTOS Lift Systems Lifting Cabinet Doors Up and Out of the Way AVENTOS lift

systems are the premium functional hardware for upper cabinets. Doors easily lift up

and out of the way, thanks to low opening forces. This allows complete access to the

interior of the cabinet while not interfering with...


lang:en **score:15** filesize: 15.77 M page_count: 108 document date: 2021-09-17



[pdf]

bro016 ep dok bsg \$sen \$aof \$v1d2 blum services BEC003 \$v1 |||

BLUMOTION inside AVENTOS Various applications for lift systems
connect.blum.com AVENTOS Movin ... omposed of: 2 x symmetrical front fixing
brackets Opening angle stop Nylon 100 75 20S4200 20S4200A **20K7041** 20K7011 1
Use 4 chipboard screws 609.1x00 for wooden fronts. Use 4 self tapping screw, c...
lang:en **score:15** filesize: 6.91 M page_count: 64 document date: 2018-06-27



[pdf]

PO 046 AVENTOS SDE EN FR ES AOF V1 aventos uebersicht bilder01 dabag ch documents 64 |||
AVENTOS HF 6 57 FG G 42 AVENTOS HS 1 3 FG G 5 2 AVENTOS HL 4 1 3
AVENTOS HK FG 52 4 G 1 ... seda / gris claro, blanco seda, niquelado 20K8000 2
21K8000 2 20S4200 20S4200 20S4200A 100 **20K7041** **20K7041** **20K7041** 75
20K7011 20K7011 20K7011 AVENTOS HK-S 1 1 1 LF: 2.6005.500 20F...
lang:it **score:15** filesize: 2.81 M page_count: 1 document date: 2010-08-05



[pdf]

Originalkatalog64 7251 2 Abdeckkappen Sets BLUM Aventos HK Meyer

Handwerkerzentrumaventosbilder dabag ch documents 64 aventos |||

AVENTOS Vielfalt fr Klappen www.blum.com AVENTOS fr jede Klappe eine
bewegende Lsung 2 Mit AVEN ... nd aus: 2 x Frontbefestigung symmetrisch
ffnungswinkelbegrenzer Kunststoff 100 75 20S4200 20S4200A **20K7041** 20K7011 1
Fr Holzfronten 4 Spanplattenschrauben 609.1x00 verwenden. Fr breite Alurahmen ...
lang:de **score:15** filesize: 10.48 M page_count: 64 document date: 2010-07-30



[pdf]

MA 479 0 TIP ON AVENTOS HK SML APR V6 indd 1348333 richelieu documents docsGr 118 319 5 1183195

TIP-ON fr/for/pour/per/del/do AVENTOS HK Technische nderungen vorbehalten / Subject to technical ch ... imitatore angolo di apertura/ Limitador de ngulo de apertura/Ogranicznik kta otwarcia 75 20K701 100 **20K7041** Demontage / Removal / Dmontage / Smontaggio / Desmontaje / Demonta 1 2 Warnung/Warning/... lang:it score:15 filesize: 3.6 M page_count: 8 document date: 2014-11-24



[pdf] Borchure Catalog

99335 brochure catalog hghhardware ASSETS DOCUMENTS ITEMS EN |||

Blum AVENTOS Lift Systems The AVENTOS lift system brings ease of motion to any wall cabinet. Even l ... HK - STAY LIFT Standard / SERVO-DRIVE Accessories Opening angle stop Description 100 75 Blum No **20K7041** 20K7011 Code 1-320-100 1-320-075 Cable Holder Material Blum No Code Nylon Z10K0009 1... lang:en score:14 filesize: 35.6 M page_count: 52 document date: 2014-05-23



[pdf] Frequently Asked Questions Accessories

EP 222 AVENTOS GESAMT KOMBI S SET BCA T1 01 41 SALL APR V1 indd bau08051 6 mars 2022 — The lift system brings ease of motion to the wall cabinet Even large and heavy systems can be opened with utmost 1606390 richelieu documents docsGr 124 657 1 1246571 ||| Hinge set AVENTOS An inspiring range of lift systems www.blum.com 2 Ease of motion multitude of ... A Opening angle stop Nylon 100 Dark grey 75 Dust grey Bit PZ cross slot Size 2, length 39 mm 2 x **20K7041** 2 x 20K7011 BIT-PZ KS2 1 Use 4 chipboard screws 609.1x00 per side for wooden fronts. ... lang:en score:13 filesize: 13.23 M page_count: 84 document date: 2017-08-08



[\[pdf\]](#) Dimension Guide

EP 222 AVENTOS GESAMT KOMBI S SET BCA T1 01 41 SALL APR V1 indd bau08051 Mar 1 2022 —


Le système de ferrures pour portes relevables apporte un confort mouvement élevé dans le meuble haut

Même les 1606392 richelieu documents docsGr 124 657 2 1246572 |||

charniSreets AVENTOS La diversité du mouvement pour les portes relevables

www.blum.com 2 Confort ... ynhtique 100 gris profond 75 gris poussire Embout fente en croix PZ Taille 2, longueur 39 mm 2 x **20K7041** 2 x 20K7011 BIT-PZ KS2 1 Pour les faces en bois, utiliser 4 vis agglo 609.1x00 par ct...

lang:fr **score:12** filesize: 13.25 M page_count: 84 document date: 2017-08-08



[\[pdf\]](#) Accessories Borchure Catalog

untitled WerbeagenDür Walter Duer 67748 brochure catalog hghhardware ASSETS DOCUMENTS

ITEMS EN |||


AVENTOS Lift systems Lifting cabinet doors up and out of the way AVENTOS lift

systems are the new ... W = top door height x .12 - 25 HK-S attachment 100

restriction clip 75 restriction clip Part no. **20K7041** 20K7011 AVENTOS HK-S angle

restriction clips Restricts opening angle of the door 100 P...

lang:en **score:12** filesize: 10.53 M page_count: 94 document date: 2015-09-25



[\[pdf\]](#) Accessories Borchure Catalog

untitled WerbeagenDür Walter Duer 99323 Brochure Catalog hghhardware ASSETS DOCUMENTS

ITEMS EN |||

AVENTOS Lift Systems Lifting Cabinet Doors Up and Out of the Way AVENTOS lift

systems are the prem ... 1 20K2C00.N1 20K2E00.N1 20K4A00A02 20K4101

20K4101A 20K4501 20K51E1 20K5501 20K6A01 20K6001 20K7011 **20K7041**

20K7A11 20K7A41 20L6001 20L2100.N5 20L2300.N5 20L2500.N5 20L2700.N5

20L2900.N5 20L3200.06 20...

lang:en **score:10** filesize: 15.29 M page_count: 108 document date: 2021-01-06



[\[pdf\]](#)

EP 167 AVENTOS GES IMAGE SALL APR V1 indd bau00234 25h1417p7uobau7a Index of 2 5 h f
industry supply dk |||

BLUMOTION inside AVENTOS Various applications for lift systems www.blum.com
AVENTOS Moving soluti ... front fixing brackets 20S4200 20S4200A Opening angle
stop Nylon 100 deep grey 75 dust grey 2 x **20K7041** 2 x 20K7011 1 Use 4 chipboard
screws 609.1x00 for wooden fronts. Use 4 self tapping sc...

lang:en **score:10** filesize: 8.46 M page_count: 64 document date: 2011-09-21



[\[pdf\]](#)

aventos bilder01 dabag ch documents 64 |||

AVENTOS Vielfalt fr Klappen www.blum.com AVENTOS fr jede Klappe eine
bewegende Lsung 2 Mit AVEN ... nd aus: 2 x Frontbefestigung symmetrisch
ffnungswinkelbegrenzer Kunststoff 100 75 20S4200 20S4200A **20K7041** 20K7011 1
Fr Holzfronten 4 Spanplattenschrauben 609.1x00 verwenden. Fr breite Alurahmen ...
lang:de **score:10** filesize: 10.48 M page_count: 64 document date: 2010-07-30