

Friedrich PDE07K3SG

Friedrich PTAC Air Conditioner User Manual

Model: PDE07K3SG

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, maintenance, and troubleshooting of your Friedrich Packaged Terminal Air Conditioner (PTAC), Model PDE07K3SG. Please read this manual thoroughly before operating the unit to ensure safe and efficient use.

2. IMPORTANT SAFETY INFORMATION

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and injury to persons. This unit operates on 230/208V and requires a dedicated 20A power supply with a NEMA 6-20P plug configuration. Ensure proper grounding and professional installation where required.

- Do not operate the unit with a damaged power cord or plug.
- Do not insert fingers or foreign objects into air discharge areas.
- Ensure the unit is properly installed in a wall sleeve before operation.
- Disconnect power before performing any maintenance or cleaning.
- Refer all servicing to qualified service personnel.

3. PRODUCT OVERVIEW

The Friedrich PDE07K3SG is a Packaged Terminal Air Conditioner designed for efficient cooling and heating. It features a cooling capacity of 7200/7000 BtuH and a heating capacity of 11,700/9600 BtuH, operating on 230/208V. The unit utilizes R-410A refrigerant.



Figure 1: Friedrich PTAC Air Conditioner (Model PDE07K3SG) with front panel and internal chassis visible. This image illustrates the overall design of the unit.

Components Included:

- Chassis
- Front Panel

- Installation Instructions (refer to this manual)

Note: A wall sleeve is required for installation and is not included with the unit.

4. SETUP AND INSTALLATION

Proper installation is crucial for the performance and longevity of your PTAC unit. It is recommended that installation be performed by a qualified technician.

4.1 Pre-Installation Requirements

- **Wall Sleeve:** A compatible wall sleeve must be securely installed in the wall opening.
- **Electrical Supply:** Ensure a dedicated 230/208V, 20A electrical circuit is available with a NEMA 6-20P receptacle. The power cord length is 5 ft.
- **Clearance:** Maintain adequate clearance around the unit for proper airflow and maintenance.

4.2 Installation Steps (Summary)

1. Carefully unpack the chassis and front panel.
2. Slide the chassis into the pre-installed wall sleeve, ensuring it is level and secure.
3. Connect the power cord to the dedicated electrical outlet.
4. Attach the front panel to the chassis according to the detailed instructions provided with the unit.
5. Verify all connections are secure and the unit is properly seated.

For detailed installation diagrams and safety warnings, refer to the separate installation instructions included with your unit or consult a professional installer.

5. OPERATING INSTRUCTIONS

Your Friedrich PTAC unit offers various modes for optimal comfort. Familiarize yourself with the control panel (located on the front panel) to utilize all features.

5.1 Basic Operation

- **Power On/Off:** Press the power button to turn the unit on or off.
- **Mode Selection:** Use the mode button to cycle through available modes: Cool, Heat, Fan Only.
- **Temperature Adjustment:** Use the Up/Down arrows to set your desired temperature.
- **Fan Speed:** Adjust fan speed (Low, Medium, High, Auto) for desired airflow and noise level.

5.2 Cooling Mode

Select "Cool" mode for air conditioning. The unit will cool the room to your set temperature. The cooling capacity is 7200/7000 BtuH.

5.3 Heating Mode

Select "Heat" mode for heating. The unit will heat the room to your set temperature. The heating capacity is 11,700/9600 BtuH with a heating kW of 3.5.

5.4 Fan Only Mode

In "Fan Only" mode, the unit circulates air without cooling or heating, useful for ventilation.

6. MAINTENANCE

Regular maintenance ensures efficient operation and extends the lifespan of your PTAC unit. Always disconnect power before performing any maintenance.

6.1 Air Filter Cleaning

The air filter should be cleaned monthly, or more frequently depending on usage and air quality.

1. Turn off the unit and disconnect power.
2. Remove the front panel to access the air filter.

- 3. Carefully remove the air filter.
- 4. Wash the filter with warm, soapy water. Rinse thoroughly.
- 5. Allow the filter to dry completely before reinserting.
- 6. Reattach the front panel and restore power.

6.2 Coil Cleaning

The evaporator and condenser coils should be inspected and cleaned annually by a qualified technician to maintain efficiency.

6.3 Exterior Cleaning

Wipe the exterior of the unit with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.

7. TROUBLESHOOTING

Before contacting service, review the following common issues and solutions:

Problem	Possible Cause	Solution
Unit does not turn on.	No power, tripped circuit breaker, loose plug.	Check power cord connection, reset circuit breaker, ensure power outlet is functional.
Insufficient cooling/heating.	Dirty air filter, blocked airflow, incorrect mode/temperature setting, unit too small for room.	Clean air filter, ensure no obstructions, verify mode and temperature settings, consult a professional for sizing.
Unusual noise.	Loose parts, fan obstruction, unit not level.	Check for loose components, remove obstructions, ensure unit is level in the wall sleeve. If noise persists, contact service.
Water leakage.	Blocked condensate drain.	Inspect and clear the condensate drain. If problem persists, contact service.

If the problem persists after attempting these solutions, please contact qualified service personnel.

8. SPECIFICATIONS

Feature	Detail
Model Number	PDE07K3SG
Brand	Friedrich
Product Dimensions	26 x 44 x 19 inches
Cooling Capacity	7200/7000 BtuH
Heating Capacity	11,700/9600 BtuH
Voltage	230/208 Volts
EER (Energy Efficiency Ratio)	13.0/13.0
Heating kW	3.5
Frequency	60 Hz
Phase	1 Phase
Min. Circuit Amps	19.0
Power Supply	20A
Power Cord Length	5 ft.
NEMA Plug Configuration	6-20P

Feature	Detail
Refrigerant Type	R-410A
Capacity	0.6 Tons
Noise Level	50 Decibels
Special Feature	Heating
Seasonal Energy Efficiency Ratio (SEER)	13

9. WARRANTY INFORMATION

Friedrich products are manufactured to high-quality standards. For specific warranty terms and conditions applicable to your PDE07K3SG unit, please refer to the warranty card included with your purchase or visit the official Friedrich website. Keep your proof of purchase for warranty claims.

10. CUSTOMER SUPPORT

If you have questions, require technical assistance, or need to schedule service, please contact Friedrich customer support. Contact information can typically be found on the manufacturer's website or on the product packaging. For further assistance, visit: www.friedrich.com




© 2023 Friedrich. All rights reserved. This manual is for informational purposes only.

Related Documents - PDE07K3SG

	Friedrich ZoneAire Premier R-32 Series PTAC Service Manual Comprehensive service manual for Friedrich ZoneAire Premier R-32 Series Packaged Terminal Air Conditioners (PTAC) and Heat Pumps. Covers specifications, operation, troubleshooting, component testing, and repair procedures for models using R-32 refrigerant.
	Friedrich Zoneaire Select R-32 Series PTAC Service Manual This service manual provides detailed technical information, troubleshooting guides, and repair procedures for Friedrich Zoneaire Select R-32 Series PTAC and Heat Pump units, including standard chassis models.
	Friedrich Hazardgard® Air Conditioners for Hazardous Locations Datasheet Friedrich Hazardgard® air conditioners are engineered for extreme environments, meeting UL Class 1, Div 2 and T4 temperature classification. Designed for hazardous locations like laboratories, control rooms, and industrial sites, they offer robust reliability, durability, and corrosion resistance. Explore specifications, features, and applications for safe and effective cooling.
	Friedrich Kühl Room Air Conditioners: Specifications, Installation & Sizing Guide Comprehensive guide to Friedrich Kühl Series room air conditioners, covering detailed specifications, installation procedures, sizing recommendations, and key features for optimal cooling and heating performance.

	Friedrich ZoneAir Premier R-32 Series PTAC Installation and Operation Manual Comprehensive installation and operation manual for Friedrich ZoneAir Premier R-32 Series PTAC Packaged Terminal Air Conditioners and Heat Pumps, covering safety, specifications, installation, electrical, startup, troubleshooting, accessories, and warranty.
	Friedrich Endeavor™ Line F-Series Plus iM Air Conditioners FRA15AZ Series Specifications Comprehensive technical specifications, features, dimensions, performance data, and warranty information for the Friedrich Endeavor™ Line F-Series Plus iM Air Conditioners (FRA15AZ series). Includes details on EcoNet® connectivity, PlusOne® technologies, and model variations.


Documents - Friedrich – PDE07K3SG



[\[pdf\]](#) Specifications Dimension Guide


Specifications 96 70 Kb Friedrich PDE07K3SG Zoneaire Premier Pde07k3sg 7 200 BTU Packaged Terminal Air Conditioner 746460 plessers manuals 00074 |||

PTAC **PDE07K3SG** Cooling BTU: Heating BTU: EER: 7200/7000 11700/8300 13.0/13.0 Volts: 230/208 Unit Dimensions Height: 16 Width: 42 Depth: 13 3/4 Additional Measurement Specs Front Cover Height: 16 Front Cover Width: 42 Front Cover Depth: 7 3/4 Cut-Out Height: 16 1/4 Cut-Out Width: 42 1/4 ...
lang:en score:39 filesize: 96.7 K page_count: 1 document date: 2018-10-31



[\[pdf\]](#) User Manual Reference Guide Specifications Guide Diagram

Service P arts Manual PTAC ZONEAIRE® PREMIER Friedrich-PTAC-Service-Parts-Manual content abt documents 124840
Service/ Parts Manual PTAC ZONEAIRE PREMIER Standard Chassis Models 7K **PDE07K3SG**, PDE07R3: PDH07K3SG, PDH07R3SG 9K 12K PDE09K3SG, PDE09R3SG PDH09K3SG, PDH09R3SG PDE12K3SG, PDE12R3SG PDH12K3SG, PDH12R3SG 15K PDE15K5SG, PDE15R5SG PDH15K5SG, PDH15R5SG 1 94141400_01 TABLE OF CONTENTS INTROD...
lang:en score:36 filesize: 21.9 M page_count: 130 document date: 2021-06-02



[\[pdf\]](#) User Manual Installation Guide Instructions Troubleshooting Guide Specifications Accessories

Administrator 2018 PTAC ZoneAir IO Manual 2 89 Mb Friedrich PDE07K3SG Zoneaire Premier Pde07k3sg 7 200 BTU Packaged T Air Conditioner 604782 plessers manuals 00060 |||
Installation and Operation Manual PTAC Packaged Terminal Air Conditioners Heat Pumps ZoneAir Table of Contents Congratulations 3 General Instructions 3 General Specifications 4 Installation Checklist4 PTAC Installation Recommendations 5 Wall Sleeve Installation Instructions PDXWSA 6 Alterna...
lang:en score:31 filesize: 2.89 M page_count: 31 document date: 2018-10-20



[pdf] Borchure

2016 ZoneAir PTAC Brochure Spanish 704 60 Kb Friedrich PDE07K3SG Zoneaire Premier Pde07k3sg 7 200 BTU Packaged Term
Conditioner 604775 plessers manuals 00060 |||

Acondicionador de aire tipo paquete terminal Serie ZoneAir Calidad extraordinaria a un precio razonable.
FRIEDRICH.COM EXPERTOS EN CLIMATIZACIN DE AMBIENTES Acondicionador de Aire tipo Paquete
Terminal PTAC ZoneAir Rendimiento confiable y bajo nivel de ruido. Comienza con materiales durader...
lang:es score:27 filesize: 704.6 K page_count: 4 document date: 2018-10-20




[pdf] User Manual

2018 EMOCT IOM 9 8 2014 1 11 Mb Friedrich PDE07K3SG Zoneaire Premier Pde07k3sg 7 200 BTU Packaged Terminal Air Condi
604777 plessers manuals 00060 |||

EMOCT Online Connection Kit Installation Manual Provisioning the Server MAC Address BEFORE YOU BE
CONTACT THE PROPERTY IT DEPARTMENT OR THE PROPERTY ISP TO WHITE-LIST THE SERVER
ADDRESS TO ALLOW UNHINDERED CONNECTION TO THE INTERNET. THE SERVER MAC ADDRES:
PRINTED ON THE SERVER. The...

lang:en score:26 filesize: 1.11 M page_count: 6 document date: 2018-10-20




[pdf]

PAT MODGLING 2018 EMS AHR 64 18 Kb Friedrich PDE07K3SG Zoneaire Premier Pde07k3sg 7 200 BTU Packaged Terminal Air
Conditioner 604779 plessers manuals 00060 |||

...

lang:en score:22 filesize: 64.18 K page_count: 1 document date: 2018-10-20




[pdf] Installation Guide Warranty Accessories Borchure

Packaged Terminal Air Conditioners 7 mars 2024 — More and more owners operators have discovered that Friedrich s line of PTAC
extremely low sound levels excellent energy efficiency Zoneaire PTAC Brochure manuals totalhomesupply |||

Friedrich FreshAir and ZoneAir Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION
... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches **PDE07K3**
PDE07R3SG PDE09K3SG PDE09R3SG PDE12K3SG PDE12R3SG 7200/7000 560/540 13.3/13.3 3.6 1....

lang:en score:22 filesize: 11.82 M page_count: 23 document date: 2024-03-07




[pdf] Specifications Dimension Guide

Friedrich 00061 1 SPEC images tradeservice ATTACHMENTS DIR100257 |||

PTAC **PDE07K3SG** Cooling BTU: Heating BTU: EER: 7200/7000 11700/8300 13.0/13.0 Volts: 230/208 Unit
Dimensions Height: 16 Width: 42 Depth: 13 3/4 Additional Measurement Specs Front Cover Height: 16 Fron
Cover Width: 42 Front Cover Depth: 7 3/4 Cut-Out Height: 16 1/4 Cut-Out Width: 42 1/4 ...

lang:en score:22 filesize: 95.77 K page_count: 1 document date: 2019-03-22




[\[pdf\]](#) Accessories

Spec Sheet Friedrich PDH15K5SGR3 ZoneAir Series Cooling BTU 14600 14200 R 32 Refrigerant Heat Pump Models Homepage f
Home Hardware 2024 08 22 13 39 47 dzrf1tezfwb3| cloudfront net ADocuments 131497 |||

PURCHASER PROJECT ENGINEER SUBMITTED BY ZoneAire Premier Series PTACs COOLING WITH ELECTRIC HEAT, H ... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packag
inches **PDE07K3SG** 7200/7000 560/540 13.3/13.3 3.6 1.69 86 230/208 253187 2.4/2.6 0.97 13.0 2.16 0.08 311.9...

lang:en score:17 filesize: 414.85 K page_count: 3 document date: 2024-03-21




[\[pdf\]](#) User Manual Reference Guide Specifications Guide Diagram

2016 2017 2018 2019 2020 2021 2022ZoneAir Premier Package Terminal Air Conditioner FriedrichZoneAir PTAC Service and Pa
Manualfriedrich hubfs Literature Manual ZoneAir hsLang en |||

PTAC ZONEAIRE PREMIER Service Manual Standard Chassis Models R-410A Refrigerant 7K **PDE07K3S**
PDE07R3SG PDH07K3SG, PDH07R3SG 9K 12K PDE09K3SG, PDE09R3SG PDH09K3SG, PDH09R3SG
PDE12K3SG, PDE12R3SG PDH12K3SG, PDH12R3SG 15K PDE15K5SG, PDE15R5SG PDH15K5SG,
PDH15R5SG 1 94141400_04 TABLE OF CO...

lang:en score:16 filesize: 18.78 M page_count: 117 document date: 2023-07-17




[\[pdf\]](#) Installation Guide Specifications Warranty Accessories Borchure

Friedrich ZoneAire Select Packaged Terminal Air Conditioner With Heat 12000 BTU in White Brochure Specification Sheet PZE12K: 724587445879 friedrich air conditioner brochure content abt documents 165212 |||

Friedrich FreshAire and ZoneAire Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION
... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches **PDE07K3**
PDE07R3SG Models ending in K are 230/208V, models ending in R are 265V PDE09K3SG P...

lang:en score:16 filesize: 978.65 K page count: 24 document date: 0000-00-00




[\[pdf\]](#) Installation Guide Warranty Accessories Borchure

Friedrich ZoneAire Premier Package Terminal Air Conditioner with Electric Heat 10 200 BTU in White Brochure PDE09K3SGR3
724587446449 friedrich air conditioner brochure content abt documents 166711 |||

Friedrich FreshAire and ZoneAire Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION
... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches **PDE07K3**
PDE07R3SG Models ending in K are 230/208V, models ending in R are 265V PDE09K3SG P...

lang:en score:16 filesize: 770.64 K page_count: 24 document date: 2024-11-11



[pdf] User Manual Instructions

Installation Manuals 2016 PTAC ZoneAir IO Manual Friedrich PDH15R5SG Adam s TV Appliances Inc PDH15K5SG PDH12K3SG PDH09K3SG Homepage Farm Home Hardware PDH07R3SG PDH12R3SG PDH09R3SG PDH07K3SG PDE12K3SG Electric Heat PDE15R5SG PDE09K3SG PDE12R3SG PDE07R3SG PDE15K5SG PDE07K3SG PDE09R3SG 54794 1509094291 54793 150405 54791 1504056877 54789 1509629374 54788 1509629275 54792 1504057025 54790 1509094172 54787 1510890573 54805 1504 54808 1509094994 54803 1509645024 54806 1504058188 54802 1510327368 54807 1509094783 54801 1510890684 54804 1504 1509094276 1504057169 1504056842 1509629359 1509629260 1504057014 1509094149 1510890557 1504058008 1509094976 1509645009 1504058168 1510327353 1509094768 1510890672 1504057789 s3 amazonaws productuploader staging 17 Documer Installation and Operation Manual PTAC Packaged Terminal Air Conditioners Heat Pumps ZoneAir

94301101_00 Table of Contents

Congratulations.....


lang:de score:16 filesize: 18.73 M page_count: 31 document date: 2016-04-21

[pdf] Accessories

PTAC ZoneAir Premier Series Submittal Rev 02 21 241669395 fs1 hubspotusercontent na1 net hubfs 1669395 2024 Literature 24 SubmittalZoneAir Package Terminal Air Conditioner FriedrichPTAC 24PTAC 24friedrich hsLang en1669395 SubmittalZoneAir® C WITH ELECTRIC HEAT PUMPSZoneAir 24ptac zoneaire premier series submittal rev ast 4298766PTAC ens3 bejjer ref us cust se production wit media 5b 3f 2d 1750973336 ptac 42987661669395 ||| ||| PURCHASER PROJECT ENGINEER SUBMITTED BY Zone Premier Series PTACs COOLING WITH ELECTRIC HEAT, HEAT PUMPS P.O. # DATE LOCATION ARCHITECT FOR APPROVAL REFERENCE ITEM PLAN DESIGNATION QUANTITY COOLING Btu VOLTAGE FRIEDRICH MODEL ACCESS ||| PURCHASER PROJECT ENGINEER SUBMITTED BY ZoneAir Premier Series PTACs COOLING WITH ELECTRIC HEAT, HEAT PUMPS P.O. # LOCATION ARCHITECT FOR APPROVAL FOR REFERENCE ITEM PLAN DESIGNATION QUANTITY COOLING Btu VOLTAGE FRIEDRICH MODEL ACCESS

PURCHASER PROJECT ENGINEER SUBMITTED BY ZoneAir Premier Series PTACs COOLING WITH ELECTRIC HEAT, H ... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packag inches **PDE07K3SG** 7200/7000 560/540 13.3/13.3 3.6 1.69 86 230/208 253187 2.4/2.6 0.97 13.0 2.16 0.08 311.9...

lang:en score:16 filesize: 414.85 K page_count: 3 document date: 2024-03-21



[pdf] Specifications Dimension Guide

Specification Sheets D5e95faf803a26 static appliancesconnection attachments |||

PTAC **PDE07K3SG** Cooling BTU: Heating BTU: EER: 7200/7000 11700/8300 13.0/13.0 Volts: 230/208 Unit Dimensions Height: 16 Width: 42 Depth: 13 3/4 Additional Measurement Specs Front Cover Height: 16 Fror Cover Width: 42 Front Cover Depth: 7 3/4 Cut-Out Height: 16 1/4 Cut-Out Width: 42 1/4 ...

lang:en score:16 filesize: 99.05 K page_count: 1 document date: 2019-03-22



[pdf] Installation Guide Warranty Accessories

Friedrich PDHKSG 230V ZoneAir Premier PTAC with Heat Pump 11800 Shop Appliances PDH12K3SG 87242 1969 files shopappl static product documents |||

Friedrich FreshAir and ZoneAir Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION ... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches **PDE07K3SG** PDE07R3SG Models ending in K are 230/208V, models ending in R are 265V PDE09K3SG P...


lang:en score:15 filesize: 11.24 M page_count: 24 document date: 2024-05-31



[pdf] Installation Guide Warranty Accessories Borchure

Brochure Friedrich EMRAF Energy Management Remote Access Fee PTAC skipthwarehouse index route extension module mmos attachmanager getfile product attach file id 21649 |||

Friedrich FreshAir® and ZoneAir® Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches **PDE07K3** PDE07R3SG Models ending in K are 230/208V, models ending in R are 265V PDE09K3SG P... lang:en score:15 filesize: 10.42 M page_count: 24 document date: 2024-06-07



[pdf] Installation Guide Warranty Accessories Borchure


Product Brochure Friedrich PDH07K3SGR3 Package Terminal Air Conditioner ZoneAir® Premier Adam s TV Appliances Inc 2024 (25 07 dzrf1tezfwb3j cloudfront net ADocuments 131498 |||

Friedrich FreshAir® and ZoneAir® Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches **PDE07K3** PDE07R3SG Models ending in K are 230/208V, models ending in R are 265V PDE09K3SG P... lang:en score:14 filesize: 10.42 M page_count: 24 document date: 2024-06-07




[pdf] Specifications Warranty Borchure

See product brochureZoneAir® Premier Package Terminal Air Conditioner Friedrich2022 PTAC Brochurefriedrich hubfs 2022 Literat Brochures Brochure hsLang en pde07k3sg specification sheetfriedrich ens1 img b build mediabase specifications friedrich 1280072 : ||| THE EXPERTS IN ROOM AIR CONDITIONING FRESHAIR® AND ZONEAIR® Packaged Terminal Air Conditioners Exceptional L PTACs FRESHAIR® The most advanced PTAC ever, with a fully-integrated make-up air system that helps meet ASHRAE 62.1-2013 THE EXPERTS IN ROOM AIR CONDITIONING FRESHAIR® AND ZONEAIR® Packaged Terminal Air Conditioners Exceptional Line of PTACs FRESHAIR® The most advanced PTAC ever, with a fully-integrate make-up air system that helps meet ASHRAE 62.1-2013 requirements ZONEAIR® PREMIER Improved performance and design en... lang:en score:13 filesize: 3.21 M page_count: 18 document date: 2023-02-22



[pdf] Warranty

Product Profile 2017 SG Series PTAC Rev 1 Friedrich PDH15R5SG Adam s TV Appliances Inc PDH15K5SG PDH12K3SG PDH09K Homepage Farm Home Hardware PDH07R3SG PDH12R3SG PDH09R3SG PDH07K3SG PDE12K3SG Electric Heat Models PDE1: PDE09K3SG PDE12R3SG PDE07R3SG PDE15K5SG PDE07K3SG PDE09R3SG 54794 1509094299 54793 1504057195 54791 1504056880 54789 1509629390 54788 1509629291 54792 1504057033 54790 1509094203 54787 1510890590 54805 150405803 1509095083 54803 1509645029 54806 1504058191 54802 1510327381 54807 1509094843 54801 1510890745 54804 150405782 amazonaws productuploader staging 17 Document ||| PRODUCT PROFILE SG Series Packaged Terminal Air Conditioners Features Tangential blower wheel for powerful and even air distribution Two permanentlylubricated fan motors for quiet operation EERs up to 13.1 COPs up to 3.6 2 heating and cooling fan speeds and AUTO mode Adjustable high/l... lang:en score:13 filesize: 1.26 M page_count: 16 document date: 2017-04-07



[pdf] Borchure

Brouchures 2017 SG Series PTAC Brochure Friedrich PDH15R5SG Adam s TV Appliances Inc PDH15K5SG PDH12K3SG PDH09K3SG Homepage Farm Home Hardware PDH07R3SG PDH12R3SG PDH09R3SG PDH07K3SG PDE12K3SG Electric Heat Models PDE15R5SG PDE09K3SG PDE12R3SG PDE07R3SG PDE15K5SG PDE07K3SG PDE09R3SG 54794 1509094232 54793 1504057137 54791 1504056781 54789 1509629340 54788 1509629244 54792 1504056968 54790 1509629435 54787 1504056682 54805 150405793 1509094961 54803 1509644993 54806 1504058129 54802 1510327332 54807 1504058262 54801 1510890633 54804 150405774 amazonaws productuploader staging 17 Document ||| SG Series PACKAGED TERMINAL AIR CONDITIONERS THE EXPERTS IN ROOM AIR CONDITIONING Friedrich SG Series PTAC offers the durability and efficiencies you ve come to expect from Friedrich, and m Improved performance and design enhancements combine to deliver our most efficient and reliable PTAC y lang:en score:13 filesize: 1.14 M page_count: 8 document date: 2017-04-25




[pdf] Borchure

Brouchures 2016 SG Series PTAC Brochure Spanish Rev 1 Friedrich PDH15R5SG Adam s TV Appliances Inc PDH15K5SG PDH12K3SG PDH09K3SG Homepage Farm Home Hardware PDH07R3SG PDH12R3SG PDH09R3SG PDH07K3SG PDE12K3SG Electric Heat PDE15R5SG PDE09K3SG PDE12R3SG PDE07R3SG PDE15K5SG PDE07K3SG PDE09R3SG 54794 1509094238 SP 54793 1504056815 54789 1509629345 54788 1509629249 54792 1504056982 54790 1509094099 54787 1510327284 54805 1504056882 54808 1509094965 54803 1509644998 54806 1504058135 54802 1510327338 54807 1509094750 54801 1510890638 54804 150405774 amazonaws productuploader staging 17 Document ||| Acondicionador de aire tipo paquete terminal Serie SG Nuestro mejor PTAC Ms eficiente. Ms confiable. Ultr silencioso. Mayor confort para los huéspedes. FRIEDRICH.COM EXPERTOS EN CLIMATIZACIN DE AMBIENTES El PTAC Friedrich Serie SG ofrece la durabilidad y las eficiencias que se pueden esperar de... lang:es score:12 filesize: 1.25 M page_count: 8 document date: 2016-05-10



[pdf] Accessories

Submittals 2017 PTAC SG Series Submittal Rev 1 Friedrich PDH15R5SG Adam s TV Appliances Inc PDH15K5SG PDH12K3SG PDH09K3SG Homepage Farm Home Hardware PDH07R3SG PDH12R3SG PDH09R3SG PDH07K3SG PDE12K3SG Electric Heat PDE15R5SG PDE09K3SG PDE12R3SG PDE07R3SG PDE15K5SG PDE07K3SG PDE09R3SG 54794 1509094308 54793 1504057137 54791 1504056899 54789 1509629396 54788 1509629297 54792 1504057040 54790 1504056688 54787 1510890610 54805 150405793 54808 1509095090 54803 1509094691 54806 1504058215 54802 1510327387 54807 1509094861 54801 1510327295 54804 150405774 amazonaws productuploader staging 17 Document ||| PURCHASER PROJECT ENGINEER SUBMITTED BY SG Series PTAC Cooling with Electric Heat and Heat Pump P.O. # DATE LOCATION ARCHITECT FOR APPROVAL FOR REFERENCE ITEM PLAN DESIGNATION QUANTITY COOLING Btu VOLTAGE FRIEDRICH MODEL Accessories PDXWSA Wall Sleeve Qty PXSB2 Electrical Subba... lang:en score:12 filesize: 386.96 K page_count: 2 document date: 2017-04-04



[pdf] Dimension Guide Borchure

Brouchures 2017 ZoneAir PTAC Brochure Rev 1 Friedrich PDH15R5SG Adam s TV Appliances Inc PDH15K5SG PDH12K3SG PDH09K3SG Homepage Farm Home Hardware PDH07R3SG PDH12R3SG PDH09R3SG PDH07K3SG PDE12K3SG Electric Heat PDE15R5SG PDE09K3SG PDE12R3SG PDE07R3SG PDE15K5SG PDE07K3SG PDE09R3SG 54794 1509094235 54793 1504057137 54791 1504056812 54789 1509629342 54788 1509629246 54792 1504056974 54790 1509629437 54787 1504056685 54805 1504056882 54808 1509094963 54803 1509644995 54806 1504058132 54802 1510327334 54807 1504058265 54801 1510890635 54804 150405774 amazonaws productuploader staging 17 Document ||| ZoneAir® Series PACKAGED TERMINAL AIR CONDITIONERS Extraordinary quality at a value price THE EXPERTS IN ROOM AIR CONDITIONING ZoneAir® PTAC Reliable performance and low sound. It begins with durable materials and the highest quality components. Electric Heat COOLING 7600-15000 Btu Up to 12.2 ft lang:en score:12 filesize: 2.16 M page_count: 4 document date: 2017-01-17



[pdf] Borchure

Brouchures 2016 ZoneAir® PTAC Brochure Spanish Friedrich PDH15R5SG Adam s TV Appliances Inc PDH15K5SG PDH12K3SG PDH09K3SG Homepage Farm Home Hardware PDH07R3SG PDH12R3SG PDH09R3SG PDH07K3SG PDE12K3SG Electric Heat PDE15R5SG PDE09K3SG PDE12R3SG PDE07R3SG PDE15K5SG PDE07K3SG PDE09R3SG 54794 1509094249 SP 54793 150454791 1504056828 54789 1509629353 54788 1509629254 54792 1504056988 54790 1509094110 54787 1510890545 54805 150454808 1509094970 54803 1509645002 54806 1504058146 54802 1510327345 54807 1509094761 54801 1510890652 54804 150454803 amazonaws productuploader staging 17 Document |||


Acondicionador de aire tipo paquete terminal Serie ZoneAir® Calidad extraordinaria a un precio razonable. FRIEDRICH.COM EXPERTOS EN CLIMATIZACIN DE AMBIENTES Acondicionador de Aire tipo Paquete Terminal PTAC ZoneAir® Rendimiento confiable y bajo nivel de ruido. Comienza con materiales durader... lang:es score:11 filesize: 704.85 K page_count: 4 document date: 2016-05-10



[pdf] Installation Guide Warranty Accessories Borchure

Packaged Terminal Air Conditioners 2024 PTAC Brochure 1669395 fs1 hubspotusercontent na1 net hubfs Literature Brochures ||| Friedrich FreshAir® and ZoneAir® Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION ... PTAC Electric Heat models Models ending in K are 230/208V, models ending in R are 265V Model PDE07K3SG PDE07R3SG PDE09K3SG PDE09R3SG PDE12K3SG PDE12R3SG PERFORMANCE DATA Cooling Btu 720...


lang:en score:10 filesize: 10.6 M page_count: 24 document date: 2024-02-14



[pdf] Installation Guide Warranty Accessories Borchure

Packaged Terminal Air Conditioners1669395 fs1 hubspotusercontent na1 net â° 2024 PTAC Brochure 1669395 hubfs Literature Bro ||| Friedrich FreshAir® and ZoneAir® Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION ... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches PDE07K3 PDE07R3SG PDE09K3SG PDE09R3SG PDE12K3SG PDE12R3SG 7200/7000 560/540 13.3/13.3 3.6 1....


lang:en score:10 filesize: 10.42 M page_count: 24 document date: 2024-03-27



[pdf] Installation Guide Warranty Accessories Borchure

Packaged Terminal Air Conditioners2024 PTAC Brochureassets ajmadison itemdocs 2024 Brochure ||| Friedrich FreshAir® and ZoneAir® Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION ... D Net Weight lbs. Shipping Weight lbs. R-410A Charge oz. Dimensions with Packaging inches PDE07K3 PDE07R3SG PDE09K3SG PDE09R3SG PDE12K3SG PDE12R3SG 7200/7000 560/540 13.3/13.3 3.6 1....

lang:en score:10 filesize: 11.82 M page_count: 23 document date: 2024-03-07



[pdf] Installation Guide Warranty Accessories Borchure

Packaged Terminal Air Conditioners2024 PTAC Brochure REV 02 13 24assets ajmadison itemdocs 2024 24 ||| Friedrich FreshAir® and ZoneAir® Series Packaged Terminal Air Conditioners THE MOST HVAC SOLUTION ... PTAC Electric Heat models Models ending in K are 230/208V, models ending in R are 265V Model PDE07K3SG PDE07R3SG PDE09K3SG PDE09R3SG PDE12K3SG PDE12R3SG PERFORMANCE DATA Cooling Btu 720...

lang:en score:10 filesize: 10.6 M page_count: 24 document date: 2024-02-14

