

[Manuals.plus](#) /

› [GE](#) /

› GE 6-Outlet Surge Protector, 10 Ft Extension Cord, Power Strip, 800 Joules, Flat Plug, Twist-to-Close Safety Covers, ETL Listed, White, 14092 1 Pack 10 Ft White

GE 14092

GE 6-Outlet Surge Protector User Manual

Model: 14092 | Brand: GE

INTRODUCTION

This manual provides essential information for the safe and effective use of your GE 6-Outlet Surge Protector. Please read this manual thoroughly before operation and retain it for future reference.

The GE 6-Outlet Surge Protector is designed to expand your power access and protect your electronic devices from harmful voltage spikes. It features six grounded, three-prong outlets and an extra-long 10-foot cord for versatile placement.

SAFETY INFORMATION

WARNING: To reduce the risk of electric shock, fire, or injury:

- Do not exceed the electrical ratings of the surge protector.
- Do not use in wet environments or near water.
- Do not use with aquariums.
- Do not plug into another relocatable power tap.
- Do not use if the surge protector or cord is damaged.
- This device features an internal protection circuit that will disconnect the surge protector and connected equipment from power if a power surge or overload occurs. If the protected indicator light is off, the surge protection is no longer active.
- Keep children away from outlets. Utilize the twist-to-close safety covers on unused outlets.

PACKAGE CONTENTS

- 1 x GE 6-Outlet Surge Protector (Model 14092)

SETUP

1. Unpack the Surge Protector:

Carefully remove the surge protector from its packaging. Inspect the unit and cord for any signs of damage.



Figure 1: GE 6-Outlet Surge Protector with 10-foot cord.

2. Plug into a Wall Outlet:

Plug the surge protector's flat plug into a standard 120V AC grounded wall outlet. The flat plug design allows furniture to sit closer to the wall.



Flat Plug

Easily fits behind furniture.

Subtle Design

Sleek white finish
complements your décor.



Figure 2: Flat plug design for space-saving installation.

3. Activate the Surge Protector:


Press the ON/OFF switch to the 'ON' position. The blue "Protected" indicator light will illuminate, confirming that the surge protection is active.



Figure 3: Blue "Protected" indicator light.

4. Mounting (Optional):

The surge protector includes keyhole slots on the back for easy mounting to a wall, desk, workbench, or counter. Use appropriate screws (not included) for secure installation.



Mount with **Keyhole Slots**

Easily mount to a wall, desk,
workbench or countertop.

Figure 4: Keyhole slots for mounting.

OPERATING INSTRUCTIONS

Once the surge protector is plugged in and the "Protected" indicator light is on, you can begin connecting your electronic devices.

- **Connecting Devices:**

Plug your devices into any of the six available grounded outlets. Ensure that the total power draw of all connected devices does not exceed the surge protector's maximum electrical rating (120V, 15A, 1800W).

800 Joules

Surge Protection

Safeguards your electronics from harmful voltage spikes.



Figure 5: Surge protector in use, safeguarding electronics.

- **Twist-to-Close Safety Covers:**

Each outlet features a twist-to-close safety cover. When an outlet is not in use, twist the cover to close it. This helps prevent dust and foreign objects from entering the outlet and reduces the risk of electrical hazards, especially for households with children.

Six Grounded Twist-to-Close Outlets

Protect unused outlets
from dust and debris.



Figure 6: Twist-to-close safety covers for unused outlets.

- **Power Cord Management:**

The 10-foot power cord provides flexibility in device placement. Ensure the cord is not pinched or placed under heavy objects to prevent damage.

Extra-long **10ft. Cord**

Enjoy power and protection from a distance.



Figure 7: The extra-long 10-foot cord offers extended reach.

MAINTENANCE

- Keep the surge protector clean and free of dust. Wipe with a dry cloth.
- Do not attempt to open or repair the unit. There are no user-serviceable parts inside.
- Regularly check the "Protected" indicator light to ensure surge protection is active.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No power to connected devices.	Surge protector switch is OFF. Wall outlet has no power. Overload or surge event.	Press the ON/OFF switch to 'ON'. Check the wall outlet with another device or test the circuit breaker. If the "Protected" light is off, the surge protection has been consumed. Replace the unit.

Problem	Possible Cause	Solution
"Protected" indicator light is off.	Surge protection has been consumed by a power surge or voltage spike.	The surge protector has done its job and protected your devices. It no longer provides surge protection. Replace the unit immediately to ensure continued protection.

SPECIFICATIONS

Feature	Detail
Model Number	14092
Total Power Outlets	6 Grounded, 3-Prong
Surge Protection Rating	800 Joules
Cord Length	10 Feet (approx. 3 meters)
Cord Type	14-gauge SJT cable
Plug Type	Flat Plug
Voltage Rating	120 Volts AC
Maximum Electrical Rating	15 Amps, 1800 Watts
Special Features	Light Indicator, Mountable (Keyhole Slots), On/Off Switch, Twist-to-Close Safety Covers, Integrated Circuit Breaker, Automatic Shutdown Technology
Item Weight	1.45 pounds (approx. 0.66 kg)
Manufacturer	Jasco Products Company, LLC

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the official GE product documentation or contact Jasco Products Company, LLC directly.

A digital version of the user manual may be available for download from the manufacturer's website or the product's listing page. (Refer to: [User Manual \(PDF\)](#))

For additional assistance, please visit the [GE Store on Amazon](#).

OFFICIAL PRODUCT VIDEOS

No official product videos from the seller were found for this product. Please refer to the images and text for product information.

