

KEYSIGHT U1272A

KEYSIGHT U1272A Handheld Digital Multimeter User Manual

Model: U1272A

1. INTRODUCTION

This manual provides essential information for the safe and effective operation of the KEYSIGHT U1272A Handheld Digital Multimeter. The U1272A is a robust, 4.5-digit, water and dust resistant multimeter designed for professional use in various electrical measurement applications. It features an Organic LED display and intelligent functions to enhance productivity and safety.

2. SAFETY INFORMATION

WARNING:

- Always adhere to local and national safety codes.
- Do not use the multimeter if it appears damaged or is operating abnormally.
- Ensure test leads are in good condition and properly connected before making measurements.
- Observe all terminal ratings and maximum input values.
- This product is intended for professional use only.

The U1272A is rated CAT IV 600V and CAT III 1000V, indicating its suitability for measurements in high-energy electrical environments. Always use appropriate personal protective equipment (PPE).

3. PRODUCT OVERVIEW

The KEYSIGHT U1272A is designed for ergonomic handling and durability, featuring an IP54 rating for water and dust resistance.



Figure 3.1: Front view of the U1272A multimeter, showing the OLED display, function dial, and input terminals.



Figure 3.2: Side view of the U1272A multimeter, highlighting its ergonomic, non-slip design.



Figure 3.3: Back view of the U1272A multimeter, showing the battery compartment and stand.

Key Features:

- 30,000 counts resolution with 0.7% for ACV accuracy.
- Organic LED (OLED) display for clear readings in various lighting conditions.
- Intelligent features like Low Pass Filter (LPF) for noise elimination and Qik-V for quick AC/DC voltage determination.
- Visual alert blinks in addition to the beeper for Continuity test in noisy environments.
- IP54 certified for water and dust resistance.
- Connectivity to PC/internal memory for logging up to 10,000 readings.

4. SETUP

4.1 Battery Installation

The U1272A is powered by batteries. To install or replace batteries:

1. Ensure the multimeter is turned OFF and disconnect all test leads from the terminals.
2. Locate the battery compartment cover on the back of the unit (refer to Figure 3.3).
3. Unscrew the retaining screws and carefully remove the cover.
4. Insert new batteries, observing correct polarity (+/-) as indicated inside the compartment.
5. Replace the cover and secure it with the screws.

4.2 Initial Power On

After battery installation, turn the rotary switch to any function to power on the device. The OLED display will illuminate, and a self-test will be performed. If the display does not light up, check battery installation.

5. OPERATING INSTRUCTIONS

5.1 Basic Measurements

To perform basic measurements, select the desired function using the rotary switch and connect the test leads to the appropriate input terminals.

- **Voltage Measurement (V~, V-):** Connect the red lead to the VΩHz terminal and the black lead to the COM terminal. Select AC (V~) or DC (V-) voltage.
- **Current Measurement (A, mA, μA):** Connect the red lead to the appropriate current terminal (10A, 440mA, or μA) and the black lead to the COM terminal. Select the desired current range. Ensure the circuit is de-energized before connecting the multimeter in series.
- **Resistance Measurement (Ω):** Connect the red lead to the VΩHz terminal and the black lead to the COM terminal. Select the Ω function.
- **Continuity Test (audible beep and visual alert):** Connect the red lead to the VΩHz terminal and the black lead to the COM terminal. Select the continuity function. The meter will beep and visually alert for continuity.

5.2 Advanced Features

- **LPF (Low Pass Filter):** Activates a low pass filter to remove high-frequency noise and harmonics, useful for measurements on variable frequency drives (VFDs).
- **Qik-V:** Allows for quick determination of AC or DC voltage without manually selecting the mode.
- **Data Logging:** The U1272A can store up to 10,000 readings. Refer to the detailed user manual for instructions on setting up logging intervals and transferring data to a PC.

6. MAINTENANCE

6.1 Cleaning

To clean the multimeter, wipe the case with a damp cloth and a mild detergent. Do not use abrasives or solvents. Ensure the device is powered off and leads are disconnected before cleaning.

6.2 Calibration

The U1272A is factory calibrated. For continued accuracy, periodic calibration by a qualified service center is recommended. Refer to Keysight's official support channels for calibration services.

6.3 Storage

When not in use for extended periods, remove the batteries to prevent leakage. Store the multimeter in a cool, dry place, away from direct sunlight and extreme temperatures.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
No display or dim display	Low or dead batteries; Incorrect battery installation	Replace batteries; Check battery polarity
Incorrect readings	Incorrect function selected; Damaged test leads; Out of calibration	Verify function setting; Inspect/replace leads; Contact service for calibration
Meter does not respond	Frozen display; Internal error	Turn off and on again; Remove and reinsert batteries; If problem persists, contact support

For issues not listed here, or if solutions do not resolve the problem, contact Keysight customer support.

8. SPECIFICATIONS

Feature	Detail
Model Number	U1272A
Display	Organic LED (OLED), 30,000 counts
ACV Accuracy	0.7%
Safety Rating	CAT IV 600V, CAT III 1000V
Ingress Protection (IP) Rating	IP54 (Water and Dust Resistant)
Data Logging Capacity	Up to 10,000 readings
Power Source	Battery Powered
Dimensions	8.7 x 4.72 x 4.13 inches
Weight	1 Pound

9. WARRANTY AND SUPPORT

9.1 Warranty Information

KEYSIGHT products are designed for professional use and come with a standard manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the

official Keysight Technologies website. Keep your proof of purchase for warranty claims.

9.2 Customer Support

For technical assistance, service, or calibration inquiries, please contact Keysight Technologies customer support. Visit www.keysight.com/us/en/support.html for contact information and resources.

© 2023 KEYSIGHT Technologies. All rights reserved.

Documents - KEYSIGHT – U1272A



[\[pdf\]](#) User Manual Quick Start Guide Guide

U1271 90032 QSG ML Keysight Technologies U1271A U1272A Handheld Digital Multimeter refer to this manual for specific Warning or Caution information 2 Quick Start Guide For further safety details 9018 03348 keysight cn au en assets quick start guides

Keysight U1271A/**U1272A** Handheld Digital Multimeter Quick Start Guide ENGLISH Contacting Keysight www.keysight.com/find/assist worldwide contact information for repair and service Safety and EMC Information The U1271A/**U1272A** is safety-certified in compliance with EN/IEC 61010-1, EN/IEC 61010-2-0...

lang:en **score:49** filesize: 10.53 M page_count: 193 document date: 2017-08-08




[\[pdf\]](#) User Manual Quick Start Guide Guide

U1271A U1272A Handheld Digital Multimeter Quick Start Guide Multilingual Always refer to the English version for latest revision 9018 19241 U1271 90000 Keysight Technologies 03348 keysight us en assets quick start guides |||

Keysight U1271A/**U1272A** Handheld Digital Multimeter Quick Start Guide ENGLISH Contacting Keysight www.keysight.com/find/assist worldwide contact information for repair and service Safety and EMC Information The U1271A/**U1272A** is safety-certified in compliance with EN/IEC 61010-1, EN/IEC 61010-2-0...

lang:en **score:44** filesize: 11.01 M page_count: 193 document date: 2021-11-30




[\[pdf\]](#) User Manual Quick Start Guide Guide

U1271A U1272A Handheld Digital Multimeter Quick Start Guide Multilingual Always refer to the English version for latest revision 9018 19241 U1271 90000 Keysight Technologies 03348 keysight il en assets quick start guides |||

Keysight U1271A/**U1272A** Handheld Digital Multimeter Quick Start Guide ENGLISH Contacting Keysight www.keysight.com/find/assist worldwide contact information for repair and service Safety and EMC Information The U1271A/**U1272A** is safety-certified in compliance with EN/IEC 61010-1, EN/IEC 61010-2-0...

lang:en **score:44** filesize: 11.32 M page_count: 193 document date: 2023-04-12



[\[pdf\]](#) User Manual Guide Declaration of Conformity

U1270A Series Handheld Digital Multimeter Service Guide This guide describes how to service the U1271A U1272A U1273A HH DMM handheld U1271 90020 Keysight Technologies A700000009349603 docs rs online 7ff8 |||

Keysight U1270 Series Handheld Digital Multimeters Service Guide Notices Copyright Notice Keysigh ... ing this multimeter. The descriptions and instructions in this manual apply to the Keysight U1271A, **U1272A**, U1273A, and U1273AX Handheld Digital Multimeters hereafter referred to as the multimeter

lang:en **score:43** filesize: 4.55 M page_count: 63 document date: 2020-06-03



[\[pdf\]](#) User Manual Quick Start Guide Guide

U1271A U1272A Handheld Digital Multimeter Quick Start Guide This helps you to quickly familiarize yourself with the features and user interface of HH DMM U1271 90000 Keysight Technologies insulation or reinforced Caution risk electric shock danger refer this manual for specific Warning information Fuse 9018 19241 keysight cn au en assets quick start guides 7 ENGLISH Legend Description AC V Low Pass Filter mV DC only id 1967505 cc MY Ic eng literature cdn litweb QSG EN ✓ Printed copy Certificate Calibration If any item is missing or 20 subject change 80

Keysight U1271A/**U1272A** Handheld Digital Multimeter Quick Start Guide ENGLISH Contacting Keysight www.keysight.com/find/assist worldwide contact information for repair and service Safety and EMC Information The U1271A/**U1272A** is safety-certified in compliance with EN/IEC 61010-1, EN/IEC 61010-2-0...

lang:en **score:38** filesize: 2.61 M page_count: 21 document date: 2021-04-09



[\[pdf\]](#) Guide Borchure

Test and Measurement Keysight Technologies Digital Multimeter Selection Guide assets testequity te1

Documents keysight DMM Brochure

Digital Multimeters BROCHURE Index Model U3401A/U3402A Description Benchtop DMM, dual display EI ... h frequency signals ZLOW1 provides both high and low impedance modes to eliminate stray voltages 1. **U1272A**, U1273A and U1273AX only Front panel OLED display ensures clear and distinct display readin...

lang:en score:34 filesize: 12.04 M page_count: 27 document date: 2019-08-02



[\[pdf\]](#) Guide Borchure

Test and Measurement Keysight Technologies Télécharger Digital multimeters Acal BFi Multimeters

Guide acalbf b cdn net media |||

Digital Multimeters BROCHURE Index Model U3401A/U3402A Description Benchtop DMM, dual display EI ... h frequency signals ZLOW1 provides both high and low impedance modes to eliminate stray voltages 1. **U1272A**, U1273A and U1273AX only Front panel OLED display ensures clear and distinct display readin...

lang:en score:33 filesize: 12.04 M page_count: 27 document date: 2021-04-14



[\[pdf\]](#) Guide Accessories

Handheld Tools DMM digital multimeter handheld U1600A U1604A U1602A U1250A U1251A U1252A U1240A U1241A U1242A scope U1253A calibrator LCR U1401A U1701A U1702A U1600 U1604B

U1602B U1250 U1251B U1252B U1253B U1240 U1241B U1242B U1401B U1701B U1731B U1732B

U1270 U1271A U1272A U1700 U1270A Keysight Technologies Télécharger test tools Acal BFi Guide

guide acalbf b cdn net media |||

Handheld Tools For Electronic, Electrical and Industrial Process Testing Keysight Handheld Tools R ... ing U1250 series U1251B U1252B U1253B 50,000 Yes Yes OLED wdisplay U1271A Industrial U1270 Series **U1272A** U1273A 30,000 U1273AX U1280 Series U1281A U1282A 60,000 Yes Yes Yes Yes Yes OLED wdis...

lang:en score:33 filesize: 7.71 M page_count: 40 document date: 2021-04-08




[\[pdf\]](#) Quick Start Guide Instructions Guide Decleration of Conformity

U1271 90000 QSG EN Agilent Technologies Inc English 2013 09 03 1 73 MB c20130905 18 U1271A

U1272A Handheld Digital Multimeter Quick Start Guide doc xdevs HP Keysight

Agilent U1271A/**U1272A** Handheld Digital Multimeter Quick Start Guide Verify that you received the following items in the shipment of your multimeter: One pair of red and black test leads One pair of 4 mm test probes One K-type thermocouple lead kit Four 1.5 V AAA alkaline batteries Printed copy ...

lang:en score:32 filesize: 1.69 M page_count: 18 document date: 2013-09-05



[\[pdf\]](#) User Manual Guide Declaration of Conformity Warranty

U1271 90010 UG ENG Agilent Technologies Inc English 2013 09 13 11 85 MB c20140620 187 U1271A

U1272A Handheld Digital Multimeter User s Guide doc xdevs HP Keysight

Agilent U1271A/**U1272A** Handheld Digital Multimeter User s Guide Agilent Technologies Notices Agilent Technologies, Inc. 20102014 No part of this manual may be reproduced in any form or by any means including electronic storage and retrieval or translation into a foreign language without prior ag...

lang:en **score:32** filesize: 11.57 M page_count: 187 document date: 2014-06-20




[\[pdf\]](#) User Manual Quick Start Guide Guide Borchure

Keysight Digital Multimeters Brochure Multimeter DMM TestEquity Quick start guide Product reference CD Technologies Inc IO Library Suite Certificate of calibration U8201A combo test lead kit USB 2 0 high speed type A to B cable AC power cord Source terminals operation keys Autorange and manual range Power keysight digital multimeters brochure assets testequity te1 Documents

Keysight Technologies Digital Multimeters 2 Keysight Digital Multimeters - Brochure Index Mod ... cy signals Z1 LOW provides both high and low impedance modes to eliminate stray voltages 1. **U1272A**, U1273A and U1273AX only Front panel OLED display ensures clear and distinct display readin...

lang:en **score:32** filesize: 1.97 M page_count: 26 document date: 2015-03-25



[\[pdf\]](#) Instructions

U1115 90106 Keysight Technologies Instructions de fonctionnement L afficheur d'enregistrement à distance U1115A est conçu pour être utilisé avec la gamme U1200 id 2476391 literature cdn keysight litweb

Afficheur d'enregistrement distance Keysight U1115A Instructions de fonctionnement L afficheur d'en ... un appareil de mesure est connecté à U1115A. 4 A U1117A-57AE5B U1273A-MY51430008 B U1177A-2718DE **U1272A**-MY52800017 A U1117A-57AE5B B U1177A-2718DE U1273A-MY51430008 **U1272A**-MY52800017 C U1117A-2...

lang:fr **score:32** filesize: 1.01 M page_count: 24 document date: 2020-01-20



[\[pdf\]](#) Guide Accessories

Handheld Tools DMM digital multimeter handheld U1600A U1604A U1602A U1250A U1251A U1252A U1240A U1241A U1242A scope U1253A calibrator LCR U1401A U1701A U1702A U1600 U1604B U1602B U1250 U1251B U1252B U1253B U1240 U1241B U1242B U1401B U1701B U1731B U1732B U1270 U1271A U1272A U1700 U1270A Keysight Technologies Télécharger E4980A U1730C series meters and impedance measurement products Acal BFi 5989 7340 Guide guide acalbf b cdn net media

|||

Handheld Tools For Electronic, Electrical and Industrial Process Testing Keysight Handheld Tools R ... ing U1250 series U1251B U1252B U1253B 50,000 Yes Yes OLED wdisplay U1271A Industrial U1270 Series **U1272A** U1273A 30,000 U1273AX U1280 Series U1281A U1282A 60,000 Yes Yes Yes Yes Yes OLED wdis...

lang:en **score:31** filesize: 7.71 M page_count: 40 document date: 2021-04-19



[\[pdf\]](#) Datasheet Guide Accessories Borchure

Digital Multimeters Selection Guide digital multimeter benchtop Keysight Technologies 3 57MB EN 34450A Bench Multimeter True RMS Auto 3965693 farnell datasheets |||

PRODUCT BROCHURE Digital Multimeter Selection guide Table of Contents

Index..... o eliminate stray voltages Hang hole Probe holder/storage Slim, ergonomic design for better grip 1. **U1272A**, U1273A and U1273AX only OLED display ensures clear and distinct display readings Smart 1 re...

lang:en **score:31** filesize: 3.57 M page_count: 44 document date: 2023-05-10



[\[pdf\]](#) Guide Accessories Borchure

Digital Multimeters Selection Guide This is to update the DMM brochure with U1240C and U1280 Series handheld digital multimeters multimeter benchtop Keysight Technologies 5990 5315 keysight zz en assets 7018 02447 brochures |||

PRODUCT BROCHURE Digital Multimeter Selection guide Table of Contents

Index..... o eliminate stray voltages Hang hole Probe holder/storage Slim, ergonomic design for better grip 1. **U1272A**, U1273A and U1273AX only OLED display ensures clear and distinct display readings Smart 1 re...

lang:en **score:31** filesize: 2.25 M page_count: 44 document date: 2022-08-30

Keysight U1271A/U1272A Handheld Digital Multimeter



User's Guide

[\[pdf\]](#) User Manual Guide Declaration of Conformity

U1271 90010 UG EN Keysight Technologies U1270 Anleitung Batronix Download Center UT1270 Manual batronix files Hand DDM |||

Keysight U1271A/**U1272A** Handheld Digital Multimeter User s Guide Notices

Copyright Notice Keysight Technologies 2010-2020 No part of this manual may be reproduced in any form or by any means including electronic storage and retrieval or translation into a foreign language without prior agreement...

lang:en **score:31** filesize: 12.53 M page_count: 167 document date: 2020-06-09

[\[pdf\]](#) User Manual Guide Accessories Borchure

Keysight Handheld Tool Selector Guide Tools Multimeter clamp meter infrared camera Technologies Focus mechanism Manual focus Image Processing and Enhancement Correction parameters Emissivity relected temperature object distance ambient temperat ure humidity transmissivity correction 0 1 to Predefined emissivity table Digital zoom Zoom ratio 4× continuous Built in quick start tutorial Available Product Characteristics Power supply adapter Line voltage range 50 60 Hz 100 240 VAC Auto Universal 2 A MAINS luctuations not exceed $\pm 10\%$ of the nominal Output 12 VDC 3 HHDM selection guide assets testequity te1 Documents

Keysight Technologies Handheld Tools For Electronic, Electrical and Industrial Process Testing Keys ... 0 to 1200 C Yes Yes Yes Yes Yes Yes Yes IR-USB / Bluetooth Yes Industrial U1270 Series U1271A **U1272A** U1273A U1273AX 30,000 Yes Yes Yes OLED display 20 kHz AC 100 kHz AC DC Yes 300 mV ...

lang:en **score:30** filesize: 1.74 M page_count: 38 document date: 2014-10-09

[\[pdf\]](#) Guide Accessories Borchure

Digital Multimeters Selection Guide digital multimeter benchtop DMM U3401A U3402A U3606A 34401A 34405A 34410A 34411A 34420A 3458A U1210 U1240 U1250 U1401A U1401B U2741A 34460A 34461A 33465A 34470A Keysight Technologies e41b4179dbe132c72669fb65e6b148d9ecb5dc16 1115044 emin mm d cdn ||| ||| PRODUCT BROCHURE Digital Multimeter Selection guide Table of Contents Index 3 Accessories Compatibility Chart . 39 Linking up your instruments to the PC 42 BenchVue Software 43 Keysight handheld meter logger software . 44 Keysight GPIB and PRODUCT BROCHURE Digital Multimeter Selection guide Table of Contents Index..... o eliminate stray voltages Hang hole Probe holder/storage Slim, ergonomic design for better grip 1. **U1272A**, U1273A and U1273AX only OLED display ensures clear and distinct display readings Smart 1 re...

lang:en **score:30** filesize: 2.23 M page_count: 44 document date: 2022-08-18

[\[pdf\]](#) Datasheet

Datasheet for 000250 Keysight Technologies U1272A Digital Multimeter Jaycar Australia datasheetMain 75644 d3mk240zzrnosz cloudfront net assets |||

Keysight Technologies U1270 Series Handheld Digital Multimeters Data Sheet 2

Keysight U1270 S ... 600 V safety rating Up to 3000m operating altitude 40 to 55 C operating temperature4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX Operational down to 40 C temperature The U1273AX OLED handheld digital ...

lang:en **score:29** filesize: 4.15 M page_count: 22 document date: 2016-08-02






[\[pdf\]](#) Guide Borchure

Digital Multimeters Selection Guide Keysight digital multimeter benchtop DMM U3401A U3402A U3606A 34401A 34405A 34410A 34411A 34420A 3458A U1210 U1240 U1250 U1401A U1401B U2741A 34460A 34461A 33465A 34470A Technologies 5990 5315 keysight cn ru assets 7018 02447 brochures |||

Digital Multimeter Selection Guide Keysight BROCHURE Index Model

U3401A/U3402A Description Ben ... h frequency signals ZLOW1 provides both high and low impedance modes to eliminate stray voltages 1. **U1272A**, U1273A and U1273AX only Front panel OLED display ensures clear and distinct display readin...

lang:en **score:28** filesize: 12.1 M page_count: 27 document date: 2022-06-20




[\[pdf\]](#) User Manual Instructions

U1115 90103 Keysight Technologies User Manual Malaysia Sdn Bhd U1115A Remote Logging Display 2ACWAU1115A u1115a

Keysight U1115A Remote Logging Display Operating Instructions The Keysight U1115A Remote Logging dis ... the U1115A. is connected to the U1115A. 3 4 A U1117A-57AE5B U1273A-MY51430008 B U1177A-2718DE **U1272A**-MY52800017 A U1117A-57AE5B B U1177A-2718DE U1273A-MY51430008 **U1272A**-MY52800017 C U1117A-2...

lang:en **score:28** filesize: 1.27 M page_count: 24 document date: 2014-11-21




[\[pdf\]](#) User Manual Guide Declaration of Conformity Warranty

U1271 90020 SG ENG Agilent Technologies Inc U1270A Series Handheld Digital Multimeter Service Guide c20140416 65 doc xdevs HP Keysight

Agilent U1270 Series Handheld Digital Multimeters Service Guide Agilent Technologies Notices Agil ... sing this multimeter. The descriptions and instructions in this manual apply to the Agilent U1271A, **U1272A**, U1273A, and U1273AX Handheld Digital Multimeters hereafter referred to as the multimeter

lang:en **score:28** filesize: 3.37 M page_count: 65 document date: 2014-04-16




[\[pdf\]](#) User Manual Instructions Accessories Catalog

Keysight Technologies Distribution Products Catalog Alltest 1 mag 2022 — operating frequency range of up to 26 5 50 54 and step by lab instructions for performing both manual 3458A 8½ digit performance DMM 5991 4833ENDI DistyCat May HR alltest co il |||

Keysight Our Distributor Network Keysight Technologies Distribution Products Catalog May 2022 Tabl ... 100 mV to 1000 V U1251B Electronics troubleshooting U1252B U1253B U1271A 50,000 Industrial **U1272A** 30,000 U1273A/AX 30 kHz 100 kHz 20 kHz 100 kHz 50 mV to 1000 V 300 mV to 1000 V 30 mV to 1...

lang:en **score:27** filesize: 37.1 M page_count: 48 document date: 2022-04-20




[\[pdf\]](#) Datasheet

Keysight Technologies U1270 Series Handheld Digital Multimeters MERSERWIS 7 Choose Among These Four Models U1271A U1272A U1273A U1273AX Basic Features Display resolution 30 000 counts LCD OLED keysight seria u1270 eng merserwis pl pub karty katalogowe |||

Keysight Technologies U1270 Series Handheld Digital Multimeters Data Sheet Be Ready for Winter F ... 600 V safety rating Up to 3000m operating altitude 40 to 55 C operating temperature4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX Operational down to 40 C temperature The U1273AX OLED handheld digital ...

lang:en **score:27** filesize: 617.21 K page_count: 22 document date: 2016-05-09



[\[pdf\]](#) Instructions Guide Accessories Catalog

Distribution Products Catalog November 1 2022 broadliner distribution catalog Keysight Technologies Amiteh 11 01 — The training guide begins with a frequency response measurements tutorial fill in the blank questions and step by lab instructions for performing both 48 puslapiai amiteh 2023 2 days ago remote setup of your basic instrument covers needs from web Bluetooth logos are trademarks owned SIG Inc |||

Keysight Our Distributor Network Keysight Technologies Distribution Products Catalog November 2022 ... 100 mV to 1000 V U1251B Electronics troubleshooting U1252B U1253B U1271A 50,000 Industrial **U1272A** 30,000 U1273A/AX 30 kHz 100 kHz 20 kHz 100 kHz 50 mV to 1000 V 300 mV to 1000 V 30 mV to 1...

lang:en **score:27** filesize: 36.72 M page_count: 48 document date: 2022-11-08



[\[pdf\]](#) User Manual Quick Start Guide Datasheet Guide Borchure

Untitled Keysight Technologies Digital Multimeters keys Autorange and manual range Source operation Power On Off button VFD display Local shift key Key features Full featured DMM 8 built in math functions 120 000 counts resolution 4 wire mΩ measurement with 0 001 DC power supply 30 W V 1 A 100 mA 3 Quick start guide Product reference CD Inc IO Library Suite Certificate of calibration U8201A combo test lead kit USB 2 high speed type to B cable AC cord terminals Multimeter Each unit includes 34420A d3fdwrtpsinh7j cloudfront net Docs datasheet

Keysight Technologies Digital Multimeters 2 Keysight Digital Multimeters - Brochure Index Mod ... cy signals Z1 LOW provides both high and low impedance modes to eliminate stray voltages 1. **U1272A**, U1273A and U1273AX only Front panel OLED display ensures clear and distinct display readin...

lang:en **score:26** filesize: 2.28 M page_count: 28 document date: 2015-12-15



[pdf] Guide Accessories

Handheld Tools For Electronic Electrical and Industrial Process Testing Keysight Technologies Built in quick start tutorial Available Product characteristics Power supply adapter Line voltage range 50 60 Hz 100 240 VAC Auto Universal 1 2 A MAINS fluctuations not to exceed $\pm 10\%$ of the nominal Output 12 VDC 3 HHDMM selection guide assets testequity te1 Documents keysight

Handheld Tools For Electronic, Electrical and Industrial Process Testing Keysight handheld tools R ... ing U1250 series U1251B U1252B U1253B 50,000 Yes Yes OLED wdisplay U1271A Industrial U1270 Series **U1272A** U1273A 30,000 U1273AX U1280 Series U1281A U1282A 60,000 Yes Yes Yes Yes Yes OLED wdis... lang:en score:26 filesize: 8.04 M page_count: 41 document date: 2019-11-21

Special Price Offer for Keysight Handheld Digital Multimeter

Get more testing done with the advanced features and functions for less cost

PROMOTION START DATE: September 1, 2014 END DATE: March 31, 2015 PROMOTION CODE: 5970

Available:

- US, Canada, Latin America, Japan

Promotion Conditions:

- This promotion is open to Keysight Technologies commercial end customers and Keysight authorized distribution partners.
- Customers must purchase specified hand-held digital multimeter.
- Customer must purchase specified code 5970 save order placement.
- Promotional discount applies to specified with customer purchase agreement.
- The promotion cannot be combined with other promotional offers or trade-in credits.
- Customers must purchase the right to qualify or disqualify the offering during the promotional period.

www.keysight.com/find/promotion

Three Year Warranty

www.keysight.com/find/threeyearwarranty

Keysight's commitment to quality and reliability is reflected in our three-year warranty on all commercial handheld digital multimeters.

This promotion is subject to change without notice. Promotion ends September 1, 2015. ©2014 Keysight Technologies

For more information about Keysight promotions see www.keysight.com/find/promotion

Let Keysight's Product Selection Experts and Technical Support Specialists help you choose a solution designed specifically for your business environment.

- Call or email an authorized Keysight Representative to request a quote and information printout #51575.
- www.keysight.com/techsupportmultimeter

Reset your expectations with Keysight Handheld Digital Multimeters offering benefits such as:

- On-screen with just ONE push of a button – not any typical DMM measurements, but also strength, your response with the additional smart features and expanded functions.
- Achieve high contrast ratio even in dark environments and get wide viewing angle from the world's first handheld DMM with 10.0 LED display.
- Increase your productivity and safety with the Remote Lock feature that is compatible with all U1250 Series Handheld Digital Multimeters. The Remote Lock feature allows Keysight's non-polluting wireless connectivity to enable you to measure further, faster and safer.
- Reduce inventory and accurate results at low temperatures with a handheld digital multimeter that is capable of operating down to -40 °C temperatures.

Quantity	Description
U1250B	True RMS 10,000 count handheld DMM
U1251B	True RMS 10,000 count handheld DMM with data logging
U1252B	10,000 count handheld DMM
U1253B	10,000 count handheld DMM with temporary storage, logs, setup and data logging
U1270B	30,000 count handheld DMM with 10.0 LED display
U1271A	True RMS 30,000 count handheld DMM
U1272A	True RMS 30,000 count handheld DMM with low impedance mode
U1273A	True RMS 30,000 count handheld DMM with 10.0 LED display
U1273AX	True RMS 30,000 count handheld DMM with 10.0 LED display, -40 to 55 °C operating temperature

[pdf] Flyer

Special Price Offer for Keysight Handheld Digital Multimeters Flyer Save 11% on DMMs U1241B U1242B U1251B U1252B U1253B U1271A U1272A U1273A U1273AX 5 979 promo flyer testequity documents keysight

Special Price Offer for Keysight Handheld Digital Multimeter Get more testing done with the advanced ... 1, 2014 5992-0030EN www.keysight.com Qualifying Products U1241B U1242B U1251B U1252B U1253B U1271A **U1272A** U1273A U1273AX Description True RMS 10,000 count handheld DMM True RMS 10,000 count handheld... lang:en score:25 filesize: 294.92 K page_count: 1 document date: 2014-09-02

DATA SHEET

U1270 Series Handheld Digital Multimeter

Be Ready for Harsh Environments and Sub-zero Temperature

The U1273AX, the latest addition to the U1270 Series is capable of operating down to -40 °C in temperature. Even in extremely cold conditions, the U1273AX handheld DMM delivers immediate and accurate results – no warm-up time required.

All models are ergonomically built providing useful functions such as 32,000 which eliminates stray voltage, and Smart Chirp that minimizes false readings from residual voltage induced by leakage current. All of this is designed into a case that fulfills the needs of today's industrial handheld users.

Features

- 10.0 LED display with 2000:1 contrast ratio and 160 degrees viewing angle ¹
- 30,000 count resolution
- Measure up to 1000 V AC and DC
- Measure up to 10 A AC and 10 A DC
- Resistance, diode test, temperature, capacitance
- Low Impedance mode ¹ and Low Pass Filter
- Peak detection of up to 250 µs
- Continuity test with beeper and backlight ¹
- Screen-reading measurement rate for voltage and current
- Smooth function for accurately stable readings
- Up to 10,000 points internal memory for data logging
- Bluetooth wireless connectivity with optional U1271A Bluetooth
- PC connectivity with optional U1273A Hi-USB cable
- IP-64 certified – water and dust resistant
- CAT II 1000 V, CAT IV 600 V safety rating
- Up to 3000h operating life ²
- -40 to 55 °C operating temperature ³

1. U1273AX
2. U1273B
3. U1273AX

dataTec
Mess und Prüftechnik für Experten

dataTec AG
E-Mail: info@dataTec.de
www.dataTec.de

For Appointment / Your Partner:
dataTec AG
E-Mail: info@dataTec.de
www.dataTec.de


KEYSIGHT
Authorized Premium
Distributor

[pdf] Datasheet

Datenblatt Data sheet U1270 Series Handheld Digital Multimeters U1271A U1272A U1273A U1273AX handheld DMM multimeter dataTec Mess und Prüftechnik Die Experten Keysight Technologies DB 1 DEeSCLdCRg1qEd1 datatec eu media 4f 5f 52 |||

DATA SHEET U1270 Series Handheld Digital Multimeter Be Ready for Harsh Environments and Sub-zero T ... V safety rating Up to 3000m operating altitude -40 to 55 C operating temperature 4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX Ihr Ansprechpartner / Your Partner: dataTec AG E-Mail: info@dataTec.de...

lang:en score:25 filesize: 1.23 M page_count: 19 document date: 2023-11-28




[\[pdf\]](#) Instructions Declaration of Conformity

U1115 90103 U1115A Remote Logging Display Operating Instructions c20140210 20 Agilent U1177A IR to Bluetooth Adapter and mobile software2 5 Type the default pairing code 1234 click Next xdevs doc HP Keysight

Agilent U1115A Remote Logging Display Operating Instructions The Agilent U1115A Remote Logging displ ... the U1115A. is connected to the U1115A. 3 4 A U1117A-57AE5B U1273A-MY51430008 B U1177A-2718DE **U1272A**-MY52800017 A U1117A-57AE5B B U1177A-2718DE U1273A-MY51430008 **U1272A**-MY52800017 C U1117A-2...

lang:en **score:25** filesize: 1.08 M page_count: 20 document date: 2014-02-10



[\[pdf\]](#) Quick Start Guide Datasheet Guide Accessories Test Report

U1270 Series Handheld Digital Multimeters handheld DMM multimeter Keysight Technologies Calibration UK 6 test report Quick Start Guide Optional accessories U1271A U1272A U1273A U1273AX Measuring non temperature U1161A Extended lead kit Includes two leads red and UT1270 Datasheet batronix files Hand DDM |||

U1270 Series Handheld Digital Multimeters Be Ready for Harsh Environments and Sub-zero Temperatures ... 600 V safety rating Up to 3000m operating altitude 40 to 55 C operating temperature4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX Operational down to 40 C temperature The U1273AX OLED handheld digital m...

lang:en **score:24** filesize: 3.29 M page_count: 22 document date: 2020-09-09




[\[pdf\]](#)

U1270 handheld DMM U1271A U1272A digital voltage current OLED 5990 6415

keysight kr ko assets 7018 02683 product fact sheets |||

U1270 U1270 . U1273A OLED . 1 1. 250 s transient 2 2. LPF ... 8 PC CAT III 1000 V/CAT IV 600 V 11 12 U1270 U1271A **U1272A** U1273A / AC True RMS 30,000 20 kHz AC 30,000 100 kHz AC DC 30,000 1...

lang:i-klngon **score:24** filesize: 394.17 K page_count: 2 document date: 2017-11-29



[\[pdf\]](#) User Manual Quick Start Guide Guide Warranty

U1251 90023 QSG EN Agilent Technologies Inc Quick Start Guide II GUI Data Logger Table of Contents Introduction 1 System requirements Installing and Connecting the Multimeter 2 Logging Virtual Meter 7 literature cdn keysight litweb

Agilent GUI Data Logger Software for U1210 Series, U1230 Series, U1240 Series, U1250 Series, and U12 ... 2A, U1233A, U1241A, U1242A, U1241B, U1242B, U1251A, U1252A, U1253A, U1251B, U1252B, U1253B, U1271A, **U1272A**, U1273A, and U1273AX multimeter models are equipped with a bi- directional full duplex comm...

lang:en **score:24** filesize: 694.96 K page_count: 23 document date: 2012-12-18



[pdf] Specifications

U1270 This is fact sheet which highlights the key product features and specifications for new series Handheld Digital MultiMeter handheld DMM U1271A U1272A digital voltage current OLED 5990

6415 keysight tw zh assets 7018 02683 sheets |||

Keysight U1270 Keysight U1270 DMM d OLED d Front panel 1 1. 250 s 2. LPF 2 3. ... 54 - d - d - PC - CAT III 1000 V/CAT IV 600 V 11 12 Keysight U1270 U1271A **U1272A** U1273A 30,000 30,000 30,000 / 20 kHz 100 kHz 100 kHz ...

lang:fr **score:23** filesize: 360.05 K page_count: 2 document date: 2017-11-07



[pdf] Datasheet

Agilent U1270 Series Handheld Digital Multimeters Keysight Technologies Datasheet U1272A Multimeter

Transcat U1270Series transcat media |||

Agilent U1270 Series Handheld Digital Multimeters Be Ready for Winter Data Sheet NEW Features O ... 600 V safety rating Up to 3000m operating altitude 40 to 55 C operating temperature4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX Operational down to 40 C temperature The U1273AX OLED handheld digital ...

lang:en **score:23** filesize: 697.38 K page_count: 21 document date: 2014-09-26



[pdf] User Manual Accessories

Test and Measurement Keysight Technologies Handheld Tools TestEquity Focus mechanism Manual

focus Image processing enhancement Correction parameters Emissivity reflected temperature object

distance ambient relative humidity transmission correction 0 1 to Predefined emissivity table Digital zoom

Zoom ratio 4x continuous Color palette keysight handheld test tools assets testequity te1 Documents

Handheld Tools For Electronic, Electrical and Industrial Process Testing Keysight handheld tools R ... ing U1250 series U1251B U1252B U1253B 50,000 Yes Yes

OLED wdisplay U1271A Industrial U1270 Series **U1272A** U1273A 30,000 U1273AX

U1280 Series U1281A U1282A 60,000 Yes Yes Yes Yes Yes OLED wdis...

lang:en **score:23** filesize: 8.03 M page_count: 41 document date: 2019-05-29




[pdf] Borchure

Ручные измерительные приборы Handheld Tools Brochure with U1240C and U1280 Series handheld digital multimeters U1600A U1604A U1602A U1250A U1251A U1252A U1240A U1241A U1242A DMM scope U1253A calibrator LCR U1401A U1701A U1702A U1600 U1604B U1602B U1250 U1251B U1252B U1253B U1240 U1241B U1242B U1401B U1701B U1731B U1732B U1270 U1271A U1272A U1700 U1270A 5989 7340 keysight ru assets 7018 01661 brochures |||

Keysight Technologies Keysight Remote Link - RLC ... -- -USB/Bluetooth -- -- -- - USB/Bluetooth -USB/Bluetooth U1271A U1270 **U1272A** U1273A U1273AX 30 000 OLED- 20 . 100 . . 300 1000 30 1000 300 ...

lang:en score:23 filesize: 2.23 M page_count: 38 document date: 2020-09-25




[pdf]

U1270 series Handheld Digital Multimeters QFS This presents the Series handheld digital multimeters Its latest addition U1273A comes with an OLED display that ensures you get right readings at first glance DMM U1271A U1272A voltage current 5990 6415 keysight us en assets 7018 02683 product fact sheets |||

Product Fact Sheet Keysight U1270 Series Handheld Digital Multimeters Retool your expectations in K ... ht U1270 Series Handheld Digital Multimeters Product Fact Sheet Product specifications U1271A **U1272A** U1273A Basic features Display resolution 30,000 30,000 30,000 Auto/manual ranging ...

lang:en score:23 filesize: 640.78 K page_count: 2 document date: 2018-01-21



[pdf] Specifications

Certificate Of Calibration Audio Science Review ASR Forum Description U1272A Handheld Digital Multimeter Model No Serial Options Installed With Specifications N A Date of Calibration U1272AMY60230016 combined file audiosciencereview forum index attachments u1272amy60230016 82447 |||

Keysight Technologies Malaysia Sdn Bhd 463532-M Bayan Lepas Free Industrial Zone 1900 Penang Malaysia Keysight Approved Calibration Provider #71456 Certificate Of Calibration 5962-0476 Certificate No: **U1272A**AMY60230016 Manufacturer: Keysight Technologies Model No: **U1272A** Options Installed Wit... lang:en score:23 filesize: 77.18 K page_count: 5 document date: 2020-09-11



[\[pdf\]](#)

5990 6517EN literature cdn keysight litweb

Keysight Technologies Stray Voltage Testing Made Easy With **U1272A** Application Note Introduction Stray voltage, sometimes referred to as ghost voltage, is a voltage that appears in an electrical conductor such as a wire, even though the wire is disconnected from an electrical circuit. Electricians...

lang:en **score:23** filesize: 550.75 K page_count: 5 document date: 2014-06-27



[\[pdf\]](#) Datasheet

Keysight Technologies U1270 datasheet U1270 handheld DMM multimeter 5990 6425JAJP id 1967545 literature cdn keysight 80 litweb

Keysight Technologies U1270 Data Sheet U1273AX 2000:1160 OLED34 30,000 1000 V AC/DC 10 A3020 A 234 250 s 12 7 10,000 U1177A Bluetooth Bluetooth U1173A IR-USB PC IP 54 CAT III 1000 VCAT IV 600 V 3000 m 40 55 4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX 40 U127...

lang:tl **score:22** filesize: 1.91 M page_count: 22 document date: 2015-01-08



[\[pdf\]](#)

Keysight Technologies

5990 5579JAJP literature cdn keysight 80 litweb

Keysight Technologies 02 Keysight NEW TrueIR U5850U5855AU5856AU5857A 40 4 10cm 4 2m ... EW 4.1 4.4 4.9 5.5 4.6 4.9 5.4 5.4 NEW 6 NEW U1231A U1232A U1233A U1241C U1242C U1271A **U1272A** U1273A U1273AX U1251B U1252B U1253B U1281A U1282A DCV 6,0003 0.5 DCV ACV DCI ACI ...

lang:i-klngon **score:22** filesize: 4.68 M page_count: 16 document date: 2016-07-27




[\[pdf\]](#)

5990 7323EN literature cdn keysight litweb

Keysight Technologies Ground Resistance Measurement with Smart Ohm Application Note Introduction T ... ound resistance measurement in the presence of offset voltage using the Keysight Technologies, Inc. **U1272A**/U173A handheld digital multimeter with Smart Ohm. 03 Keysight Ground Resistance Measure...

lang:en score:22 filesize: 1.16 M page_count: 6 document date: 2015-01-15




[\[pdf\]](#) User Manual Guide Warranty

U1271 90020 SG ENG Agilent Technologies Inc Keysight U1273A Handheld multimeter Digital Data logger OLED display CAT III 1000 V IV 600 Display counts Manual 000128113ML02 asset conrad media10 add 160267 c1 en |||

Agilent U1271A/**U1272A** Handheld Digital Multimeter Service Guide Agilent Technologies Notices Agilent Technologies, Inc. 2010 No part of this manual may be reproduced in any form or by any means including electronic storage and retrieval or translation into a foreign language without prior agree...

lang:en score:22 filesize: 1.36 M page_count: 63 document date: 2011-12-28



[\[pdf\]](#) User Manual Quick Start Guide Guide Warranty Test Report

Keysight U1270A Series Digital Multimeters Product Fact Sheet U1271A U1272A U1273A U1273AX

Multimeter TestEquity test report Quick Start Guide 5990 6415EN Data management Min max recording ✓ Display hold Peak Manual datalogging 200 points 10 000 Null PC connectivity IR USB % scale of 4 20 mA Special features Beep Visual alert Standard leads probes with mm tips K type thermocouple and adaptor x AAA batteries Certificate Calibration UK 6 Three Year Warranty keysight find ThreeYearWarranty s commitment to superior U1270 pfs assets testequity te1 Documents

Product Fact Sheet Keysight U1270 Series Handheld Digital Multimeters Retool your expectations in K ... n Auto/manual ranging Analog bar graph Backlight AC bandwidth True RMS U1271A 30,000 20 kHz AC **U1272A** 30,000 100 kHz AC DC U1273A 30,000 100 kHz AC DC Measurements Voltage DC Range ...

lang:en score:22 filesize: 474.67 K page_count: 2 document date: 2016-01-21



[\[pdf\]](#) Datasheet

Keysight Technologies U1270 0900766b813cb347 docs rs online e3d1 |||

Keysight Technologies U1270 Data Sheet U1273AX 2000:1160 OLED34 30,000 1000 V AC/DC 10 A3020 A 234 250 s 12 7 10,000 U1177A Bluetooth Bluetooth U1173A IR-USB PC IP 54 CAT III 1000 VCAT IV 600 V 3000 m 40 55 4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX 40 U127...

lang:tl **score:22** filesize: 1.9 M page_count: 22 document date: 2015-04-03



[\[pdf\]](#) Datasheet

Keysight Technologies U1270 U1270 keisokuki world jp user data files |||

Keysight Technologies U1270 Data Sheet U1273AX 2000:1160 OLED34 30,000 1000 V AC/DC 10 A3020 A 234 250 s 12 7 10,000 U1177A Bluetooth Bluetooth U1173A IR-USB PC IP 54 CAT III 1000 VCAT IV 600 V 3000 m 40 55 4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX 40 U127...

lang:tl **score:21** filesize: 1.99 M page_count: 22 document date: 2015-01-08



[\[pdf\]](#)

5990 4163JAJP literature cdn keysight 80 litweb

Keysight Technologies Keysight Digital Multimeter Family 34401A34401A 34410A34411A 34461ATrue ... 0DMM3 DC/ACDC/AC U1232A/33A J/K PCSWWeb USB 44500 CAT 600 V PC or U1271A 36,531 **U1272A** 39,778 U1273A 44,280 TRUE RMS30,000DMM4 OLED DC/AC/AC DC*DC/AC/AC DC* *AC DC**U1272A**/73A U12...

lang:i-klngon **score:21** filesize: 703.42 K page_count: 4 document date: 2014-09-18



[\[pdf\]](#) Datasheet

U1270 Series Handheld Digital Multimeters handheld DMM multimeter Keysight Technologies 5990 6425CHCN id 1967545 literature cdn keysight 80 litweb 6425EN 6425PTBR 6425 us en assets 7018 02687 data sheets

U1270 Series Handheld Digital Multimeters Be Ready for Harsh Environments and Sub-zero Temperatures ... 00 V safety rating Up to 3000m operating altitude -40 to 55 C operating temperature4 1. U1271A 2. **U1272A** 3. U1273A 4. U1273AX Find us at www.keysight.com Page 1 Operational down to -40 C temperat...

lang:en **score:21** filesize: 2.16 M page_count: 21 document date: 2021-07-06



[\[pdf\]](#) User Manual Borchure

Digital Multimeters Brochure of Keysight s range digital multimeters from a bench top to test rack handheld U3401A U3402A U3606A U3606B 34450A 34460A 34461A 34401A 34410A 34411A 34420A 3458A DMM multimeter 34405A U1210 U1240 U1250 U1401A U1401B U2741A 33465A 34470A Technologies Autorange and manual keys Source operation Power On Off button Local shift key VFD display Key features Full featured 8 built in math 5990 5315 keysight cn au en assets 7018 02447 brochures Display results ways you never have before Color graphical with bar chart histogram trend only zh us 5315EN literature cdn 80 litweb id 1853643

Digital Multimeters BROCHURE Index Model U3401A/U3402A Description Benchtop DMM, dual display EI ... h frequency signals ZLOW1 provides both high and low impedance modes to eliminate stray voltages 1. **U1272A**, U1273A and U1273AX only Front panel OLED display ensures clear and distinct display readin...

lang:en **score:21** filesize: 12.04 M page_count: 27 document date: 2019-08-02