



Manuals.plus /

› Knapé & Vogt /

› Knapé & Vogt John Sterling Dual Trak Adjustable Wood Shelf Bracket, 11-Inch, Black (Model 0122-11BK) - Instruction Manual

## Knapé & Vogt 0122-11BK

# Knapé & Vogt John Sterling Dual Trak Adjustable Wood Shelf Bracket, 11-Inch, Black

Model: 0122-11BK

Brand: Knapé & Vogt

## 1. PRODUCT OVERVIEW

The Knapé & Vogt John Sterling Dual Trak Adjustable Wood Shelf Bracket (Model 0122-11BK) is designed to provide adjustable support for wood shelving. This 11-inch bracket features a durable black powder coat finish and solid steel construction, ensuring both strength and a modern aesthetic. It is specifically engineered to support wood shelves with depths ranging from 11 inches to 14 inches.

### Key Features:

- Designed to support wood shelves 11-inches to 14-inches deep.
- Constructed from solid steel for heavy-duty strength, with optimized steel usage.
- Features a modern design inspired by classic European styles.
- Holds up to 340 lbs. per pair when attached to Dual Trak Wall Standards mounted into 16-inch wall stud centers.
- Includes screw holes on the bottom for convenient attachment of wood shelf boards.
- Durable black powder coat finish for longevity and aesthetics.
- Compatible with John Sterling dual track mounting standards. Note: May not be compatible with some competitors' products.
- Brackets are sold individually; hardware is not included.

## 2. INSTALLATION GUIDE

Proper installation of the Knapé & Vogt Dual Trak Adjustable Wood Shelf Bracket is crucial for safety and stability. These brackets are designed for use with John Sterling Dual Trak Wall Standards (sold separately).

### Required Components (Sold Separately):

- John Sterling Dual Trak Wall Standards
- Appropriate mounting hardware for wall standards (e.g., screws, anchors)
- Wood shelves (11-14 inches deep)
- Screws for attaching shelves to brackets

## Installation Steps:

1. **Install Wall Standards:** Securely mount John Sterling Dual Trak Wall Standards to your wall. For maximum weight capacity (up to 340 lbs per pair of brackets), ensure standards are mounted into wall studs spaced 16 inches apart. Follow the instructions provided with your wall standards for proper installation.
2. **Insert Brackets:** Align the bracket's hooks with the slots on the wall standard. Insert the top hook into the desired slot, then push down firmly to engage the bottom hook into the corresponding slot. Ensure the bracket is fully seated and level.
3. **Position Shelves:** Place your wood shelf onto the installed brackets. Ensure the shelf is centered and flush with the front edge of the brackets.
4. **Secure Shelves:** Use appropriate screws (not included) to fasten the wood shelf to the screw holes located on the bottom of each bracket. This prevents the shelf from shifting or tipping.



Image: A black Knape & Vogt Dual Trak shelf bracket securely installed, supporting a wooden shelf.



Image: Product diagram illustrating the Knape & Vogt 0122 Wood Shelf Brackets, highlighting available sizes and color options.



Image: An example of a black Knap & Vogt Dual Trak shelving system with three wooden shelves, showcasing its application in a decorative setting.

### 3. USAGE INSTRUCTIONS

---

Once installed, the Knap & Vogt Dual Trak Adjustable Wood Shelf Brackets provide a versatile shelving solution. Ensure that the weight distributed on the shelves does not exceed the maximum capacity of 340 lbs per pair of brackets, assuming proper installation into wall studs.

#### **Adjusting Shelf Height:**

To adjust the height of your shelves, simply lift the front of the shelf slightly to disengage the bracket from the wall standard. Reposition the brackets into the desired slots on the wall standard, ensuring both brackets are at the same height and fully engaged before placing the shelf back and re-securing it with screws.



Image: A white Knap & Vogt Dual Trak shelving system demonstrating practical use in a laundry area, holding various household items.

## 4. CARE AND MAINTENANCE

---

To ensure the longevity and appearance of your Knap & Vogt shelf brackets, follow these simple care instructions:

- **Cleaning:** Wipe the brackets with a soft, damp cloth to remove dust and dirt. Avoid using abrasive cleaners or harsh chemicals, as these can damage the powder coat finish.
- **Inspection:** Periodically check the brackets and wall standards for any signs of wear, damage, or loosening. Ensure all connections are secure.
- **Weight Distribution:** Always distribute weight evenly across your shelves and avoid overloading to prevent stress on the brackets and wall standards.

## 5. TROUBLESHOOTING

---

If you encounter issues with your Knap & Vogt Dual Trak Adjustable Wood Shelf Brackets, consider the following:

- **Bracket Not Fitting Wall Standard:** Ensure you are using genuine John Sterling Dual Trak Wall Standards. These brackets are designed for specific compatibility and may not fit all competitor's products.
- **Shelf Instability:** Verify that the brackets are fully engaged in the wall standard slots and that the shelf is

securely fastened to the brackets using screws. Check that the wall standards are firmly mounted to the wall, preferably into studs.

- **Sagging Shelves:** This typically indicates overloading. Reduce the weight on the shelf or ensure that the wall standards are installed into wall studs for maximum support.

## 6. PRODUCT SPECIFICATIONS

Specification	Detail
Model Number	0122-11BK
Brand	Knape & Vogt
Color	Black
Material	Alloy Steel
Finish Type	Powder Coated
Item Depth	11.1 inches
Product Dimensions (L x W x H)	2.13 x 0.5 x 11.5 inches
Item Weight	5.6 ounces
Mounting Type	Wall Mount (with Dual Trak Standards)
Weight Capacity	Up to 340 lbs per pair (when mounted into 16-inch wall stud centers)
UPC	077355012330



Item	Description	Finish	Unit Dimensions			Unit Pack Qty.	Unit Wt. (lbs.)
			L	W	D		
<b>JOHN STERLING™ DUAL-TRAK™ SHELF SYSTEM</b>							
<b>Dual-Trak™ Shelf Brackets</b>							
0122-7BK	7" Shelf Bracket	BK	2.13	0.50	7.50	1	0.22
0122-9BK	9" Shelf Bracket	BK	2.13	0.50	9.50	1	0.29
0122-11BK	11" Shelf Bracket	BK	2.13	0.50	11.50	1	0.35
0122-14BK	14.5" Shelf Bracket	BK	2.13	0.50	14.50	1	0.44
0122-19BK	19" Shelf Bracket	BK	2.13	0.50	19.50	1	0.82
0122-7BRZ	7" Shelf Bracket	BRZ	2.13	0.50	7.50	1	0.22
0122-9BRZ	9" Shelf Bracket	BRZ	2.13	0.50	9.50	1	0.29
0122-11BRZ	11" Shelf Bracket	BRZ	2.13	0.50	11.50	1	0.35
0122-14BRZ	14" Shelf Bracket	BRZ	2.13	0.50	14.50	1	0.44
0122-7PM	7" Shelf Bracket	PM	2.13	0.50	7.50	1	0.22
0122-9PM	9" Shelf Bracket	PM	2.13	0.50	9.50	1	0.29
0122-11PM	11" Shelf Bracket	PM	2.13	0.50	11.50	1	0.35
0122-14PM	14" Shelf Bracket	PM	2.13	0.50	14.50	1	0.44
0122-7WT	7" Shelf Bracket	WT	2.13	0.50	7.50	1	0.22
0122-9WT	9" Shelf Bracket	WT	2.13	0.50	9.50	1	0.29
0122-11WT	11" Shelf Bracket	WT	2.13	0.50	11.50	1	0.35
0122-14WT	14.5" Shelf Bracket	WT	2.13	0.50	14.50	1	0.44
0122-19WT	19" Shelf Bracket	WT	2.13	0.50	19.50	1	0.82

Image: Detailed specifications table for the John Sterling Dual-Trak Shelf System, including various bracket sizes and finishes.

## 7. WARRANTY AND SUPPORT

Knappe & Vogt products are manufactured to high-quality standards. For specific warranty information regarding your John Sterling Dual Trak Adjustable Wood Shelf Bracket, please refer to the documentation included with your purchase or visit the official Knappe & Vogt website.

For customer support, technical assistance, or inquiries about compatible products, please contact Knappe & Vogt directly through their official channels. You can find more information and contact details on the Knappe & Vogt Store on Amazon.