**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



## Scosche USBC242M

# Scosche USBC242M ReVolt 24W Dual Port USB Car Charger Instruction Manual

Brand: Scosche | Model: USBC242M

## Introduction

This manual provides essential information for the proper setup, operation, and maintenance of your Scosche USBC242M ReVolt 24W Dual Port USB Car Charger. The charger is designed to provide efficient power delivery for your mobile devices while on the go. Please read these instructions thoroughly before use.




Image: The Scosche USBC242M ReVolt 24W Dual Port USB Car Charger, black in color, featuring two illuminated USB ports.

## Product Features

- **Dual Port Charging:** Equipped with two 12-watt/2.4-amp USB ports, allowing simultaneous charging of two devices.
- **Fast Charging:** Delivers optimal charging speed for compatible devices, ensuring quick power replenishment.
- **Illuminated USB Ports:** Features an LED backlight for easy visibility and connection of charging cables in low-light conditions.
- **Compact Design:** Low-profile design sits flush with the vehicle's charging port, minimizing clutter and obstruction.
- **Universal Compatibility:** Charges any USB-powered device, with optimized circuitry to prevent damage to less powerful devices.

## Setup Instructions

1. **Locate Vehicle Power Outlet:** Identify your vehicle's 12V accessory power outlet (often labeled as a cigarette lighter socket).
2. **Insert Charger:** Firmly insert the Scosche USBC242M charger into the 12V power outlet. Ensure it is fully

seated for proper connection. The illuminated USB ports will light up, indicating power is supplied.

3. **Connect Devices:** Plug your device's USB charging cable into one of the charger's USB ports.




Image: The Scosche ReVolt charger securely plugged into a vehicle's 12V power outlet, demonstrating its low-profile fit.

## Operating Instructions

1. **Single Device Charging:** Connect one device to either USB port. The charger will automatically detect the device and deliver the fastest possible charge.
2. **Dual Device Charging:** Connect two devices simultaneously to both USB ports. Each port provides 12W/2.4A output, allowing both devices to charge at their optimal speed.
3. **LED Indicator:** The illuminated blue LED within the USB ports indicates that the charger is receiving power and is ready to charge.




Image: A smartphone connected to the Scosche ReVolt charger in a car, illustrating simultaneous fast charging capabilities.

## Maintenance

- **Cleaning:** Periodically wipe the charger with a dry, soft cloth to remove dust or debris. Do not use liquid cleaners.
- **Storage:** When not in use, store the charger in a cool, dry place away from direct sunlight and extreme temperatures.
- **Inspection:** Regularly inspect the charger for any signs of damage, such as cracks or loose connections. Discontinue use if damage is found.

## Troubleshooting

- **Charger Not Powering On:**
  - Ensure the charger is fully inserted into the 12V power outlet.
  - Check if the vehicle's 12V power outlet is functional (e.g., by testing with another device).
  - Verify the vehicle's ignition is on, as some outlets only receive power when the engine is running.
- **Device Not Charging:**

- Ensure your USB charging cable is securely connected to both the charger and your device.
- Try using a different USB cable to rule out a faulty cable.
- Test charging a different device to confirm the charger's functionality.

- **Slow Charging:**
  - Ensure your device is compatible with fast charging and that the cable supports the required power delivery.
  - Avoid running power-intensive applications on your device while charging.

## Specifications





Image: The Scosche ReVolt charger displaying its compact dimensions: 1.5 inches in height, 1.0 inch in width, and 1.65 inches in length.

| Feature | Detail |
| --- | --- |
| Product Dimensions | 1.5 x 2.68 x 5.98 inches |
| Item Weight | 0.32 ounces |

| | |
|---|---|
| Item Model Number | USBC242M |
| Input Voltage | 12 Volts |
| Amperage | 2.4 Amps per port |
| Total USB Ports | 2 |
| Special Feature | Fast Charging, Illuminated Ports |
| Color | Black |

## Warranty and Support

The Scosche USBC242M ReVolt charger is backed by Scosche's Lifetime Tech Support and a 3-year warranty. For technical assistance or warranty claims, please contact Scosche customer service.


### Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

**Open the live page**

**https://manuals.plus/asin/B00E1UWA4O**

More documents and user manuals: **https://manuals.plus/**