

Manuals.plus /

- › Sargent & Greenleaf /
- › Sargent & Greenleaf 8077 High Security Combination Padlock User Manual

## Sargent & Greenleaf 8077

# Sargent & Greenleaf 8077 High Security Combination Padlock User Manual

Model: 8077

## INTRODUCTION

This manual provides comprehensive instructions for the proper setup, operation, maintenance, and troubleshooting of your Sargent & Greenleaf 8077 High Security Combination Padlock. The S&G 8077 is a robust three-number combination lock designed for high security applications, featuring a resettable combination for enhanced flexibility. Please read this manual thoroughly before using the padlock to ensure optimal performance and security.

## PACKAGE CONTENTS

- Sargent & Greenleaf 8077 Combination Padlock
- Combination Reset Tool
- User Manual (this document)



Image: The Sargent & Greenleaf 8077 padlock, its combination reset tool, and the accompanying instruction manual are displayed, illustrating the typical contents of the product package.

## SETUP

---

## Initial Combination

Your S&G 8077 padlock comes with a factory-set combination. This combination is typically provided on a small slip of paper included in the packaging. Locate this slip before attempting to open the lock.

## Changing the Combination

The 8077 padlock features a resettable combination. Follow these steps carefully to change your combination:

1. Open the padlock using the current combination.
2. Locate the combination reset hole on the side or back of the padlock body.
3. Insert the provided reset tool (or a thin, pointed object like a paperclip) into the reset hole and apply gentle pressure. You should feel a slight click or resistance.
4. While holding the reset tool in place, rotate the dials to your desired new three-number combination. Choose a memorable but secure combination.
5. Release the reset tool. The new combination is now set.
6. Scramble the dials and test the new combination to ensure it opens the lock correctly.

**Important:** Do not forget your new combination. It is recommended to record it in a secure, private location.

---

## OPERATING THE PADLOCK

### Opening the Padlock

1. Rotate the dials to align your three-number combination with the indicator line on the padlock body.
2. Pull up on the shackle to release the lock.

### Closing and Locking the Padlock

1. With the shackle open, insert it into the desired hasp or opening.
2. Push the shackle down firmly until it clicks into place.
3. Scramble the dials to secure the lock and prevent unauthorized opening.

---

## MAINTENANCE

The Sargent & Greenleaf 8077 padlock is designed for durability and requires minimal maintenance. However, periodic care can extend its lifespan and ensure smooth operation:

- **Cleaning:** Wipe the padlock body with a soft, dry cloth to remove dust and grime. Avoid abrasive cleaners or solvents.
- **Lubrication:** If the dials become stiff or difficult to turn, apply a small amount of graphite lubricant or a silicone-based spray lubricant to the shackle mechanism and around the dials. Do not use oil-based lubricants as they can attract dirt.
- **Storage:** Store the padlock in a dry environment to prevent corrosion, especially if it will not be used for extended periods.

---

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Padlock will not open with correct combination.	Dials not precisely aligned; combination forgotten or incorrectly entered; internal mechanism obstruction.	Ensure dials are perfectly aligned with the indicator. Double-check the combination. Apply light pressure to the shackle while entering the combination. If stiff, try lubricating the mechanism.
Dials are stiff or hard to turn.	Accumulation of dirt or debris; lack of lubrication; exposure to moisture.	Clean the padlock thoroughly. Apply a graphite or silicone-based lubricant to the dials and shackle.
Shackle does not fully engage or disengage.	Internal mechanism issue; shackle bent or damaged.	Ensure the shackle is not obstructed. If the shackle appears damaged, the padlock may need replacement. For internal issues, contact customer support.

## SPECIFICATIONS

Feature	Detail
Model Name	8077
Brand	Sargent & Greenleaf
Lock Type	Combination Lock
Combination Type	3-Number, Resettable
Material	Alloy Steel
Finish	Polished Steel
Included Components	Reset Tool
Combinations Available	125,000
Federal Specification	Meets FF-P-110J

## WARRANTY AND SUPPORT

For information regarding product warranty, please refer to the warranty card included with your purchase or visit the official Sargent & Greenleaf website. Warranty terms and conditions may vary.

For technical support, replacement parts, or further assistance, please contact Sargent & Greenleaf customer service. Contact information can typically be found on their official website or on the product packaging.

You can also visit the Sargent & Greenleaf Store on Amazon for additional product information and support resources.

