



Manuals.plus /

- › Faria /
- › Faria Beede Euro Blank Gauge Fill 4" Black (Model 32861) Instruction Manual

Faria 32861

Faria Beede Euro Blank Gauge Fill 4" Black (Model 32861) Instruction Manual

Model: 32861 | Brand: Faria

INTRODUCTION

This instruction manual provides essential information for the proper installation and maintenance of your Faria Beede Euro Blank Gauge Fill, Model 32861. This product is designed to cover and seal unused 4-inch diameter openings in dashboards or panels, providing a clean and finished appearance. Please read these instructions thoroughly before proceeding with installation.

PRODUCT OVERVIEW

The Faria Beede Euro Blank Gauge Fill is a durable, black-colored circular cover designed to fit standard 4-inch gauge openings. It provides a simple and effective solution for maintaining a consistent aesthetic when a gauge slot is not in use.



Figure 1: Faria Beede Euro Blank Gauge Fill, 4-inch, Black. This image shows the circular black blank gauge fill with a textured surface, designed to cover unused openings.

SETUP AND INSTALLATION

Follow these steps for proper installation of the blank gauge fill:

1. **Verify Opening Size:** Ensure the panel opening where the blank gauge will be installed has a diameter of approximately 4 inches. This product is specifically designed for this size.
2. **Clean the Area:** Before installation, clean the rim of the opening and the surrounding panel surface to ensure a secure fit and prevent debris from interfering.
3. **Insert the Blank Gauge:** Carefully align the blank gauge fill with the opening. Gently press the blank gauge into the opening until it sits flush with the panel surface. The design allows for a snug, friction fit.
4. **Secure (if applicable):** While typically a friction fit, some installations may benefit from a small bead of marine-grade sealant around the edge for added weather resistance or security, especially in high-vibration environments. Allow appropriate curing time for any sealant used.
5. **Final Check:** Confirm that the blank gauge is securely seated and does not wobble or protrude.

No specialized tools are typically required for installation, though a clean cloth and, if desired, a sealant applicator may be useful.

OPERATION

The Faria Beede Euro Blank Gauge Fill serves as a static cover. Once installed, its primary function is to aesthetically fill an unused 4-inch gauge opening and protect the interior from dust and minor splashes. No active operation is required.

MAINTENANCE

- **Cleaning:** Clean the surface of the blank gauge with a soft, damp cloth and mild soap as needed. Avoid abrasive cleaners or solvents, which may damage the finish.
- **Inspection:** Periodically inspect the blank gauge for any signs of loosening or damage, especially in marine or outdoor applications. Re-seat or re-install if necessary.

TROUBLESHOOTING

- **Blank Gauge Does Not Fit:**
 - Issue:** The blank gauge is too large or too small for the opening.
 - Solution:** Verify the diameter of your panel opening. This blank gauge is designed for a 4-inch (approximately 101.6 mm) hole. If your opening differs significantly, this product may not be suitable.
- **Blank Gauge Feels Loose After Installation:**
 - Issue:** The blank gauge does not sit snugly in the opening.
 - Solution:** Ensure the opening is clean and free of debris. If the fit is still loose, consider applying a small amount of appropriate adhesive or sealant around the inner edge of the opening before re-inserting the blank gauge to create a more secure fit.

SPECIFICATIONS

Model Number	32861
Brand	Faria Beede Instruments
Color	Black
Pin Hole Diameter	4 Inches (approximately 101.6 mm)
Item Weight	0.26 Pounds (approx. 4.2 ounces)
Product Dimensions	5 x 5.51 x 5.51 inches (packaging/shipping)
UPC	759266328617
Exterior	Brushed (texture)

