

Adcraft WB-100

Adcraft WB-100 Low Volume Manual Fill Hot Water Dispenser Boiler User Manual

Model: WB-100

INTRODUCTION

This manual provides essential instructions for the safe and efficient operation, maintenance, and troubleshooting of your Adcraft WB-100 Low Volume Manual Fill Hot Water Dispenser Boiler. Please read this manual thoroughly before initial use and retain it for future reference.



Image: Front view of the Adcraft WB-100 Hot Water Dispenser Boiler, showcasing its stainless steel construction, water level gauge, spigot, and temperature control knob.

IMPORTANT SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when using electrical appliances. This appliance heats water to high temperatures; exercise extreme caution.

- Read all instructions before use.
- Do not touch hot surfaces. Use handles or knobs.
- To protect against electrical hazards, do not immerse cord, plugs, or the appliance in water or other liquid.
- Close supervision is necessary when any appliance is used by or near children.
- Unplug from outlet when not in use and before cleaning. Allow to cool before putting on or taking off parts, and before cleaning the appliance.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been

damaged in any manner.

- The use of accessory attachments not recommended by the appliance manufacturer may cause injuries.
- Do not use outdoors.
- Do not let cord hang over edge of table or counter, or touch hot surfaces.
- Do not place on or near a hot gas or electric burner, or in a heated oven.
- Always attach plug to appliance first, then plug cord into the wall outlet. To disconnect, turn any control to "off", then remove plug from wall outlet.
- Do not use appliance for other than intended use.

SETUP AND FIRST USE

1. **Unpacking:** Carefully remove the hot water dispenser from its packaging. Retain packaging materials for future storage or transport.
2. **Inspection:** Inspect the unit for any signs of damage. If damaged, do not operate and contact your supplier.
3. **Placement:** Place the unit on a stable, level, heat-resistant surface. Ensure there is adequate clearance around the unit for ventilation. The non-slip rubber feet provide stability.
4. **Initial Cleaning:** Before first use, wash the interior of the dispenser and the lid with warm, soapy water. Rinse thoroughly and dry.
5. **Power Connection:** Ensure the power switch is in the "OFF" position. Plug the 3-foot power cord (NEMA 5-15 plug) into a grounded 120V AC electrical outlet. The unit requires 1350W and 11.25 Amps.

OPERATING INSTRUCTIONS

1. **Filling the Unit:** Remove the lid and manually fill the dispenser with clean water. Do not fill above the "MAX" fill line indicated on the interior or water level gauge. The unit has a 100-cup (6.25 gallon) capacity.
2. **Securing the Lid:** Place the lid securely back onto the dispenser.
3. **Powering On:** Flip the illuminated power switch to the "ON" position. The switch will light up, indicating the unit is receiving power and beginning to heat.
4. **Setting Temperature:** Use the variable temperature control knob located at the base of the unit to select your desired water temperature. The range is from 85°F to 220°F.



Image: Close-up view of the variable temperature control knob, allowing adjustment of water temperature between 85°F and 220°F.

5. **Heating Process:** The unit will begin heating the water. The extra-large encapsulated heating element ensures fast and even heating. Monitor the water level gauge on the side of the unit.
6. **Dispensing Hot Water:** Once the desired temperature is reached, place a cup or container under the spigot. Push down the lever on the spigot to dispense hot water. Release the lever to stop the flow.



Image: Close-up view of the dispensing spigot and the clear water level gauge, which allows monitoring of the water volume inside the boiler.

7. **Refilling:** If the water level becomes low, turn off the unit, unplug it, and allow it to cool slightly before refilling.
8. **Transporting:** Use the cool-to-touch bakelite handles for safe transportation of the unit when empty or cool.

This hot water dispenser is suitable for preparing various hot beverages and foods, including tea, coffee, instant noodles, and soups. It can also be used to keep sauces like Au Jus or barbecue sauce warm.

CARE AND MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and optimal performance of your Adcraft hot water dispenser.

1. Daily Cleaning:

- Always unplug the unit and allow it to cool completely before cleaning.
- Empty any remaining water.
- Wash the interior and exterior stainless steel surfaces with a mild detergent and a soft cloth or sponge.
- Rinse thoroughly with clean water. Do not immerse the electrical base in water.

- Dry all surfaces completely before storing or next use.

2. **Descaling:** Over time, mineral deposits (limescale) may build up, especially in hard water areas.

- To descale, fill the unit with a solution of equal parts white vinegar and water.
- Heat the solution to approximately 150°F (65°C) and let it stand for 30-60 minutes. Do not boil.
- Drain the solution and rinse the interior several times with fresh water to remove any vinegar residue.
- Repeat if necessary.

3. **Storage:** Store the clean and dry unit in a cool, dry place.

TROUBLESHOOTING

Before contacting customer service, please refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Unit does not heat.	Not plugged in; power switch off; circuit breaker tripped; faulty power cord/element.	Ensure unit is plugged in and power switch is ON. Check circuit breaker. If problem persists, contact qualified service personnel.
Water heats too slowly.	Limescale buildup; insufficient power supply.	Perform descaling procedure. Ensure unit is connected to a dedicated 120V outlet.
Water leaks from spigot.	Spigot not fully closed; damaged spigot seal.	Ensure spigot lever is fully released. If leaking continues, the spigot may need replacement or repair by a qualified technician.
Water level gauge unclear.	Mineral deposits on gauge.	Clean the exterior of the gauge. If internal, descaling may help.

For issues not listed here or if troubleshooting steps do not resolve the problem, please contact Adcraft customer support.

PRODUCT SPECIFICATIONS

Model: WB-100

Capacity: 100 Cups (approximately 6.25 Gallons)

Material: Stainless Steel construction

Power: 120V, 1350W, 11.25 Amps

Plug Type: NEMA 5-15

Temperature Range: 85°F - 220°F (30°C - 104°C)

Dimensions (L x W x H): 12.6 x 10.83 x 22.91 inches

Weight: 1 Pound (approximate, unit weight only)

Certifications: ETL Listed, ETL Sanitation, NSF

Special Features: Temperature Control, Water Level Indicator, Heat-resistant side handles, Illuminated power switch.





WARRANTY AND SUPPORT





This Adcraft WB-100 Hot Water Dispenser Boiler is covered by the **Adcraft One-Year Limited Warranty**. This warranty covers defects in material and workmanship under normal use for a period of one year from the date of purchase. For warranty claims, technical support, or to inquire about replacement parts, please contact Adcraft customer service. Please have your model number (WB-100) and proof of purchase available when contacting support. *Contact information for Adcraft can typically be found on their official website or on the product packaging.*




© 2024 Adcraft. All rights reserved.
This manual is subject to change without notice.

Related Documents - WB-100

	<p>Adcraft HDS-1300W/100 Hot Dog Steamer - Specifications and Features</p> <p>Detailed specifications and features for the Adcraft HDS-1300W/100 top-loading hot dog steamer with bun compartment. Learn about its construction, capacity, operation, electrical requirements, and warranty.</p>
	<p>Adcraft Roller Grill RG-05, RG-07, RG-09: Manual, Specifications, and Warranty</p> <p>Comprehensive guide for Adcraft Roller Grill models RG-05, RG-07, and RG-09, including operating instructions, safety warnings, cleaning procedures, electrical diagrams, parts list, and ACE Electrical Equipment one-year warranty information.</p>
	<p>Adcraft MG-1 Meat Grinder User Manual and Warranty</p> <p>Comprehensive user manual and warranty information for the Adcraft MG-1 Meat Grinder, covering assembly, operation, cleaning, troubleshooting, and warranty details.</p>
	<p>Adcraft LR-2 Adjustable Heated Plate Lowerator Instruction Manual</p> <p>Instruction manual for the Adcraft LR-2 Adjustable Heated Plate Lowerator, 2 Tube 8"-12". Covers warnings, installation, usage, cleaning, troubleshooting, parts diagram, and warranty information.</p>

<div>  INSTRUCTION MANUAL MODEL: SL300ES 12" MEAT SLICER</div> <p><small>This manual contains important information regarding your Adcraft unit. Please read this manual thoroughly prior to the use of your unit. Please refer to the manual frequently for a complete understanding of the operation, cleaning, maintenance, troubleshooting, and warranty information.</small></p>	<p>Adcraft SL300ES, 300ES-12 12" Meat Slicer Instruction Manual and Parts Guide</p> <p>Official instruction manual and parts guide for the Adcraft SL300ES and 300ES-12 12-inch meat slicer, covering operation, cleaning, maintenance, troubleshooting, and warranty information.</p>
<div>  DF-12L, DF-12L/2 Electric Fryers</div> <p><small>This manual contains important information regarding your Adcraft unit. Please read this manual thoroughly prior to the use of your unit. Please refer to the manual frequently for a complete understanding of the operation, cleaning, maintenance, troubleshooting, and warranty information.</small></p>	<p>Adcraft DF-12L & DF-12L/2 Electric Fryer Manual: Operation, Cleaning & Warranty</p> <p>Comprehensive manual for Adcraft DF-12L and DF-12L/2 electric fryers. Includes setup, operation, cleaning, parts identification, circuit diagram, troubleshooting, and a 1-year limited warranty guide.</p>

Documents - Adcraft – WB-100


Admiral Craft Equipment Corp.

Date: _____
Item No.: _____
Project No.: _____

Specifications
Description
Adcraft's stainless steel water boilers are ideal for any institution, hospital, cafeteria, etc. All parts are constructed of stainless steel and each unit is equipped with a cover water level gauge. The bottom of the unit has a large, heavy-duty, stainless steel heating element that is waterproof and distributes heat evenly throughout. Available temperature controls have and heat resistant side handles come standard on each unit. An illuminated power switch is up to you when you want to use it.
100V, 1500W, 11.25 Amps, 2 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cool to touch bakelite handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knobs range from 80°-220°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical


- 100V, 1500W, 11.25 Amps
- 2 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for heating soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers
Models:
☐ WB-100
☐ WB-40



Certifications Approvals


Admiral Craft Equipment Corp.
940 South Ocean Bay Rd., Hialeah, FL 33157 • P: 800-223-7705 • F: 800-447-7731 • www.admiralcraft.com

[pdf] User Manual Owner's Manual Specifications Warranty

WB 40 100 specs indd kenny Specifications Commercial Water Boilers page located in the owner's manual and warranty section at admiralcraft subject to change without notice Please confirm time of order Plan View Admiral Craft Equipment Corp ©2014 122 WB100 d3ld6frh4bduh cloudfront net Admiral Craft Equipment Corp. Date: _____ Item No.: _____ ... tion. This item is backed by Adcraft's 1 year limited warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All stainless steel construction inside and out Extra large encapsulate... lang:en score:21 filesize: 273.55 K page_count: 2 document date: 2016-03-30


Admiral Craft Equipment Corp.

Date: _____
Item No.: _____
Project No.: _____

Specifications
Description
Adcraft's stainless steel water boilers are ideal for any institution, hospital, cafeteria, etc. All parts are constructed of stainless steel and each unit is equipped with a cover water level gauge. The bottom of the unit has a large, heavy-duty, stainless steel heating element that is waterproof and distributes heat evenly throughout. Available temperature controls have and heat resistant side handles come standard on each unit. An illuminated power switch is up to you when you want to use it.
100V, 1500W, 11.25 Amps, 2 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cool to touch bakelite handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knobs range from 80°-220°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical

- 100V, 1500W, 11.25 Amps
- 2 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for heating soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers
Models:
☐ WB-100
☐ WB-40



Certifications Approvals


Admiral Craft Equipment Corp.
940 South Ocean Bay Rd., Hialeah, FL 33157 • P: 800-223-7705 • F: 800-447-7731 • www.admiralcraft.com

[pdf] Specifications Warranty

WB 40 100 specs indd kenny Download Spec Sheet Adcraft Cup Water Boiler McDonald Paper Supplies mcdonaldpaper media ||| Admiral Craft Equipment Corp. Date: _____ Item No.: _____ ... tion. This item is backed by Adcraft's 1 year limited warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All stainless steel construction inside and out Extra large encapsulate... lang:en score:21 filesize: 225.7 K page_count: 2 document date: 2015-02-17

COFFEE PERCOLATORS
Adcraft's percolators are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a water level gauge. A red indicator light signals when coffee is done brewing. Automatic temperature control maintains proper coffee temperature and ready to serve. 120V, 1350W, 11.25 Amps. Factory pack.

Item #	Description	Pack	Qty. Per	CEM
CP-40	Coffee percolator, 40-cup	1	10	0.09
CP-60	Coffee percolator, 60-cup	1	10	0.09
CP-100	Coffee percolator, 100-cup	1	10	0.09

WATER BOILER
This 100-cup water boiler is ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a thermometer level gauge. Variable temperature control knob and heat resistant handles. Illuminated power switch. 120V, 1350W, 11.25 Amps. ETL (UL/ANSI 187) & ETL (NFS/ANSI 4). Factory pack.

Item #	Description	Pack	Qty. Per	CEM
WB-100	Water boiler, 100-cup	1	12	0.08

COFFEE BREWER
All parts constructed of heavy duty stainless steel. These units are equipped with integrated switches for warming and brewing. The coffee pot has an optional temperature in maintenance for extended periods. Automatic shut-off and thermostat. Factory 40-cup. Illuminated power switch. 120V, 650W, 5.8A. 11.25 Amps. ETL (UL/ANSI 187) & ETL (NFS/ANSI 4). Factory pack.

Item #	Description	Pack	Qty. Per	CEM
CB-2	Coffee brewer	1	10	0.07
CBP-50	Coffee brewer	1	10	0.07
CBP-100	Coffee brewer	1	10	0.07
CBP-150	Coffee brewer	1	10	0.07

WARMER PLATE
This warmer plate has two porcelain burners that hold coffee pots securely. Switches and lighting indicators and auto shut-off with timer. A red light for each burner. 120V, 650W, 5.8A. 11.25 Amps. ETL (UL/ANSI 187) & ETL (NFS/ANSI 4). Factory pack.

Item #	Description	Pack	Qty. Per	CEM
WP-2	Warmer plate, 100-watts	1	25	0.01

Provided by Adcraft Cook Equipment Corporation
see your nearest inventory

[\[pdf\]](#) Catalog

Adcraft 2010 Catalog Interior ADCWB100 CATALOG missions 80 amfilerating file id 9084

Coffee Percolators Adcraft s percolators are ideal for any institution, church, cafeteria, etc. All ... 5 CP-100 Coffee percolator, s/s, 100 cup 1 14 0.062 CP-40 CP-60 CP-100 COUNTERTOP EQUIPMENT **WB-100** Water Boiler This 100 cup water boiler is ideal for any institution, church, cafeteria, etc...

lang:en score:20 filesize: 145.74 K page_count: 1 document date: 2015-05-06

COFFEE PERCOLATORS
Adcraft's percolators are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a water level gauge. A red indicator light signals when coffee is done brewing. Automatic temperature control maintains proper coffee temperature and ready to serve. 120V, 1350W, 11.25 Amps. Factory pack.

Item #	Description	Pack	Qty. Per	CEM
CP-40	Coffee percolator, 40-cup	1	10	0.09
CP-60	Coffee percolator, 60-cup	1	10	0.09
CP-100	Coffee percolator, 100-cup	1	10	0.09

WATER BOILER
This 100-cup water boiler is ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a thermometer level gauge. Variable temperature control knob and heat resistant handles. Illuminated power switch. 120V, 1350W, 11.25 Amps. ETL (UL/ANSI 187) & ETL (NFS/ANSI 4). Factory pack.

Item #	Description	Pack	Qty. Per	CEM
WB-100	Water boiler, 100-cup	1	12	0.08

COFFEE BREWER
All parts constructed of heavy duty stainless steel. These units are equipped with integrated switches for warming and brewing. The coffee pot has an optional temperature in maintenance for extended periods. Automatic shut-off and thermostat. Factory 40-cup. Illuminated power switch. 120V, 650W, 5.8A. 11.25 Amps. ETL (UL/ANSI 187) & ETL (NFS/ANSI 4). Factory pack.

Item #	Description	Pack	Qty. Per	CEM
CB-2	Coffee brewer	1	10	0.07
CBP-50	Coffee brewer	1	10	0.07
CBP-100	Coffee brewer	1	10	0.07
CBP-150	Coffee brewer	1	10	0.07

WARMER PLATE
This warmer plate has two porcelain burners that hold coffee pots securely. Switches and lighting indicators and auto shut-off with timer. A red light for each burner. 120V, 650W, 5.8A. 11.25 Amps. ETL (UL/ANSI 187) & ETL (NFS/ANSI 4). Factory pack.

Item #	Description	Pack	Qty. Per	CEM
WP-2	Warmer plate, 100-watts	1	25	0.01

Provided by Adcraft Cook Equipment Corporation
see your nearest inventory

[\[pdf\]](#) Catalog

Adcraft 2010 Catalog Interior Admiral Craft WP 2 cdn11 bigcommerce s raxt2z29I9 content |||

Coffee Percolators Adcraft s percolators are ideal for any institution, church, cafeteria, etc. All ... 5 CP-100 Coffee percolator, s/s, 100 cup 1 14 0.062 CP-40 CP-60 CP-100 COUNTERTOP EQUIPMENT **WB-100** Water Boiler This 100 cup water boiler is ideal for any institution, church, cafeteria, etc...

lang:en score:20 filesize: 147.73 K page_count: 1 document date: 2012-10-23

100 Cup Water Boiler
100 Tasas Hervidor de Agua

- All parts constructed of heavy duty stainless steel
- Ideal for hot water for tea (water only, no tea contents)
- Variable temperature control knob
- Heat resistant handles and knobs
- Easy to read clear water level gauge
- 100 cup capacity
- 120V, 1350W, 11.25 Amps
- ETL Listed and ETL Sanitation

Adcraft
The more you look, the better we look.

[\[pdf\]](#)

countertopbook indd kenny adcraft WB 100 missions 80 amfilerating file id 81

100 Cup Water Boiler 100 Tasas Hervidor de Agua All parts constructed of heavy duty stainless steel ... 100 cup capacity Capacidad para 100 tasas 120V, 1350W, 11.25 Amps ETL Listed and ETL Sanitation **WB-100** The more you look, the better we look. ...

lang:es score:18 filesize: 114.95 K page_count: 1 document date: 2013-01-21

Adcraft
Adcraft Equipment Corp.

Specifications
Description
Adcraft's stainless steel water boilers are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a water level gauge. The bottom of the unit has a large encapsulated heating element that is waterproof and distributes heat evenly throughout. A variable temperature control knob and heat resistant side handles come standard on each unit. An illuminated power switch lights up to let you know when the unit is on. 120V, 1350W, 11.25 Amps, 3 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Commercial Water Boilers
Models:
☐ WB-100
☐ WB-40

Construction
All stainless steel construction inside and out
Extra large encapsulated heating element for fast and even heating
Cool to touch stainless handles for easy transporting
Available in 40 cup and 100 cup quantities

Operation
Variable temperature control knob ranges from 80°-220°F
Easy to read clear water level gauge with push-pull control
Illuminated power switch and indicator

Electrical
120V, 1350W, 11.25 Amps
3 power cord with NEMA 5-15 plug

Model Features
Non-slip rubber feet for stability
Heat shield on heating element when the unit is heating
Interior and exterior hot beverages warm for an extended period of time

Certifications Approvals
ETL
ETL Sanitation

Adcraft Equipment Corp.
940 South Oyster Bay Rd. • Housatonic, NY 11901 • P 800-225-7700 • F 800-447-7751 • www.adcraft.com

[\[pdf\]](#) Specifications Warranty

WB 40 100 specs indd kenny missions 80 amfilerating file id 9734

Admiral Craft Equipment Corp. Date: _____ Item No.: _____
... tation. This item is backed by Adcraft's 1 year limited warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All stainless steel construction inside and out Extra large encapsulate...

lang:en score:15 filesize: 225.52 K page_count: 2 document date: 2015-05-27

Adcraft
Admiral Craft Equipment Corp.

Date: _____
Item No.: _____
Project No.: _____

Specifications

Description

Adcraft's stainless steel water boilers are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a clear water level gauge. The bottom of the unit has extra large encapsulated heating element that is waterproof and distributes heat evenly throughout. A variable temperature control knob and heat safety lock feature come standard on each unit. An illuminated power switch lights up to let you know when the unit is in use. 120V, 1500W, 11.25 Amps, 2 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cord to front cabinet handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knob ranges from 80°-230°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical

- 120V, 1500W, 11.25 Amps
- 2 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for keeping soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers

Models:
☐ WB-100
☐ WB-40

Certifications/Approvals

Warning: This product is not intended for use as a pressure vessel. Do not use for applications requiring pressure. Do not use for applications requiring high temperature. Do not use for applications requiring high pressure.

Admiral Craft Equipment Corp.
 940 South Ocean Bay Rd. • Hialeah, FL 33010 • P: 954-225-7700 • F: 954-447-7701 • www.admiralcraft.com

[pdf] Specifications Warranty

WB 40 100 specs indd kenny ADCWB100 missionrs 80 amfilerating file id 9085

Admiral Craft Equipment Corp. Date: _____ Item No.:

_____ ... tation. This item is backed by Adcraft s 1 year limited

warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All

stainless steel construction inside and out Extra large encapsulate...

lang:en score:15 filesize: 225.52 K page_count: 2 document date: 2015-05-06

Adcraft
Admiral Craft Equipment Corp.

Date: _____
Item No.: _____
Project No.: _____

Specifications

Description

Adcraft's stainless steel water boilers are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a clear water level gauge. The bottom of the unit has extra large encapsulated heating element that is waterproof and distributes heat evenly throughout. A variable temperature control knob and heat safety lock feature come standard on each unit. An illuminated power switch lights up to let you know when the unit is in use. 120V, 1500W, 11.25 Amps, 2 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cord to front cabinet handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knob ranges from 80°-230°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical

- 120V, 1500W, 11.25 Amps
- 2 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for keeping soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers

Models:
☐ WB-100
☐ WB-40

Certifications/Approvals

Warning: This product is not intended for use as a pressure vessel. Do not use for applications requiring pressure. Do not use for applications requiring high temperature. Do not use for applications requiring high pressure.

Admiral Craft Equipment Corp.
 940 South Ocean Bay Rd. • Hialeah, FL 33010 • P: 954-225-7700 • F: 954-447-7701 • www.admiralcraft.com

[pdf] Specifications Warranty

WB 40 100 specs indd kenny Product Specs Empura E Portable Hot Water Boiler Cup Capacity admiral

craft wb static restaurantsupply media documents specsheets |||

Admiral Craft Equipment Corp. Date: _____ Item No.:

_____ ... tation. This item is backed by Adcraft s 1 year limited

warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All

stainless steel construction inside and out Extra large encapsulate...

lang:en score:15 filesize: 225.61 K page_count: 2 document date: 2014-06-05

Adcraft
Admiral Craft Equipment Corp.

Date: _____
Item No.: _____
Project No.: _____

Specifications

Description

Adcraft's stainless steel water boilers are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a clear water level gauge. The bottom of the unit has extra large encapsulated heating element that is waterproof and distributes heat evenly throughout. A variable temperature control knob and heat safety lock feature come standard on each unit. An illuminated power switch lights up to let you know when the unit is in use. 120V, 1500W, 11.25 Amps, 2 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cord to front cabinet handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knob ranges from 80°-230°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical

- 120V, 1500W, 11.25 Amps
- 2 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for keeping soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers

Models:
☐ WB-100
☐ WB-40

Certifications/Approvals

Warning: This product is not intended for use as a pressure vessel. Do not use for applications requiring pressure. Do not use for applications requiring high temperature. Do not use for applications requiring high pressure.

Admiral Craft Equipment Corp.
 940 South Ocean Bay Rd. • Hialeah, FL 33010 • P: 954-225-7700 • F: 954-447-7701 • www.admiralcraft.com

[pdf] Specifications Warranty

WB 40 100 specs indd kenny 122 WB40 Index of 2022 05 restaurantandmore |||

Admiral Craft Equipment Corp. Date: _____ Item No.:

_____ ... tation. This item is backed by Adcraft s 1 year limited

warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All

stainless steel construction inside and out Extra large encapsulate...

lang:en score:15 filesize: 225.51 K page_count: 2 document date: 2019-07-02

Adcraft
Admiral Craft Equipment Corp.

Name: _____
Item No.: _____
Project No.: _____

Specifications

Description

Adcraft's stainless steel water boilers are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a clear water level gauge. The bottom of the unit has an extra large encapsulated heating element that is waterproof and distributes heat evenly throughout. A variable temperature control knob and heat mats heat side handles come standard on each unit. An illuminated power switch lights up to let you know when the unit is in use. 120V, 1500W, 11.25 Amps, 3 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cool to touch handle handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knob ranges from 80°-230°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical

- 120V, 1500W, 11.25 Amps
- 3 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for keeping soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers

Models:

- ☐ WB-100
- ☐ WB-40

Certifications/Approvals

ETL
ETL Sanitation

Admiral Craft Equipment Corp.
840 South Ocean Bay Rd., Hicksville, NY 11801 • P: 800-222-7700 • F: 800-447-7701 • www.admiralcraft.com

[pdf] Specifications Warranty

WB 40 100 specs indd kenny VIEW SPEC SHEETAdcraft Stainless Steel 60 Cup Water Boiler with Variable Temp C Champs Restaurant SupplySPEC ADC 100cdn shopify s files 1 0950 0340 8968745721720876710 |||

Admiral Craft Equipment Corp. Date: _____ Item No.: _____ ... tion. This item is backed by Adcraft s 1 year limited warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All stainless steel construction inside and out Extra large encapsulate... lang:en score:15 filesize: 225.52 K page_count: 2 document date: 2015-05-06

Adcraft
Admiral Craft Equipment Corp.

Name: _____
Item No.: _____
Project No.: _____

Specifications

Description

Adcraft's stainless steel water boilers are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a clear water level gauge. The bottom of the unit has an extra large encapsulated heating element that is waterproof and distributes heat evenly throughout. A variable temperature control knob and heat mats heat side handles come standard on each unit. An illuminated power switch lights up to let you know when the unit is in use. 120V, 1500W, 11.25 Amps, 3 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cool to touch handle handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knob ranges from 80°-230°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical

- 120V, 1500W, 11.25 Amps
- 3 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for keeping soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers

Models:

- ☐ WB-100
- ☐ WB-40

Certifications/Approvals

ETL
ETL Sanitation

Admiral Craft Equipment Corp.
840 South Ocean Bay Rd., Hicksville, NY 11801 • P: 800-222-7700 • F: 800-447-7701 • www.admiralcraft.com

[pdf] Specifications Warranty Catalog

WB 40 100 specs indd kenny SpecificationsAdmiral Craft Equipment Corp All stainless steel construction inside and out Extra large encapsulated heating element for fast even 1e5e7592 c401 43d1 b08a fe3c0241853fimages thdstatic catalog Images 1e 1e5e7592 fe3c0241853f |||

Admiral Craft Equipment Corp. Date: _____ Item No.: _____ ... tion. This item is backed by Adcraft s 1 year limited warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All stainless steel construction inside and out Extra large encap... lang:en score:15 filesize: 273.55 K page_count: 2 document date: 2016-03-30

Adcraft
Admiral Craft Equipment Corp.

Name: _____
Item No.: _____
Project No.: _____

Specifications

Description

Adcraft's stainless steel water boilers are ideal for any institution, church, cafeteria, etc. All parts are constructed of durable stainless steel and each unit is equipped with a clear water level gauge. The bottom of the unit has an extra large encapsulated heating element that is waterproof and distributes heat evenly throughout. A variable temperature control knob and heat mats heat side handles come standard on each unit. An illuminated power switch lights up to let you know when the unit is in use. 120V, 1500W, 11.25 Amps, 3 power cord with NEMA 5-15 plug, ETL Listed and ETL Sanitation. This item is backed by Adcraft's 1 year limited warranty.

Construction

- All stainless steel construction inside and out
- Extra large encapsulated heating element for fast and even heating
- Cool to touch handle handles for easy transporting
- Available in 40 cup and 100 cup quantities

Operation

- Variable temperature control knob ranges from 80°-230°F
- Easy to read clear water level gauge with quick pour spout
- Illuminated power switch and indicator

Electrical

- 120V, 1500W, 11.25 Amps
- 3 power cord with NEMA 5-15 plug

Model Features

- Non-slip rubber feet for stability
- Also great for keeping soups such as Au Jus, barbecue sauce and other hot beverages warm for an extended period of time

Commercial Water Boilers

Models:

- ☐ WB-100
- ☐ WB-40

Certifications/Approvals

ETL
ETL Sanitation

Admiral Craft Equipment Corp.
840 South Ocean Bay Rd., Hicksville, NY 11801 • P: 800-222-7700 • F: 800-447-7701 • www.admiralcraft.com

[pdf] Specifications Warranty

WB 40 100 specs indd kenny Specificationsmcdonaldpaper media srsltid AfmBOooNbNlbXdFY WcJcD3NypiVMElXnaE tebzew Dgk5Akp62Wyo |||

Admiral Craft Equipment Corp. Date: _____ Item No.: _____ ... tion. This item is backed by Adcraft s 1 year limited warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All stainless steel construction inside and out Extra large encap... lang:en score:15 filesize: 225.7 K page_count: 2 document date: 2015-02-17



[\[pdf\]](#) Specifications Catalog

Adcraft 2010 Catalog Interior ADMW53DFB catalog hillnmarkes ASSETS DOCUMENTS ITEMS EN |||
 Utensils # Equipment # Supplies Serving the Food Service Industry Since 1952
 Distributed by JXT C ... 5 CP-100 Coffee percolator, s/s, 100 cup 1 14 0.062 CP-40
 CP-60 CP-100 COUNTERTOP EQUIPMENT **WB-100** Water Boiler This 100 cup
 water boiler is ideal for any institution, church, cafeteria, etc...
 lang:en score:15 filesize: 4.45 M page_count: 78 document date: 2010-10-27




[\[pdf\]](#) Catalog

Adcraft Spanish Catalog Interior 5 10 11 admiralcraft pub media wysiwyg resources |||
 Utensilios # Equipos # Suministros Sirviendo a la Industria de Servicio de Alimentos
 desde 1952 AD- ... -100 Percolador de caf, acero inox, de 100 tazas 1 14 0.062 CP-
 40 CP-60 CP-100 EQUIPO DE MESON **WB-100** Calentadora de Agua Esta
 calentadora de agua de 100 tazas es ideal para cualquier institucin...
 lang:es score:14 filesize: 4.7 M page_count: 80 document date: 2011-05-10



[\[pdf\]](#)

countertopbook indd kenny Admiral Craft Resources Equipment Corp Electricequipbook 0616
 admiralcraft pub media wysiwyg resources |||
 Electric Product Line July 2017 Admiral Craft Equipment Corporation 800 Shames
 Drive Westbury, NY 11 ... tation. This item is backed by Adcraft s 1 year limited
 warranty. Commercial Water Boilers Models: **WB-100** WB-40 Construction All
 stainless steel construction inside and out Extra large encapsulate...
 lang:es score:14 filesize: 6.93 M page_count: 77 document date: 2017-06-30



[\[pdf\]](#) Borchure Catalog

Adcraft 2010 Catalog Interior Brochure Admiral Craft Refrigeration Greenfield World Trade
 Adcraft2010Catalog10 27 10 1660848601659 cdn shopify s files 1 0523 2846 4548 t 3 assets |||
 Utensils # Equipment # Supplies Serving the Food Service Industry Since 1952 AD-
 110 Trade Discoun ... 5 CP-100 Coffee percolator, s/s, 100 cup 1 14 0.062 CP-40 CP-
 60 CP-100 COUNTERTOP EQUIPMENT **WB-100** Water Boiler This 100 cup water
 boiler is ideal for any institution, church, cafeteria, etc...
 lang:en score:13 filesize: 4.8 M page_count: 80 document date: 2022-08-17



[\[pdf\]](#) Borchure

Descargar Brochure Olla Adcraft 100Qt SSP 100 METALGAS SRL WB metalgas do 2017 03 |||

100 Cup Water Boiler 100 Tasas Hervidor de Agua All parts constructed of heavy duty stainless steel ... sas 120V, 1350W, 11.25 Amps ETL Listed and ETL Sanitation The more you look, the better we look. **WB-100** ...

lang:es score:11 filesize: 295.82 K page_count: 1 document date: 2011-08-02



[\[pdf\]](#) Catalog

Adcraft 2010 Catalog Interior Utensils Equipment Supplies Rice Cookers This premium 30 cup rice cooker cooks and holds warm Includes s lid with clear viewing top aluminum insert easy to read measurements oversized plastic fork 4 measuring Cool the touch side handles offer mobility Keep feature keeps for extended periods 10 27 admiralcraft pub media wysiwyg resources Admiral Craft Corporation Corp Product Bunn Coffee Brewer 54300 0101 Capital City Restaurant Supply ||| Utensils # Equipment # Supplies Serving the Food Service Industry Since 1952 AD-110 Trade Discoun ... 5 CP-100 Coffee percolator, s/s, 100 cup 1 14 0.062 CP-40 CP-60 CP-100 COUNTERTOP EQUIPMENT **WB-100** Water Boiler This 100 cup water boiler is ideal for any institution, church, cafeteria, etc...

lang:en score:11 filesize: 5.05 M page_count: 80 document date: 2010-10-27