

[manuals.plus](#) /› [Nissan](#) /› [Genuine Nissan 999A2-VX000 In-Cabin Microfilter Instruction Manual](#)

Nissan 999A2-VX000

Genuine Nissan 999A2-VX000 In-Cabin Microfilter Instruction Manual

Model: 999A2-VX000

1. INTRODUCTION

This manual provides essential information for the proper installation, maintenance, and understanding of your Genuine Nissan 999A2-VX000 In-Cabin Microfilter. Adhering to these instructions will help ensure optimal performance and longevity of the product.

The Nissan In-Cabin Microfilter is designed to enhance the air quality within your vehicle's passenger compartment by filtering out various airborne contaminants.

2. PRODUCT OVERVIEW

The Genuine Nissan 999A2-VX000 In-Cabin Microfilter is a critical component of your vehicle's heating, ventilation, and air conditioning (HVAC) system. It works to purify the air entering the cabin, contributing to a more comfortable and healthier driving environment.

Key Features:

- **Filters Outside Air:** Effectively removes dust, pollen, and other particulate matter from the air drawn into the cabin.
- **Carbon Activated:** Incorporates activated carbon to help reduce unpleasant odors.
- **Vehicle Compatibility:** Specifically designed for 2009-2015 Nissan GT-R models.



This image displays the Genuine Nissan 999A2-VX000 In-Cabin Microfilter. It features a rectangular shape with numerous pleats of filter material, designed to capture airborne particles. The filter appears light-colored, indicating its clean, unused state, ready for installation.

3. INSTALLATION

The installation process for an in-cabin microfilter varies by vehicle model. The following steps provide a general guide. **Always refer to your specific vehicle's owner's manual or service manual for precise instructions and safety precautions.**

General Installation Steps:

- 1. Locate Filter Housing:** Identify the cabin air filter housing in your Nissan GT-R. This is commonly found behind the glove compartment or under the dashboard on the passenger side.
- 2. Access Housing:** Open or remove the access panel or glove compartment as instructed by your vehicle's manual. This may involve releasing clips, unscrewing fasteners, or detaching hinges.
- 3. Remove Old Filter:** Carefully pull out the old cabin air filter. Note the direction of the airflow arrow (if present) on the old filter, as the new filter must be installed in the same orientation.
- 4. Insert New Filter:** Insert the new Genuine Nissan 999A2-VX000 In-Cabin Microfilter into the housing. Ensure the airflow arrow on the new filter points in the correct direction, matching the orientation of the filter being replaced.

- Secure Housing:** Close the filter housing cover and reassemble any panels or the glove compartment that were removed. Ensure all clips and fasteners are securely engaged.
- Test System:** Start your vehicle and test the HVAC system (fan speed, air conditioning, heat) to confirm proper airflow and operation.

Important Safety Note: If you are unsure about any step, it is recommended to seek assistance from a qualified Nissan service technician.

4. MAINTENANCE

Regular replacement of your in-cabin microfilter is essential for maintaining optimal air quality and HVAC system efficiency.

Recommended Replacement Interval:

- It is generally recommended to replace the in-cabin microfilter every 12,000 to 15,000 miles or once a year, whichever comes first.
- Driving in dusty environments, areas with high pollen counts, or heavy traffic may necessitate more frequent replacement.
- A clogged or dirty filter can lead to reduced airflow from your vehicle's vents, decreased HVAC system performance, and a buildup of unpleasant odors.

5. TROUBLESHOOTING

If you encounter issues after installing or using your in-cabin microfilter, consider the following:

- Reduced Airflow:** If the airflow from your vehicle's vents is noticeably weaker, ensure the filter is correctly seated within its housing and that the housing cover is securely closed. Verify the filter's orientation matches the required airflow direction.
- Persistent Odors:** While the carbon-activated filter is designed to reduce odors, persistent strong odors may indicate that the filter needs replacement sooner than recommended, or there might be other issues within your vehicle's HVAC system that require professional inspection.
- Unusual Noises:** If you hear whistling or flapping noises, check that the filter is properly installed and not bent or damaged, allowing air to bypass it or causing vibration.

6. SPECIFICATIONS

Model Number	999A2-VX000
Brand	Nissan
Item Weight	2.39 ounces
Compatible Devices	Vehicle Air Conditioning Systems (specifically 2009-2015 Nissan GT-R)
Manufacturer Part Number	999A2-VX000
OEM Part Number	999A2-VX000

7. WARRANTY AND SUPPORT

For specific warranty information regarding your Genuine Nissan 999A2-VX000 In-Cabin Microfilter, please

refer to the documentation provided with your purchase or contact your authorized Nissan dealer. For technical support or further assistance, please reach out to Nissan customer service or visit the official Nissan website.

© 2023 Nissan. All rights reserved. This manual is for informational purposes only.