

[Manuals.plus](#) /

› [UPBRIGHT](#) /

› UpBright 5V AC/DC Power Adapter User Manual for Pandigital Panimage Digital Photo Frames

UPBRIGHT PI7000W01

UpBright 5V AC/DC Power Adapter User Manual

MODEL: PI7000W01 SERIES COMPATIBLE

Introduction

This manual provides essential information for the safe and effective use of your UpBright 5V AC/DC Power Adapter. This adapter is designed to provide reliable power to compatible Pandigital Panimage digital photo frames. Please read these instructions carefully before use.

What's in the Box

- 1 x UpBright 2-Pin Power Adapter

Important Compatibility Note

This adapter is ONLY for 5V versions of Pandigital Panimage digital photo frames. It is NOT compatible with 9VDC or 12V versions. Please verify the voltage requirements of your device before connecting the adapter to prevent damage.




The UpBright 5V AC/DC Power Adapter, designed for compatibility with various Pandigital Panimage digital photo frames.

Setup

1. **Verify Device Compatibility:** Before connecting, ensure your digital photo frame requires a 5V DC input. Check your device's specifications or original power adapter for voltage and current ratings.
2. **Check Polarity:** Confirm that the polarity of the adapter's barrel connector matches your device. This adapter features a center-positive polarity. Incorrect polarity can damage your device.

Come With A Suitable Outlet Adapter (Only One) to Fit
Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



This image illustrates the correct polarity for the power adapter (center positive) and includes information regarding the UpBright Limited Warranty Certificate.

3. **Connect to Device:** Insert the barrel connector of the power adapter firmly into the DC input port of your digital photo frame.
4. **Connect to Power Outlet:** Plug the AC prongs of the adapter into a standard 100-240VAC 50/60Hz wall outlet.
5. **Power On:** Once connected, your device should receive power. Refer to your device's manual for specific power-on procedures.





A close-up of the barrel connector, which plugs into the compatible digital photo frame. Ensure this connector matches your device's power input.

Operating Instructions

The UpBright 5V AC/DC Power Adapter functions as a direct power source for your compatible digital photo frame. Once connected to both the device and a power outlet, it continuously supplies the necessary 5V DC power.

- Ensure the adapter is securely plugged into both the wall outlet and the device.
- Avoid bending or crimping the power cord excessively to prevent internal damage.
- Disconnect the adapter from the power outlet when not in use for extended periods.



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



A view of the UpBright AC/DC adapter, highlighting the standard US two-prong plug and the connected output cable.

Maintenance

To ensure the longevity and proper functioning of your power adapter, follow these maintenance guidelines:

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a dry, soft cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid wrapping the cord too tightly around the adapter.
- **Inspection:** Periodically inspect the power cord and connector for any signs of damage, such as fraying, cuts, or bent pins. If damage is observed, discontinue use and replace the adapter.

Troubleshooting

If you encounter issues with your UpBright power adapter, consider the following:

- **Device Not Powering On:**
 - Ensure the adapter is securely plugged into both the wall outlet and the device.
 - Verify that the wall outlet is functional by testing it with another device.
 - Double-check that your device requires 5V DC input and that the adapter's polarity is correct (center positive).
 - Inspect the adapter's cable and connector for any visible damage.
- **Adapter Feels Warm:** It is normal for power adapters to become slightly warm during operation. If the adapter becomes excessively hot or emits a burning smell, disconnect it immediately and discontinue use.
- **Connector Does Not Fit:** This adapter uses a standard barrel connector. If it does not fit your device, it may indicate an incompatibility with the connector size or type. Do not force the connector.

Specifications

Feature	Specification
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	5V DC
Output Current	1.5A - 2.0A (1500mA - 2000mA)
Wattage	10 Watts
Connector Type	Barrel Connector
Polarity	Center Positive
Protection Features	OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)
Dimensions	Approximately 4 x 3 x 2 inches
Weight	Approximately 3.52 ounces

Compatible Devices (Partial List):

- Pandigital Panimage PI7000W01, P17000W01, PI9001DW
- PAN7059MW03, PAN7056W01T, 707B
- PI7002AW, PI7002AWB, PI8004W01B, PI7056AWB
- PAN7000DW, PAN7000DWFR, PAN8004W01C



Side profile of the UpBright AC/DC adapter, showing its compact design.

Warranty and Support

Your UpBright power adapter comes with a Limited Warranty. Please refer to the warranty certificate included with your product for full details.

- **Refund Policy:** UpBright offers a 30-day refund policy from the date of purchase.
- **Exchange Policy:** A 24-month exchange policy is provided for defective units.

For technical support or warranty claims, please contact UpBright customer service through the retailer where the product was purchased.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B00F891PDE>

More documents and user manuals: <https://manuals.plus/>