

## Securitron DPS-W-WH

# Securitron DPS-W-WH Door Position Switch User Manual

Model: DPS-W-WH | Brand: Securitron

## 1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, maintenance, and troubleshooting of the Securitron DPS-W-WH Door Position Switch. Please read this manual thoroughly before installation and use to ensure proper functionality and safety.

## 2. PRODUCT OVERVIEW

The Securitron DPS-W-WH is a concealed door position switch designed for use with wood doors. It consists of a magnetic switch and a cylindrical permanent magnet, which work together to detect the open or closed status of a door. This model features a Normally Closed (SPST) contact type.



**Figure 1:** The Securitron DPS-W-WH Door Position Switch components. This image displays the two main components of the Securitron DPS-W-WH Door Position Switch: a magnetic switch and a cylindrical permanent magnet. Both are white and connected by white wiring, designed for concealed installation.

#### **Key Features:**

- Concealed installation for aesthetic integration.
- Designed for wood doors.
- Normally Closed (SPST) contact type.
- Includes a magnetic switch and a cylindrical permanent magnet.
- Requires drilling a 3/4 inch (19mm) diameter hole for both components.
- Operating distance typically 1/2 inch to 3/4 inch (12-18mm), depending on door type and gap.

### 3. SETUP AND INSTALLATION

---

Proper installation is crucial for the reliable operation of the DPS-W-WH switch. Follow these steps carefully:

1. **Preparation:** Ensure the door and frame surfaces are clean and free from obstructions. Identify the exact location on the door and frame where the switch components will be installed.
2. **Drilling Holes:** Both the magnetic switch and the cylindrical permanent magnet require a 3/4 inch (19mm) diameter hole. These holes must be drilled directly opposite one another in the door and its corresponding frame. Precision is key to ensure proper alignment.
3. **Component Insertion:** Insert the magnetic switch into the drilled hole in the door frame and the cylindrical permanent magnet into the drilled hole in the door. Ensure they are flush with the surface for a concealed finish.
4. **Wiring:** Connect the wires from the magnetic switch to your control panel or monitoring system. The DPS-W-WH is a Normally Closed (NC) switch, meaning the circuit is closed when the door is closed (magnet and switch are aligned) and opens when the door is opened (magnet and switch are separated).
5. **Testing:** After installation, test the switch by opening and closing the door. Verify that your control system accurately detects the door's position. The optimal operating distance between the magnet and switch is typically within the 1/2 inch to 3/4 inch (12-18mm) range.

**Note:** While primarily designed for wood doors, the large magnet included with this switch is capable of overcoming the shielding effect of a steel door, should such an application be necessary, provided the installation guidelines are strictly followed.

### 4. OPERATING INSTRUCTIONS

---

The Securitron DPS-W-WH operates automatically based on the door's position. When the door is closed, the magnetic switch and the permanent magnet are in close proximity, maintaining a closed circuit (Normally Closed operation). When the door is opened, the magnet moves away from the switch, causing the circuit to open. This change in circuit status signals the door's position to the connected security or access control system.

### 5. MAINTENANCE

---

The Securitron DPS-W-WH Door Position Switch is designed for minimal maintenance. Regular checks can help ensure its longevity and reliable performance:

- **Visual Inspection:** Periodically inspect the visible parts of the switch (if any) and the surrounding area for any signs of damage or wear.
- **Cleanliness:** Keep the area around the switch components clean to prevent debris from interfering with its operation. Use a soft, dry cloth for cleaning.
- **Functionality Test:** Regularly test the switch's functionality by opening and closing the door and verifying the signal with your connected system.
- **Wiring Check:** Ensure all wiring connections remain secure and free from corrosion.

### 6. TROUBLESHOOTING

---

If the door position switch is not functioning as expected, consider the following troubleshooting steps:

- **No Signal/Incorrect Signal:**
  - **Alignment:** Verify that the magnetic switch and the permanent magnet are perfectly aligned when the door is closed. Misalignment is a common cause of issues.
  - **Gap Distance:** Check the gap between the magnet and the switch. If the gap exceeds the

recommended 1/2 inch to 3/4 inch (12-18mm) range, the switch may not activate reliably.

- **Wiring:** Inspect all wiring connections for looseness, damage, or incorrect polarity. Ensure the wires are securely terminated.
- **Switch Damage:** Although rare, the switch or magnet could be physically damaged. If other troubleshooting steps fail, consider replacing the unit.

- **Intermittent Operation:**

- **Door Movement:** Ensure the door closes consistently to the same position. Excessive door play or movement can cause intermittent signals.
- **Environmental Factors:** Strong magnetic fields from other devices nearby could potentially interfere with the switch's operation.

## 7. SPECIFICATIONS

---

The following table details the technical specifications for the Securitron DPS-W-WH Door Position Switch:

Specification	Value
Model Number	DPS-W-WH
Product Dimensions	3.3 x 6.1 x 0.5 inches
Item Weight	0.32 ounces
Operation Mode	Automatic
Contact Type	Normally Closed (SPST)
Connector Type	Screw Terminals
Terminal	Screw
Circuit Type	1-way
Mounting Type	Flush-Mounted
Contact Material	Metal
Number of Positions	2
Recommended Hole Diameter	3/4 inch (19mm)
Operating Distance	1/2 inch - 3/4 inch (12-18mm)

## 8. WARRANTY INFORMATION

---

Securitron products are backed by a comprehensive warranty. For specific details regarding the warranty period and terms for the DPS-W-WH Door Position Switch, please refer to the official Securitron website or contact their customer support directly. Keep your proof of purchase for warranty claims.

## 9. SUPPORT

---

For technical assistance, product inquiries, or further support, please contact Securitron customer service. You can typically find contact information, including phone numbers and email addresses, on the official Securitron website. When contacting support, please have your product model number (DPS-W-WH) and any relevant details about your issue ready.

Related Documents

	<p><a href="#">DPS Door Position Switches - Securitron</a></p> <p>Securitron DPS-W and DPS-M door position switches enable access control systems to monitor the open or closed state of a door. Features include magnetic switch, recessed installation, and MagnaCare lifetime replacement warranty.</p>
	<p><a href="#">Securitron IK and IKM Installation Tool Kit Instructions</a></p> <p>Comprehensive instructions for using the Securitron IK and IKM Installation Tool Kit, designed to improve the speed and quality of Magnalock installations for models 62 and 32. Covers drill guide usage, blind nut collapsing tool operation, and recommended additional tools.</p>
	<p><a href="#">DR100 Aperio® Wireless Card Reader with Relay (BASIC MODE) - Installation and Operating Instructions</a></p> <p>Comprehensive installation and operating instructions for the Securitron DR100 Aperio® Wireless Card Reader with Relay, covering product components, wiring, installation modes, specifications, and LED codes. Includes details on standard and secure installation kits, wiring terminals, jumper settings, and common operational modes.</p>
	<p><a href="#">Securitron M8 Managed Power Control Module Quick Start Guide</a></p> <p>Quick start guide for the Securitron M8 Managed Power Control Module, detailing zone inputs, outputs, FlexIO connectors, LEDs, fault indicators, and wiring instructions for access control systems.</p>




## [pdf] Specifications Warranty Catalog

120111 SMC Catalog Section02 indd SECURITRON DPS M GY 332587 none SENSOR 418244 US Spec Sheet 06 22 2012 sara collazo Click to View Securiton Magnalock Corp Door Position Switch Fo Specification alldataresource assets |||

MAG LOCKS ELECTROMECH LOCKS SPECIALTY LOCKS DPS Door Position Switches DPS-W and DPS-M door posi ... o 65C MODELS Part # Description DPS-W-BK DPS - Wood Door, Black DPS-W-GY DPS - Wood Door, Gray **DPS-W-WH** DPS - Wood Door, White DPS-M-BK DPS - Metal Door, Black DPS-M-GY DPS - Metal Door, Gray DP...

lang:en score:20 filesize: 119.1 K page\_count: 1 document date: 2012-07-12




## [pdf] Instructions Accessories Catalog

AA Project Catalogue Accessories LR assaabloy hk en product assets accessories documents Assa Abloy 7 feb 2022 — Shown below is a small selection of our many architectural door pulls Rockwood closet pull Simple installation instructions are provided |||

Accessories The global leader in door opening solutions condensed c atalog Push Plates Door Pull ... DPS for Metal Doors -White DPS-W-BK DPS forWood Doors - Black DPS-W-GY DPS forWood Doors - Grey **DPS-W-WH** DPS forWood Doors - White Product features Mated magnetic switch and magnetic contact Rec...

lang:en score:20 filesize: 4.56 M page\_count: 110 document date: 2016-11-22




## [pdf] Borchure

New DPS Colored Sheet dsaxon ASSA ABLOY Securiton Door Position Switches Brochurelockmasters images uploaded Brochure |||

Door Position Switches DPS For Wood or Metal Door Applications Used to monitor the status of a d ... Switching Current AC/DC max : 0.4A - 0.5A How To Order Available DPS Colors DPS-W-BK DPS-W-GY **DPS-W-WH** DPS-M- BK DPS-M- GY DPS-M- WH J-1055-04F Door Position Switch - Wood Door, Black Door Posi...

lang:en score:20 filesize: 292.47 K page\_count: 1 document date: 2008-01-07




[\[pdf\]](#) Price List

Securitron 2015 Pricelist topnotchinc docs pricebooks

PRICE LIST 20 15 The Leader in Electronic Locking Products and Systems Part # Description AKG ... 8 DKC DK-CPSS DM62 DM62B DM62BD DM62B-OS DM62D DM62-OS DPS-M-BK DPS-M-GY DPS-M-WH DPS-W-BK DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKI DSB-BKI42 DSB-BKI48 DSB-CL DSB-CL42 DSB-CL48 DSB-CLI Desc...

lang:af **score:19** filesize: 606.16 K page\_count: 8 document date: 2016-01-12




[\[pdf\]](#) Price List

Securitron PriceBook 2015 s3 absupply net amazonaws |||

PRICE LIST 20 15 The Leader in Electronic Locking Products and Systems Part # Description AKG ... 8 DKC DK-CPSS DM62 DM62B DM62BD DM62B-OS DM62D DM62-OS DPS-M-BK DPS-M-GY DPS-M-WH DPS-W-BK DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKI DSB-BKI42 DSB-BKI48 DSB-CL DSB-CL42 DSB-CL48 DSB-CLI Desc...

lang:af **score:19** filesize: 622.66 K page\_count: 8 document date: 2014-11-25




[\[pdf\]](#) Price List

Securitron Price List 2016 topnotchinc docs pricebooks

2016 PRICELIST The Leader in Electronic Locking Products and Systems Effective Date: February 1, 2 ... C-38C DK-CPSS DM62 DM62B DM62BD DM62B-OS DM62D DM62-OS DPS-M-BK DPS-M-GY DPS-M-WH DPS-W-BK DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKI DSB-BKI42 Description Electrical Power Transfer - US10B/6...

lang:af **score:18** filesize: 469.3 K page\_count: 8 document date: 2016-02-01




[\[pdf\]](#)

Securitron PriceBook 2016 s3 absupply net amazonaws |||

2016 PRICELIST The Leader in Electronic Locking Products and Systems Effective Date: February 1, 2 ... C-38C DK-CPSS DM62 DM62B DM62BD DM62B-OS DM62D DM62-OS DPS-M-BK DPS-M-GY DPS-M-WH DPS-W-BK DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKI DSB-BKI42 Description Electrical Power Transfer - US10B/6...

lang:af **score:18** filesize: 482.96 K page\_count: 8 document date: 2015-11-30






### [\[pdf\]](#) Price List

Securiton Price List 2017 s3 absupply net amazonaws |||

The Leader in Electronic Locking Products and Systems 2017 PRICELIST Effective Date: February 1, 201 ... C-38C DK-CPSS DM62 DM62B DM62BD DM62B-OS DM62D DM62-OS DPS-M-BK DPS-M-GY DPS-M-WH DPS-W-BK DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKI DSB-BKI42 Description Electrical Power Transfer - US10B/6...

lang:af **score:18** filesize: 1.08 M page\_count: 8 document date: 2016-12-02



### [\[pdf\]](#) Warranty Accessories Catalog

Securiton Product Catalog Catalog2012 topnotchinc docs catalogs absupply net

The Leader in Innovative Access Control Accessories 2012 Catalog ASSA ABLOY, the global leader in do ... o 65C models Part # Description DPS-W-BK DPS - Wood Door, Black DPS-W-GY DPS - Wood Door, Gray **DPS-W-WH** DPS - Wood Door, White DPS-M-BK DPS - Metal Door, Black DPS-M-GY DPS - Metal Door, Gray DP...

lang:en **score:18** filesize: 7.16 M page\_count: 116 document date: 2012-04-04




### [\[pdf\]](#) Accessories

121218 SMC Pricelist FullSize Cover sara collazo Securiton 2013 absupply net

2013 PRICELIST The Leader in Access Control Accessories AKG Adhesive Kit for GDB AOS-62 Strike ... 1,081.00 DM62BD DM62B-OS DM62D DM62-OS DPA-12 DPA-24 DPS-M-BK DPS-M-GY DPS-M-WH DPS-W-BK DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKA DSB-BKA42 DSB-BKA48 DSB-BKI DSB-BKI42 DSB-BKI48 DSB-BKIA D...

lang:nl **score:18** filesize: 781.94 K page\_count: 8 document date: 2012-12-28



### [\[pdf\]](#) Accessories

dwvi9lnoau63q cloudfront net securiton pricebooks SEC pricebook 4 2023 Securiton Price Book

effective 17 PDB 8C2 Power Distribution Board 8 PTC Outputs 193 Amps Each B and H Depot Door Hardware Shop Resources Electric Locks Access Control Systems SECLOCK |||

Product Pricelist U.S. Canada Effective Date: April 17, 2023 Product Pricelist U.S. Canada Eff ... DPS-M-WH For Metal Doors, White DPS-W-BK For Wood Doors, Black DPS-W-GY For Wood Doors, Grey **DPS-W-WH** For Wood Doors, White PRICE 36 36 36 27 27 27 Updated 3/9/23 Printed in the U.S.A....

lang:en **score:18** filesize: 8.42 M page\_count: 36 document date: 2023-03-09





[\[pdf\]](#) Accessories

121218 SMC Pricelist FullSize Cover sara collazo Securiton 2013 s3 absupply net amazonaws |||

2013 PRICELIST The Leader in Access Control Accessories AKG Adhesive Kit for GDB AOS-62 Strike ... 1,081.00 DM62BD DM62B-OS DM62D DM62-OS DPA-12 DPA-24 DPS-M-BK DPS-M-GY DPS-M-WH DPS-W-BK DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKA DSB-BKA42 DSB-BKA48 DSB-BKI DSB-BKI42 DSB-BKI48 DSB-BKIA D...

lang:nl **score:17** filesize: 794.95 K page\_count: 8 document date: 2012-12-28



[\[pdf\]](#) Warranty Accessories Catalog

DSB Dual Sense Bar EL CLA 36 Clear ElectroLynx Anti Microbial Edge Timer 3 sec Anodized DTSB BK Dummy TSB w End Caps AA Project Catalogue Accessories@SECURITRON Control Products assaabloy hk en product assets accessories securiton1 documents |||

MAG LOCKS ACCESS CONTROL PRODUCTS ELECTROMECH LOCKS SPECIALTY LOCKS EXIT DEVICES ENTRY DEVICES ... DPS for Metal Doors - White DPS-W-BK DPS for Wood Doors - Black DPS-W-GY DPS for Wood Doors - Grey **DPS-W-WH** DPS for Wood Doors -White Product features Mated magnetic switch and magnetic contact Rec...

lang:en **score:17** filesize: 776.46 K page\_count: 12 document date: 2016-11-22



[\[pdf\]](#) Guide Accessories Catalog

P R O D U C T A L G ASSA ABLOY Opening Solutions NZ The M38 requires 2 25 inches of flat mounting space 1 70 43mm 10 50 266mm 52 64mm SFP UHB DC TJ 800 MAGLOCK securiton 7 600 lbs holding force Magnalock with automatic dual voltage Securiton Catalogue 2010 eshop

assaabloyopeningsolutions nz media B2BUserGuide |||

2010 PRODUCT CATALOG YOUR SINGLE SOURCE FOR ACCESS CONTROL ACCESSORIES Intelligence iMXDa The iMXD ... ax : 0.4A Warranty: MagnaCare Lifetime Replacement Warranty How To Order Part # DPS-W-BK DPS-W-GY **DPS-W-WH** DPS-M-BK DPS-M-GY DPS-M-WH Description Door Position Switch - Wood Door, Black Door Positi...


lang:en **score:16** filesize: 5.68 M page\_count: 76 document date: 2010-02-17



## [pdf] Warranty Catalog


J105504F Catalog jmacfiles s3 amazonaws |||

mag locks electroMech Locks Specialty locks exit devices entry devices DPS Door Position Switch ... DPS for Metal Doors -White DPS-W-BK DPS forWood Doors - Black DPS-W-GY DPS forWood Doors - Grey **DPS-W-WH** DPS forWood Doors - White Product features Mated magnetic switch and magnetic contact Rec... lang:en score:15 filesize: 165.04 K page\_count: 1 document date: 2014-01-08



## [pdf]

New DPS Colored Sheet dsaxon M alpscontrols dps m wsheet cdn epartsservices docs alarm controls corporation ||| Door Position Switches DPS For Wood or Metal Door Applications Used to monitor the status of a d ... Switching Current AC/DC max : 0.4A - 0.5A How To Order Available DPS Colors DPS-W-BK DPS-W-GY **DPS-W-WH** DPS-M- BK DPS-M- GY DPS-M- WH J-1055-04F Door Position Switch - Wood Door, Black Door Posi... lang:en score:14 filesize: 292.47 K page\_count: 1 document date: 2008-01-07



## [pdf] Warranty

PD511374 objects eanixter


SMART MAGNALOCKS DURABLE MAGNALOCKS SPECIALTY LOCKS EXIT DEVICES ENTRY DEVICES DPS Door Positio ... DPS for Metal Doors -White DPS-W-BK DPS forWood Doors - Black DPS-W-GY DPS forWood Doors - Grey **DPS-W-WH** DPS forWood Doors -White PRODUCT FEATURES Multi-functional control timer provides relay a... lang:en score:14 filesize: 112.65 K page\_count: 1 document date: 2017-11-08



## [pdf] Warranty Accessories

SEC BADPA12 sesonline media wysiwyg products |||

smart magnalocks durable magnalocks DPS Door Position Switches DPS-W and DPS-M door position switc ... DPS for Metal Doors -White DPS-W-BK DPS forWood Doors - Black DPS-W-GY DPS forWood Doors - Grey **DPS-W-WH** DPS forWood Doors -White Product features Multi-functional control timer provides relay a...  
lang:en **score:14** filesize: 214.2 K page\_count: 1 document date: 2015-01-14




## [pdf] Accessories

Untitled 589382 sweets construction swts content files 151595 |||

EXTRAS RESOURCES mag locks electroMech Locks Specialty locks exit devices entry devices Ele ... .800.MAGLOCK SECURITRON.COM power transfer power supplies power accessories resources DPS-W-GY **DPS-W-WH** DSB-BK DSB-BK42 DSB-BK48 DSB-BKA DSB-BKA42 DSB-BKA48 DSB-BKI DSB-BKI42 DSB-BKI48 DSB-BKIA D...

lang:en **score:14** filesize: 1.02 M page\_count: 14 document date: 2012-05-01



## [pdf] Datasheet Accessories

131231 01 LP Maglocks WEB indd Sara WEMB DataSheet jmacfiles s3 amazonaws |||

MAG LOCKS ACCESS CONTROL PRODUCTS ELECTROMECH LOCKS SPECIALTY LOCKS EXIT DEVICES ENTRY DEVICES ... DPS for Metal Doors - White DPS-W-BK DPS forWood Doors - Black DPS-W-GY DPS forWood Doors - Grey **DPS-W-WH** DPS forWood Doors -White Product features Mated magnetic switch and magnetic contact Rec...

lang:en **score:12** filesize: 1.62 M page\_count: 30 document date: 2014-01-14



[\[pdf\]](#) Accessories

access control Sweets Construction DSB dependable touch and Mechanical release for superior safety redundancy The Dual Sense Bar is the most reliable exit device 589378 sweets construction swts content files 151595 |||

access control Products mag locks electroMech Locks Specialty locks exit devices entry devices ... o 65C models Part # Description DPS-W-BK DPS - Wood Door, Black DPS-W-GY DPS - Wood Door, Gray **DPS-W-WH** DPS - Wood Door, White DPS-M-BK DPS - Metal Door, Black DPS-M-GY DPS - Metal Door, Gray DP...  
lang:en score:12 filesize: 1.6 M page\_count: 28 document date: 2012-05-01



[\[pdf\]](#) Instructions Troubleshooting Guide Specifications Accessories Borchure Diagram

U022254 Brochure content interlinebrands product document 10108

2 0 1-800-MAGLOCK 1 www.securitron.com 1 Contents Electromagnetic Locks Accessories M32, ... ax : 0.4A Warranty: MagnaCare Lifetime Replacement Warranty How To Order Part # DPS-W-BK DPS-W-GY **DPS-W-WH** DPS-M-BK DPS-M-GY DPS-M-WH Description Door Position Switch - Wood Door, Black Door Positi...  
lang:en score:11 filesize: 5.3 M page\_count: 84 document date: 2011-05-06