

Fieldpiece SPK3

Fieldpiece SPK3 Folding ROD Dual Temperature Thermometer with 8:1 Infrared Gun User Manual

Model: SPK3

1. INTRODUCTION

The Fieldpiece SPK3 is a versatile dual-temperature thermometer designed for HVACR professionals. It combines a folding rod temperature probe for in-duct measurements with an 8:1 infrared (IR) gun for non-contact surface temperature readings. This device features a convenient flip display, Max/Min, Hold, and T1-T2 functions, and a robust design for field use.



Image 1.1: The Fieldpiece SPK3 thermometer, showing its folding rod probe extended and the infrared sensor. The display shows temperature readings.

2. SETUP

2.1 Battery Installation

1. Locate the battery compartment cover on the back of the unit.
2. Use a small screwdriver or coin to open the battery compartment.
3. Insert two (2) AAA batteries, ensuring correct polarity (+/-). The batteries are included with the device.
4. Replace the battery compartment cover and secure it.

2.2 Initial Power On

Press the **ON/OFF** button to power on the device. The display will illuminate, and the thermometer will be ready for use.

3. OPERATING INSTRUCTIONS

3.1 General Operation

- **Power On/Off:** Press the **ON/OFF** button to turn the unit on or off.
- **Unit Selection:** Press the **°C/°F** button to switch between Celsius and Fahrenheit temperature units.
- **Backlight:** The display is backlit for visibility in low-light conditions.

3.2 Folding Rod (ROD) Mode

The folding rod probe is designed for accurate in-duct temperature measurements.

1. **Deploying the Probe:** Gently unfold the rod probe from the main body of the thermometer. Detents will lock the probe into various open positions, allowing for partial or full extension.
2. **In-Duct Measurement:** Insert the piercing tip of the rod into the ductwork. The rod hook allows the SPK3 to hang hands-free from registers or ductwork, providing stable readings.
3. **Display Orientation:** The backlit display automatically flips its orientation when the unit is hung or positioned in ROD mode, ensuring readings are always upright.

3.3 Infrared (IR) Mode

The 8:1 infrared gun provides quick, non-contact surface temperature measurements.

1. **Activating IR:** Point the infrared sensor (located at the top of the unit) towards the target surface.
2. **Measurement:** Press and hold the **IR** button to take a reading. The temperature will be displayed on the screen. Release the button to hold the reading.
3. **Distance-to-Spot Ratio:** The 8:1 ratio means that at a distance of 8 inches, the measurement spot size is 1 inch. Ensure you are close enough to the target for accurate readings.

3.4 Advanced Functions

- **MAX/MIN:** Press the **MAX/MIN** button to view the maximum or minimum temperature recorded during a measurement session.
- **HOLD:** Press the **HOLD** button to freeze the current temperature reading on the display. Press again to release.
- **T1-T2:** The SPK3 can quickly calculate the temperature difference between two readings (T1-T2) using either IR or ROD mode. Refer to the on-screen prompts for specific instructions on using this function.

4. MAINTENANCE

4.1 Cleaning

To clean the SPK3, wipe the exterior with a damp cloth. Do not use abrasive cleaners or immerse the unit in water. Ensure the infrared lens and probe tip are kept clean for accurate measurements.

4.2 Battery Replacement

When the battery indicator appears on the display, replace the AAA batteries as described in Section 2.1.

4.3 Storage

When not in use, fold the rod probe back into the body of the thermometer for protection. Store the unit in a dry environment, away from extreme temperatures and direct sunlight.

5. TROUBLESHOOTING

- **No Display/Unit Not Turning On:**

- Check battery installation and ensure correct polarity.
- Replace batteries with fresh ones.

- **Inaccurate Readings (ROD Probe):**

- Ensure the probe tip is clean and free from debris.
- Allow sufficient time for the probe to stabilize to the measured temperature.
- Verify the probe is fully inserted into the measurement area.

- **Inaccurate Readings (IR Gun):**

- Ensure the IR lens is clean.
- Maintain the correct distance-to-spot ratio (8:1).
- Avoid measuring highly reflective surfaces, as IR thermometers may provide inaccurate readings on such materials.

- **Display Not Flipping:**

- Ensure the unit is in ROD mode and positioned appropriately for the automatic flip feature to engage.

6. SPECIFICATIONS

Feature	Specification
Model Name	SPK3
Special Feature	Dual Probe, Non-Contact
Display Type	Digital
Connectivity Technology	Infrared
Power Source	Battery Powered (2 AAA batteries, included)
Item Weight	5.3 ounces
Item Length	5 Inches
Upper Temperature Rating	932 Degrees Fahrenheit
Lower Temperature Rating	32 Degrees Fahrenheit
Response Time	500 Milliseconds
Immersion Depth (Rod)	3.75 Inches
Outer Material	Stainless Steel, Aluminum, Polypropylene
Specification Met	CE, FCC, NIST
Average Battery Life	3 Hours

7. WARRANTY & SUPPORT

7.1 Warranty Information

The Fieldpiece SPK3 comes with a **1-year manufacturer's warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.

7.2 Customer Support

For technical assistance, troubleshooting, or warranty inquiries, please contact Fieldpiece customer support. Visit the official Fieldpiece website for contact details and additional resources.

Online Resources: www.fieldpiece.com

© 2025 Fieldpiece. All rights reserved.

Related Documents - SPK3


	Fieldpiece ST4 Dual Temperature Meter Operator's Manual - Specifications & Guide Comprehensive operator's manual for the Fieldpiece ST4 Dual Temperature Meter. Includes quick start guide, description, controls, indicators, maintenance, specifications, and warranty information for HVAC and electrical technicians.
	Fieldpiece Job Link System Premium Pipe Clamp Probe JL3PC Operator's Manual Operator's manual for the Fieldpiece Job Link System Premium Pipe Clamp Probe (Model JL3PC), detailing quick start, description, maintenance, specifications, operation, and warranty.
	Fieldpiece SC480 Job Link System Power Clamp Meter: Operator's Manual and Features Comprehensive operator's manual for the Fieldpiece SC480 Job Link System Power Clamp Meter. Learn about safety, features, measurements, specifications, and wireless connectivity for HVACR professionals.
	Fieldpiece DR82 Infrared Refrigerant Leak Detector Operator's Manual Operator's manual for the Fieldpiece DR82 Infrared Refrigerant Leak Detector. This document provides detailed information on the product's description, features, specifications, operation, maintenance, and functionality testing. It also includes warnings and warranty information.
	Fieldpiece DR82 Infrared Refrigerant Leak Detector Operator's Manual Comprehensive guide to the Fieldpiece DR82 Infrared Refrigerant Leak Detector, covering its features, specifications, operation, maintenance, and warranty. Learn how to detect HFC, HCFC, CFC, HFO, and blend refrigerants with high sensitivity and multiple indicators.
	Fieldpiece DR82 Infrared Refrigerant Leak Detector Operator's Manual Operator's manual for the Fieldpiece DR82 Infrared (IR) Refrigerant Leak Detector. Details features, specifications, operation, maintenance, safety guidelines, and warranty information for HVACR professionals.



Fieldpiece SPK3 ManualFieldpiece Rod and IR Temperature Pocket ToolFieldpiece Manualtrutechtools
content brands fieldpiece documents Manual |||

MEET THE FIELDPIECE FAMILY EURO INDEX 2022 02 25 — Manual or automatic zeroing Convenient
2 Way Temp Rod IR - 8 1 Hands free in duct temps Vidéos de démonstration et d instruction fieldpiece
cat en fr euro index be files catalogs |||

Fieldpiece Probe And IR Temperature Pocket Style Tool SPK3 Manual hvac shop blister v13 v1615691501 cdn shopify s files 1 0316 7787 4235 |||




[pdf] Specifications

Fieldpiece SPK3 IR Thermometer Pocket Knife Thermometers Buy Now AIR Wholesalers airwholesalers au 2016 02 |||

IR and Rod Thermometer Model **SPK3** with Laser IR and Rod Thermometer w/Laser Model **SPK3** Take temps in-close or at-range. Point the laser for 8:1 IR infrared temperatures or push the rod through ducts for dry bulb air temperatures. T1-T2 mode works across both IR and Rod modes. Features Use for wa...

lang:en score:31 filesize: 1.48 M page_count: 2 document date: 2018-08-31




[pdf] Specifications

IR and Rod Thermometer w Laser 8 1 Infrared Backlight T1 T2 Max min Hanging Hook 2 AAA Batteries Features Specifications Piercin SPK3 blister v15 resources fieldpiece 2020 11 |||

IR and Rod Thermometer Model **SPK3** with Laser IR and Rod Thermometer w/Laser Model **SPK3** Take temps in-close or at-range. Point the laser for 8:1 IR infrared temperatures or push the rod through ducts for dry bulb air temperatures. T1-T2 mode works across both IR and Rod modes. Features Use for wa...

lang:en score:29 filesize: 1.45 M page_count: 2 document date: 2022-10-25




[pdf]

Lazerli IR ve Çubuk Termometre 8 1 Kızılötesi Arka Model SPK3 aydınlatma T1 T2 Maks min Askı

Kancası 2 AAA Pil Kullanma kılavuzu TR fieldpiece 2020 11

IR ve Çubuk Termometre, Model **SPK3** Lazerli Lazerli IR ve Çubuk Termometre Model **SPK3** Sıcaklıkları yakın ya da uzak mesafeden alır. 8:1 IR kızılötesi sıcaklıklar için lazeri dorultun veya kuru termometre hava sıcaklıkları için übuu kanalların ierisine itin. T1-T2 modu hem IR hem de Rod modları arasınd...

lang:tl score:29 filesize: 1010.56 K page_count: 2 document date: 2016-02-24



[pdf] Specifications

IR and Rod Thermometer w Laser 8 1 Infrared Backlight T1 T2 SPK3 blister v13 Fieldpiece Instruments

Max min Hanging Hook 2 AAA Batteries Model with Take temps in close or at range Point the 6 7 9

Detection eter Chargi Pocket Tool p RH% Airflo Test Tools HVACR Pros Trust fieldpiece 2020 12 11 site jstech

IR and Rod Thermometer Model **SPK3** with Laser IR and Rod Thermometer w/Laser Model **SPK3** Take temps in-close or at-range. Point the laser for 8:1 IR infrared temperatures or push the rod through ducts for dry bulb air temperatures. T1-T2 mode works across both IR and Rod modes. Features Use for wa...

lang:en score:28 filesize: 1.74 M page_count: 2 document date: 2014-04-04


[pdf] User Manual Specifications Accessories

Fieldpiece Overview fieldpiece vacuum gauge manual of the job SVG2 Digital Vacuum Gauge The model is a thermistor based standalone instrument that digitally measures 50 to 2000 microns Query ASSET ID 4877825 USE TYPE SPECIFICATION PRODUCT 7553992 api ferguson dar step service |||

Distributed by: Fieldpiece Instruments, Inc. 1636 W Collins Ave Orange, CA 92867 Phone: 714.634.1844 ... tem Analyzer for full system diagnosis Included Stabilizing Cone - RCONE1 Rod and IR Temperatures **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...

lang:en score:27 filesize: 7.92 M page_count: 40 document date: 2018-05-07






[pdf] Declaration of Conformity Test Report

Along with your confirmation please make a note that Fieldpiece is moving to new location Ryan

Cunningham SPK3 DoCdZ0od3h922v07 cloudfront net media Certificates DoC |||

Professional-grade instruments for HVAC/R field service. This certifies that the following designated products: **SPK3** IR and Rod Thermometer with Laser On the basis of the referenced test report s , sample s of the below product have been found to comply with the harmonized standards and Directives...

lang:nl score:27 filesize: 120.14 K page_count: 1 document date: 2022-03-22



[pdf] User Manual

spk3 manual testequipmentdepot fieldpiece s |||

...

lang:nl score:26 filesize: 321.01 K page_count: 1 document date: 2013-11-14



[pdf] Accessories Catalog

MEET THE FIELDPIECE FAMILYFieldpiece katalogos 2022esoldatos gr 2021 02 Fieldpiece 2022 |||


Fieldpiece CATALOGUE 2022 MEET THE FIELDPIECE FAMILY Fieldpiece

www.fieldpiece-europe.com TOC ... with Laser Accurate surface temperatures 10:1

field of view Select F or C Range: - 30 to 550 C **SPK3** Thermometer Compact Type K

I Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en score:25 filesize: 4.54 M page_count: 21 document date: 2022-02-08



[\[pdf\]](#) Accessories Catalog

Fieldpiece 2022 Catalogue FP fieldpiece au assets |||

01 Fieldpiece Overview Fieldpiece Instruments was incorporated June 1990 in the United States to d ... hermocouple Resolution of 0.1 degree F Separate MIN/MAX and HOLD buttons Easy field calibration **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en score:25 filesize: 31.11 M page_count: 27 document date: 2022-03-04



[\[pdf\]](#) Accessories Borchure Catalog

Fieldpiece 2023 Q3V02 Catalogue FIELDPIECE AUSTRALIA Q3 Catalog v02 Web fieldpiece au assets brochures |||

Product Catalog Summer 2023 01 Fieldpiece Overview Fieldpiece Instruments was incorporated June 1 ... hermocouple Resolution of 0.1 degree F Separate MIN/MAX and HOLD buttons Easy field calibration **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en score:25 filesize: 4.66 M page_count: 29 document date: 2023-06-27



[\[pdf\]](#) Catalog

Fieldpiece Catalogi en actiefolders EURO INDEX fieldpiece cat 2022 vl euro index be files catalogs |||

Fieldpiece CATALOGUS 2022 MAAK KENNIS MET DE FIELDPIECE-FAMILIE

Fieldpiece www.fieldpiece-europe ... ge inductiemetingen Temperatuurbereik: -50 C tot 200 C Ophanghaak Heldere achtergrondverlichting **SPK3** Thermometer - Compact Type K I Infrarood Handige 2-wegs Tempo-staaf/IR 8:1 IR Induct tempera...

lang:nl score:25 filesize: 4.95 M page_count: 22 document date: 2022-04-11



[\[pdf\]](#) Accessories Catalog

Fieldpiece® Fieldpiece 2024 Q2 Catalog v03 Spreads HQ resources fieldpiece 05 |||

Fieldpiece 2024 CATALOG 01 About Us Fieldpiece Instruments was incorporated June 1990 in the Uni ... hermocouple Resolution of 0.1 degree F Separate MIN/MAX and HOLD buttons Easy field calibration **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en **score:25** filesize: 37.61 M page_count: 31 document date: 2024-05-06



[\[pdf\]](#) Catalog

MAAK KENNIS MET DE FIELDPIECE FAMILIE Euro Index Fieldpiece Instruments werd in juni 1990 de Verenigde Staten opgericht om speciaal gereedschap voor HVACR professionals te ontwikkelen fieldpiece 2022 cat nl euro index files catalogs |||

Fieldpiece CATALOGUS 2022 MAAK KENNIS MET DE FIELDPIECE-FAMILIE Fieldpiece www.fieldpiece-europe ... ge inductiemetingen Temperatuurbereik: -50 C tot 200 C Ophanghaak Heldere achtergrondverlichting **SPK3** Thermometer - Compact Type K I Infrarood Handige 2-wegs Tempo-staaf/IR 8:1 IR Induct tempera... lang:nl **score:24** filesize: 4.84 M page_count: 22 document date: 2022-05-06



[\[pdf\]](#) Catalog

Fieldpiece Catalogues EURO INDEX fieldpiece cat 2022 fr 1 euro index be files catalogs |||

Fieldpiece CATALOGUE 2022 1 RENCONTREZ LA FAMILIE FIELDPIECE Fieldpiece www.fieldpiece-europe.co ... ser Tempratures de surface prcises Champ de vision 10:1 Slection de F ou C Gamme : - 30 550 C **SPK3** Thermomtre - Compact Type K Infrarouge Temp. pratique 2 voies : tige/IR IR 8:1 Mains libres... lang:fr **score:24** filesize: 4.95 M page_count: 22 document date: 2022-04-11



[\[pdf\]](#) Accessories Catalog

Fieldpiece CATALOGUE 2022 MEET THE FIELDPIECE FAMILY EURO INDEX 3 Instruments B V
Edisonstraat 65 7006 RB Doetinchem The Netherlands Ltd Newton House Northampton Science Park
Kings Road Moulton Industrial Estate fieldpiece cat en vl euro index be files catalogs |||
Fieldpiece CATALOGUE 2022 MEET THE FIELDPIECE FAMILY Fieldpiece
www.fieldpiece-europe.com TOC ... with Laser Accurate surface temperatures 10:1
field of view Select F or C Range: - 30 to 550 C **SPK3** Thermometer Compact Type K
I Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...
lang:en score:24 filesize: 5.12 M page_count: 22 document date: 2022-02-24



[\[pdf\]](#)


CONVENIENT COMPACT THERMOMETER Folding ROD Thermometer SPK3 n Great to quickly assess
a system for in duct measurements 8 1 IR register and ambient temps Hands free Quickly calculates T1
T2 across both Temperature on the go The Infrared is great tool take 02 fieldpiece 2020 11 |||
CONVENIENT, COMPACT THERMOMETER Temperature on the go. The Infrared
Thermometer is a great tool to q ... tes T1 T2 across both the IR and ROD modes, or
a combination of the two. Folding ROD Thermometer, **SPK3** n Great to quickly assess
a system n Folding ROD for in duct measurements n 8:1 IR for register...
lang:en score:24 filesize: 772.46 K page_count: 1 document date: 2021-10-13



[pdf] Flyer

SPK3 v08 lowres fieldpiece media flyers

Convenient 2-Way Temp Folding ROD Thermometer with 8:1 IR Infrared Two Ways to Measure Temperature ... isplay can be seen when hanging. Flipping Display Hanging Hook Hands Free In-Duct Temps Hang the **SPK3** to your registers or ducts. The hanging hook secures your **SPK3** for easy hands free temperature ...
lang:en score:23 filesize: 1.37 M page_count: 2 document date: 2013-10-25



[pdf]

SPK3 CoOdZ0od3h922v07 cloudfront net media Certificates CoO |||

Tools HVACR Pros Trust Certificate of Origin For the following equipment:**SPK3** Thermometer Compact Type K I Infrared is hereby confirmed to be manufactured in China. _____ 03/22/2022 Ryan Cunningham Engineering Mechanical Engineer, Quality Fieldpiece Instruments, Inc. Phone 714.634....
lang:en score:23 filesize: 117.58 K page_count: 1 document date: 2022-03-22



[pdf] Catalog

Fieldpiece Verholt Meetinstrumenten en SKIDbouw Tijd Privacybeleid FP 2022 Cat Ned A5 online 148x210mm 003 verholt nl 04 |||

Fieldpiece CATALOGUS 2022 MAAK KENNIS MET DE FIELDPIECE-FAMILIE
Fieldpiece www.fieldpiece-europe ... ge inductiemetingen Temperatuurbereik: -50 C tot 200 C Ophanghaak Heldere achtergrondverlichting **SPK3** Thermometer - Compact Type K I Infrarood Handige 2-wegs Tempo-staaf/IR 8:1 IR Induct tempera...
lang:nl score:23 filesize: 4.53 M page_count: 21 document date: 2022-04-04



[pdf] Accessories Catalog

Test Tools HVACR Pros Trust Fieldpiece Catalog 2015 fieldpiece au assets |||

The Most Comprehensive Line of HVACR Instruments in the Industry SMAN460 SRS2C SC640 SDP2 PRH2 ... accuracy Select F or C Range: -50F to 1800F Superior temp compensation Rod and IR Temperatures **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...

lang:en score:23 filesize: 17.36 M page_count: 28 document date: 2016-01-13



[pdf]

CONVENIENT COMPACT THERMOMETER spk3 02 climadirect documenten |||

CONVENIENT, COMPACT THERMOMETER Temperature on the go. The Infrared Thermometer is a great tool to q ... tes T1 T2 across both the IR and ROD modes, or a combination of the two. Folding ROD Thermometer, **SPK3** n Great to quickly assess a system n Folding ROD for in duct measurements n 8:1 IR for register...

lang:en score:23 filesize: 766.3 K page_count: 1 document date: 2022-04-12



[pdf] Accessories Catalog

Contents Table of Find run start amps motors and compressors Great partner for stick Quick easy in duct measurements Temperature range 58°F to 392°F Fieldpiece 2024 Q3 Catalog v01 Spreads HI Quality resources fieldpiece 2025 05 |||

Fieldpiece 2024 CATALOG 01 About Us Fieldpiece Instruments was incorporated June 1990 in the Uni ... hermocouple Resolution of 0.1 degree F Separate MIN/MAX and HOLD buttons Easy field calibration **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en score:22 filesize: 36.29 M page_count: 31 document date: 2024-07-22



[\[pdf\]](#) Accessories Catalog

2020 FP Catalog fieldpiece 2021 01 |||

Distributed by: Fieldpiece Instruments, Inc. 1636 W Collins Ave Orange, CA 92867

Phone: 714.634.1844 ... tIR with laser. 6:1 field of view MIN/MAX automatic data hold
Select F or C Rod and IR Temperatures **SPK3** Convenient 2-Way Temp. Easy to use
compact tool for quick in-duct, register, and ambient temper...

lang:en score:22 filesize: 66.61 M page_count: 40 document date: 2020-02-27



[\[pdf\]](#) Datasheet

Datasheet2 43 MB Fieldpiece SPK3 Test Equipment Depot spk3 datasheet b7f7 testequipmentdepot

media akeneo connector asset files s p |||

Convenient 2-Way Temp Folding ROD Thermometer with 8:1 IR Infrared Two Ways
to Measure Temperature ... isplay can be seen when hanging. Flipping Display
Hanging Hook Hands Free In-Duct Temps Hang the **SPK3** to your registers or ducts.
The hanging hook secures your **SPK3** for easy hands free temperature ...

lang:en score:22 filesize: 2.43 M page_count: 2 document date: 2016-12-15




[\[pdf\]](#) Accessories Catalog

Fieldpiece® 20 hours ago · Charge and Air Kit Wireless range of 1 000 Directly connects to Has True RMS Low Pass Filter LPF obtain accurate 5 — Find run start amps motors compressors Great partner for stick Quick easy in duct measurements Temperature 58°F 392°F See more Senses 24VAC thermostat power SNCV1 Megohmmeter Helps predict compressor failure One handed testing Long probe tip hard reach terminals Fieldpiece 2025 Q2 Catalog v03 resources fieldpiece 07 |||

Fieldpiece 2025 CATALOG About Us Fieldpiece Instruments was incorporated June 1990 in the United ... uick and easy in-duct measurements Temperature range: -58F to 392F Hanging hook Bright backlight **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en score:22 filesize: 34.03 M page_count: 60 document date: 2025-06-13



[\[pdf\]](#) Catalog

Téléchargez le catalogue Fieldpiece EURO INDEX fieldpiece cat fr euro index be files catalogs |||

Catalogue européen Les outils auxquels les professionnels de CVCR font confiance Prsentation de Fie ... dique des champs de tension alternative forts et faibles 30 www.Fieldpiece.com Outils de poche **SPK3** Temprature double sens pratique Outil compact facile utiliser pour le relev et l enregistremen...

lang:fr score:22 filesize: 6.82 M page_count: 37 document date: 2021-06-28



[\[pdf\]](#) Borchure Catalog

InternationalBrochure ENG 2020 V10 1 dut NL indd Download hier de Fieldpiece catalogus EURO INDEX fieldpiece cat vl euro index be files catalogs |||

Overzicht Fieldpiece Van het bescheiden begin in de garage van de oprichter in 1990, tot de interna ... naloog gevoel geeft sterke en zwakke AC-spanningsvelden aan 30 www.Fieldpiece.com Zakgereedschap **SPK3** Handige dubbele thermometer.

Gebruiksvriendelijke, compacte tool voor snelle temperatuurmetinge...

lang:nl **score:22** filesize: 6.95 M page_count: 37 document date: 2021-06-28



[\[pdf\]](#) Catalog

DOE JOUW WERK MAKKELIJKER SNELLER EN BETER fieldpiece 2024 cat nl euro index files catalogs |||

Fieldpiece DOE JOUW WERK MAKKELIJKER, SNELLER EN BETER Catalogus 2024 Fieldpiece Overview Alles wa ... 50C bij 75 RH; Draadloos bereik: 300 meters zichtlijn. THERMOMETER - COMPACT TYPE K L INFRAROOD **SPK3** Met de **SPK3** weet je altijd zeker dat je de juiste en nauwkeurige temperatuurmetingen hebt. Len...

lang:nl **score:21** filesize: 10.32 M page_count: 32 document date: 2024-08-21



[\[pdf\]](#) Catalog

DOE JOUW WERK MAKKELIJKER SNELLER EN BETER fieldpiece cat 2024 nl euro index be files catalogs |||

Fieldpiece DOE JOUW WERK MAKKELIJKER, SNELLER EN BETER Catalogus 2024 Fieldpiece Overview Alles wa ... 50C bij 75 RH; Draadloos bereik: 300 meters zichtlijn. THERMOMETER - COMPACT TYPE K L INFRAROOD **SPK3** Met de **SPK3** weet je altijd zeker dat je de juiste en nauwkeurige temperatuurmetingen hebt. Len...

lang:nl **score:21** filesize: 10.63 M page_count: 32 document date: 2024-03-01



[\[pdf\]](#) Catalog

FieldpieceCatalogi en actiefolders EURO INDEXfieldpiece cat 2025 nleuro index be files catalogs fieldpiece nl |||

Fieldpiece DOE JOUW WERK MAKKELIJKER, SNELLER EN BETER Catalogus 2025 1 Fieldpiece Overview Alles ... ewicht: 140g. 58 Temperatuur/Relatieve luchtvochtigheid THERMOMETER - COMPACT TYPE K L INFRAROOD **SPK3** Met de **SPK3** weet je altijd zeker dat je de juiste en nauwkeurige temperatuurmetingen hebt. Len...

lang:nl **score:21** filesize: 4.45 M page_count: 73 document date: 2025-02-07



[\[pdf\]](#) Warranty Catalog

Fieldpiece katalog 2023Dual teplomer Typ K ST4 KlimamarketFieldpiece catalogklimamarket sk upload attachment catalog |||

Fieldpiece Overview From the humble beginnings in the founder s garage in 1990, to the internation ... Hanging hook for hands free temps Fits easily in pocket Bright backlight 28 www.Fieldpiece.com **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...

lang:en **score:21** filesize: 3.39 M page_count: 17 document date: 2017-10-18



[\[pdf\]](#) Catalog

DOE JOUW WERK MAKKELIJKER SNELLER EN BETER fieldpiece 2025 cat nl 1 euro index files catalogs |||

Fieldpiece DOE JOUW WERK MAKKELIJKER, SNELLER EN BETER Catalogus 2025 1 Fieldpiece Overview Alles ... ewicht: 140g. 58 Temperatuur/Relatieve luchtvochtigheid THERMOMETER - COMPACT TYPE K L INFRAROOD **SPK3** Met de **SPK3** weet je altijd zeker dat je de juiste en nauwkeurige temperatuurmetingen hebt. Len...

lang:nl **score:21** filesize: 4.17 M page_count: 73 document date: 2025-02-07



[\[pdf\]](#) Catalog

FieldpieceCatalogues EURO INDEXfieldpiece cat 2025 frfieldpiece freuro index be files catalogs fieldpiece fr |||

Fieldpiece RENDEZ VOTRE TRAVAIL PLUS FACILE, PLUS RAPIDE ET MEILLEURE Catalogue 2025 1 VUE D ENS ... x 35mm D ; Poids : 140 g. 58 Temp / rh et Flux d air THERMOMTRE - COMPACT TYPE K INFRAROUGE **SPK3** Avec le **SPK3**, vous pouvez toujours tre sr d avoir des mesures de temprature correctes et prcise...

lang:fr **score:21** filesize: 8.09 M page_count: 73 document date: 2025-02-07




[\[pdf\]](#) Accessories Catalog

Untitled Fieldpiece 2024 Q2 Catalog v03 Spreads HQ 31 may — Training that s focused on helping you find the right product for customers and technicians Resources to help build your business through a 1 klimamarket sk upload files |||

Fieldpiece 2024 CATALOG 01 About Us Fieldpiece Instruments was incorporated June 1990 in the Uni ... hermocouple Resolution of 0.1 degree F Separate MIN/MAX and HOLD buttons Easy field calibration **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en **score:20** filesize: 3.76 M page_count: 31 document date: 2025-01-17



[\[pdf\]](#) Borchure

Werkzeuge auf die HLKK Fachleute vertrauen Fieldpiece Wir erreichen dies indem wir den Fachleuten vor Ort zuhören und dann Geräte konstruieren ihre Probleme lösen schulen weltweit Heute ist der branchenweit führende Innovator für folgende Anwendungsbereiche Klimaanlage Analyse Multimeter Messgeräte Befüllung InternationalBrochure 2020 V12 DE fieldpiece 2021 01

Produktkatalog Werkzeuge, auf die HLKK-Fachleute vertrauen Fieldpiece - bersicht Von den bescheide ... orgung Analoges Feeling zeigt starke und schwache Wechselspannungsfelder an 30 www.fieldpiece.com **SPK3** Bequeme 2-Wege-Temperatur Einfach zu verwendendes, kompaktes Messgert fr ein schnelles Messen i...

lang:de **score:20** filesize: 25.06 M page_count: 19 document date: 2021-01-25



[\[pdf\]](#) Warranty Borchure

Fieldpiece Overview FSW Automatically calculates and displays real time superheat or subcooling Charge to Push button atmospheric pressure calibration international brochure eng 2019 v10 reduced 7 fsw uk 2023 11 |||

Fieldpiece Overview From the humble beginnings in the founder s garage in 1990, to the internationa ... or thermostat power Analog feel indicates strong and weak AC voltage fields 30 www.Fieldpiece.com **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...

lang:en **score:20** filesize: 8.61 M page_count: 19 document date: 2019-05-09



[\[pdf\]](#) User Manual Catalog

catalog fieldpieceinstruments 00001 49 50 76 cat Fieldpiece SRL8 LEAK DETECTOR DCNE d1049ui2fjity cloudfront net userfiles inriver documents ta c 67 |||

Refrigerant Leak Detection Infrared Refrigerant Leak Detector SRL2K7 Superior Sensitivity in Refrige ... heck with Automatic Pump 62 SPK1 Compact In-Duct Thermometer 69 SPK2 In-Duct Thermometer 69 **SPK3** Rod and IR Temperatures 44 SRH3 Diagnostic Psychrometer 41 SRL2K7 Infrared Refrigerant L...

lang:en **score:20** filesize: 510.45 K page_count: 2 document date: 2019-12-13



[pdf] Catalog

catalog fieldpieceinstruments 00001 39 40 cat Fieldpiece BG44 HVACR SERVICE TOOL BAG DCNE d1049ui2fjity cloudfront net userfiles inriver documents ta c 04 |||

Bags Tools HVACR Pros Trust 74 Inspection Tool Bag BG36 The BG36 Inspection Tool Bag is an easy t ... heck with Automatic Pump 62 SPK1 Compact In-Duct Thermometer 69 SPK2 In-Duct Thermometer 69 **SPK3** Rod and IR Temperatures 44 SRH3 Diagnostic Psychrometer 41 SRL2K7 Infrared Refrigerant L...
lang:en score:19 filesize: 503.49 K page_count: 2 document date: 2019-08-06



[pdf] Warranty Catalog

Fieldpiece Overview Darment Carbon Dioxide Leak Detector Multimeters SCL2 The is a portable CO2 R 744 instrument with superior combination of sensitivity speed sensor life battery and ease use catalog darment eu wpallimport files |||
Fieldpiece Overview From the humble beginnings in the founder s garage in 1990, to the internation ... Hanging hook for hands free temps Fits easily in pocket Bright backlight 28 www.Fieldpiece.com **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...
lang:en score:19 filesize: 3.39 M page_count: 17 document date: 2017-10-18



[pdf] Accessories Catalog

Fieldpiece Overview FSW Mar 15 2019 · Easily calibrate any adjustable pressure switch Dual Port Manometer and Pressure Switch Tester SDMN6 Do More with the Pressures You Need 2019catalog 1 0 fsw uk 2023 11 |||
Distributed by: Fieldpiece Instruments, Inc. 1636 W Collins Ave Orange, CA 92867
Phone: 714.634.1844 ... tIR with laser. 6:1 field of view MIN/MAX automatic data hold Select F or C Rod and IR Temperatures **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...
lang:en score:19 filesize: 10.65 M page_count: 40 document date: 2019-03-28



[pdf] Accessories Catalog

HVACR Pros Trust Fieldpiece Overview Instruments was incorporated June 1990 in the United States to develop test tools specifically for professionals focuses on making job easier Field Piece Catalogue 2015 airwholesalers au 2016 04 |||

The Most Comprehensive Line of HVACR Instruments in the Industry SMAN460 SRS2C SC640 SDP2 PRH2 ... accuracy Select F or C Range: -50F to 1800F Superior temp compensation Rod and IR Temperatures **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...
lang:en score:19 filesize: 17.86 M page_count: 28 document date: 2018-06-11



[pdf] Catalog

2021 FP Catalogue For more than 30 years we've built the exact tools you need in the field. They're tough, versatile, innovative, and can handle fieldpiece assets |||
Distributed by: Fieldpiece Instruments, Inc. 1636 W Collins Ave Orange, CA 92867
Phone: 714.634.1844 ... tIR with laser. 6:1 field of view MIN/MAX automatic data hold
Select F or C Rod and IR Temperatures **SPK3** Convenient 2-Way Temp. Easy to use compact tool for quick in-duct, register, and ambient temper...
lang:en score:18 filesize: 18.8 M page_count: 42 document date: 2021-05-12



[pdf] Catalog

FP 2022 Cat Ned A5 online 148x210mm 003dz0od3h922v07 cloudfront net media Downloads 003 |||
Fieldpiece CATALOGUS 2022 MAAK KENNIS MET DE FIELDPIECE-FAMILIE
Fieldpiece www.fieldpiece-europe ... ge inductiemetingen Temperatuurbereik: -50 C tot 200 C Ophanghaak Heldere achtergrondverlichting **SPK3** Thermometer - Compact Type K I Infrarood Handige 2-wegs Tempo-staaf/IR 8:1 IR Induct tempera...
lang:nl score:17 filesize: 4.53 M page_count: 21 document date: 2022-04-04



[pdf] User Manual Accessories

FieldpieceInstruments 00001 36 38 76 CAT images tradeservice ATTACHMENTS DIR100271 |||
Meters Stick Expandable Stick Meters HS33, HS35, HS36 The Perfect Fit for Most HVACR Jobs The HS30 S ... heck with Automatic Pump 62 SPK1 Compact In-Duct Thermometer 69 SPK2 In-Duct Thermometer 69 **SPK3** Rod and IR Temperatures 44 SRH3 Diagnostic Psychrometer 41 SRL2K7 Infrared Refrigerant L...
lang:en score:16 filesize: 954.82 K page_count: 3 document date: 2020-01-02



[\[pdf\]](#) Accessories Catalog

USE AND CARE Sites Ferguson Site 10185813 12007455 use and care fergusonprod a bigcontent io v1 static |||

Product Catalog Summer 2023 01 Fieldpiece Overview Fieldpiece Instruments was incorporated June 1 ... hermocouple Resolution of 0.1 degree F Separate MIN/MAX and HOLD buttons Easy field calibration **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en score:16 filesize: 34.81 M page_count: 29 document date: 2023-07-14



[\[pdf\]](#) Accessories Catalog

USE AND CAREFieldpiece Instruments Mini Split Hose Set Combo 3 Pack Ferguson10185812 12007455 use and carefergusonprod a bigcontent io v1 static 10185812 care |||

Product Catalog Summer 2023 01 Fieldpiece Overview Fieldpiece Instruments was incorporated June 1 ... hermocouple Resolution of 0.1 degree F Separate MIN/MAX and HOLD buttons Easy field calibration **SPK3** Thermometer Compact Type K - Infrared Convenient 2-Way Temp Rod/IR 8:1 IR Hands free in-d...

lang:en score:16 filesize: 34.81 M page_count: 29 document date: 2023-07-14



[\[pdf\]](#)

Ferramentas Pecomark May 16 2022 · RECUPERADORAS PROMAX E DETETORES TIF RG5410A
Equipamento de RG6E recuperação Promax RG 6E 303 kg h Push Pull e 138 Promo herramientas 22
PT web pecomark cataleg |||

PROMO Ferramentas APRESSE-SE Promoo vlida de 16/05/2022 at 30/09/2022.
FERRAMENTAS TESTO TEST ... ca SC-260. 500064 SC480 Pina amperimtrica SC-
480. 500065 SC680 Pina amperimtrica SC-680 500066 8 **SPK3** Termmetro
Fieldpiece para dupla temperatura **SPK3**. 500067 Promoo vlida de 16/05/2022 at
30/09/20...

lang:pt score:15 filesize: 3.18 M page_count: 44 document date: 2022-05-10