

## Moen 21313

# Moen 21313 2.5 GPM Multi-Function Shower Head Instruction Manual

Enliven Collection, Chrome Finish

## 1. INTRODUCTION

This instruction manual provides essential information for the safe and effective installation, operation, and maintenance of your Moen 21313 Multi-Function Shower Head. Please read this manual thoroughly before beginning installation or use, and retain it for future reference. Proper installation and care will ensure optimal performance and longevity of your product.

## 2. SAFETY INFORMATION

- Always turn off the main water supply before attempting any plumbing installation or repair.
- Wear appropriate personal protective equipment, such as safety glasses, during installation.
- Ensure all connections are secure to prevent leaks. Do not overtighten.
- Test water temperature before use to avoid scalding.
- Keep small parts away from children.

## 3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Moen 21313 Multi-Function Shower Head (Chrome)
- Washer/Gasket (pre-installed or separate)

*Note: Additional plumbing fixtures, such as a shower arm, are typically sold separately.*

## 4. SETUP AND INSTALLATION

Installation of the Moen 21313 shower head is a straightforward process. No specialized tools are typically required beyond a wrench for removing an existing shower head, if applicable, and plumber's tape.

### Tools You May Need:

- Adjustable Wrench (for removing old shower head)
- Plumber's Tape (PTFE tape)
- Soft Cloth

### Installation Steps:

1. **Prepare the Shower Arm:** If replacing an existing shower head, turn off the water supply to your shower. Unscrew the old shower head from the shower arm. Clean any debris or old plumber's tape from the threads of the shower arm.
2. **Apply Plumber's Tape:** Wrap plumber's tape clockwise around the threads of the shower arm 3-4 times. This helps create a watertight seal.
3. **Attach the New Shower Head:** Ensure the washer/gasket is properly seated inside the shower head's connector. Screw the Moen 21313 shower head onto the shower arm by hand.
4. **Tighten:** Hand-tighten the shower head until it is snug. Avoid overtightening, as this can damage the threads or the shower head. A wrench may be used for a final quarter-turn if necessary, but excessive force is not recommended.
5. **Test for Leaks:** Turn on the water supply and check for any leaks around the connection point. If leaks occur, tighten slightly more or reapply plumber's tape.



**Figure 1:** Moen 21313 Multi-Function Shower Head. This image displays the chrome-finished shower head with its multi-setting spray face, ready for installation onto a standard shower arm.

## 5. OPERATING INSTRUCTIONS

The Moen 21313 Multi-Function Shower Head features three distinct spray patterns to customize your showering experience.

### Changing Spray Patterns:

To switch between the available spray patterns, locate the lever or dial on the face or side of the shower head. Gently rotate or click this mechanism to cycle through the three settings. Each setting provides a different water flow and sensation.

- **Setting 1:** Typically a concentrated, invigorating spray.
- **Setting 2:** Often a wider, full-coverage spray for a relaxing experience.
- **Setting 3:** May be a combination spray or a targeted massage spray.

Experiment with each setting to find your preferred water delivery.

## 6. MAINTENANCE

Regular cleaning and maintenance will help preserve the finish and functionality of your Moen shower head.

### Cleaning the Finish:

- Clean the chrome finish with a soft, damp cloth and mild soap.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.
- Avoid abrasive cleaners, harsh chemicals, scouring pads, or brushes, as these can damage the finish.

### Cleaning the Spray Nozzles:

Over time, mineral deposits from hard water can accumulate in the spray nozzles, affecting water flow. The flexible rubber nozzles on this shower head are designed for easy cleaning.

- Gently rub the rubber nozzles with your finger or a soft brush to dislodge mineral buildup.
- For more stubborn deposits, you can soak the shower head in a solution of equal parts white vinegar and water for a few hours, then scrub and rinse. Ensure the shower head is fully dry before reinstallation if removed.

## 7. TROUBLESHOOTING

Refer to the table below for common issues and their solutions.

Problem	Possible Cause	Solution
Low water pressure	Mineral buildup in nozzles; partially closed water valve; low household water pressure.	Clean spray nozzles (see Maintenance); ensure water supply valve is fully open; consult a plumber for household water pressure issues.
Leaking at connection point	Loose connection; insufficient plumber's tape; damaged washer/gasket.	Tighten connection slightly; reapply plumber's tape; inspect and replace washer/gasket if damaged.
Difficulty changing spray patterns	Mineral buildup in the selector mechanism.	Soak the shower head in a vinegar solution to dissolve mineral deposits, then operate the selector repeatedly to free it.

## 8. SPECIFICATIONS

Feature	Detail
Model Number	21313
Brand	Moen
Collection	Enliven
Finish	Chrome
Material	Metal
Flow Rate	2.5 Gallons Per Minute (GPM)
Number of Spray Settings	3
Product Dimensions	8.89 x 9.09 x 9.09 cm
Item Weight	249 g
Installation Method	Threaded connection to standard shower arm

## 9. WARRANTY AND SUPPORT



This Moen product is backed by a **Limited Lifetime Warranty**. For specific details regarding warranty coverage, terms, and conditions, please refer to the official Moen website or contact Moen customer service directly.





### Customer Support:

If you require assistance with installation, troubleshooting, or warranty claims, please visit the official Moen website or contact their customer service department. Contact information can typically be found on the Moen website or product packaging.

**Moen Official Website:** [www.moen.ca](http://www.moen.ca)

## Related Documents - 21313

 <p><b>MOEN</b> Engage Six Function Handshower Illustrated Parts List</p>	<p><a href="#">MOEN Engage Six Function Handshower Illustrated Parts List</a></p> <p>Find illustrated parts information for the MOEN Engage Six Function Handshower. This document lists model numbers, types, and finishes, including part numbers for the 59" hose.</p>
 <p><b>Moen S143 Series</b> Shower Arm &amp; Flange Installation &amp; Care</p>	<p><a href="#">Moen S143 Series Shower Arm &amp; Flange: Installation &amp; Care</a></p> <p>Official instruction sheet for the Moen S143 Series Shower Arm &amp; Flange, providing installation tips, care instructions, and warranty information. Essential guidance from Moen for homeowners.</p>

	<p><a href="#">MOEN Cambium 3/4" Thermostatic Shower Trim - TS5101 Series Specifications</a></p> <p>Detailed specifications for the MOEN Cambium 3/4" Thermostatic Shower Trim (TS5101 series), including faucet description, operation, standards, warranty, and dimensions. Compatible with S3371 valve.</p>
	<p><a href="#">Moen Hand Shower with Wall Bracket Installation Guide</a></p> <p>Official installation guide from Moen for the Hand Shower with Wall Bracket (Model INS1607B), including parts list, step-by-step instructions, and warranty information. Features flow rate specifications and contact details for support.</p>
	<p><a href="#">Moen 26009 Engage Magnetix Shower Head and Posi-Temp Valve Installation and User Manuals</a></p> <p>Comprehensive user manuals and installation guides for the Moen 26009 Engage Magnetix Handheld Shower Head and Moen Posi-Temp Tub and Shower Valves. Includes product details, assembly instructions, installation schematics, troubleshooting tips, and warranty information.</p>
	<p><a href="#">Moen INS2151D Installation and Troubleshooting Guide</a></p> <p>Comprehensive installation and troubleshooting guide for the Moen INS2151D tub and shower faucet, including parts lists, setup instructions, and warranty information.</p>