

[Manuals.plus](#) /

› [Intex](#) /

› Intex Type A Pool Filter Cartridge Instruction Manual

Intex 29002E

Intex Type A Pool Filter Cartridge Instruction Manual

Model: 29002E

INTRODUCTION

The Intex Type A Pool Filter Cartridge is an essential component for maintaining clean and clear water in your Intex Krystal Clear Cartridge Filter Pump. Designed with easy-to-clean Dacron paper, this cartridge provides efficient filtration by removing impurities and improving water circulation, clarity, and freshness in thousands of above ground pools.




Image: Intex Type A Pool Filter Cartridges (Twin Pack)

PRODUCT FEATURES

- **Convenient Maintenance:** Made with easy-to-clean Dacron paper for ultimate filtration.
- **Filter Pump Compatibility:** Compatible with Intex Krystal Clear Cartridge Filter Pump models 28603EG (530 GPH), 28637EG (1000 GPH), and 28635EG (1500 GPH).
- **Routine Usage:** Recommended to replace cartridges every two weeks for maximum efficiency and a clean pool.
- **HydroAeration Technology:** When used with Intex filtration systems, patented HydroAeration Technology improves overall water circulation, clarity, and freshness.
- **Safety, Quality, and Value:** Intex products are designed, built, and tested to high standards with safety as a priority, offering affordable and durable solutions.

Replacement Filter Cartridge **SPECS**



Dimensions

4.25 in x 8 in



Compatible with

INTEX Cartridge Filter Pumps
28603EG (530 GPH), 28637EG
(1000 GPH), 28635EG (1500 GPH)



Easy to Clean

Made with Dacron paper for
ultimate filtration



Easy Maintenance

Replace every 2 weeks for
maximum efficiency

INTEX®

Image: Key features of the Intex Type A Filter Cartridge

SETUP & INSTALLATION

Before installing or replacing the filter cartridge, ensure your filter pump is turned off and unplugged from the power source. Refer to your specific pump model's manual for detailed safety instructions.

1. Turn off and unplug the filter pump from the electrical outlet.
2. Open the filter housing by unscrewing the collar or lid, depending on your pump model.
3. Carefully remove the old, dirty filter cartridge. Dispose of it properly.
4. Insert the new Intex Type A filter cartridge into the filter housing, ensuring it is seated correctly.
5. Securely close the filter housing by tightening the collar or lid.
6. If your pump model has an air release valve, open it to release any trapped air as the pump fills with water. Close the valve once water begins to flow out.
7. Plug in and turn on the filter pump. Check for any leaks.

Type A & C Replacement Filter Pump Cartridge



Image: Proper installation of the filter cartridge.

Installation Video Guide

Your browser does not support the video tag.

Video: A visual guide to replacing the Intex Type A Filter Cartridge in a pool pump.

OPERATING PRINCIPLES

The Intex Type A filter cartridge works by trapping debris and impurities as water from your pool passes through its Dacron paper pleats. This continuous filtration process helps maintain water clarity and hygiene. The filter pump circulates the pool water, drawing it through the cartridge and returning clean water to the pool.



Image: Illustration of superior cleaning performance with Dacron paper.

MAINTENANCE

For maximum efficiency and optimal performance of your filter pump, it is recommended to replace the filter cartridge every two weeks. Regular cleaning of the cartridge can extend its life, but replacement is crucial for effective filtration.

Cleaning the Cartridge

To clean the cartridge, remove it from the pump as described in the Setup & Installation section. Use a garden hose with strong pressure to rinse off accumulated dirt and debris from the pleats. Ensure all visible dirt is removed. If the cartridge remains discolored or damaged after cleaning, it should be replaced.



Image: Close-up of the filter pleats, showing areas for cleaning.




Image: Reminder for routine cartridge replacement.

Troubleshooting

If your pool water appears cloudy or the pump's flow rate decreases significantly, it may indicate a clogged or worn-out filter cartridge. Consider the following steps:

- **Check Cartridge Cleanliness:** Remove and thoroughly clean the filter cartridge. If it's still dirty or damaged, replace it with a new one.
- **Verify Pump Connections:** Ensure all hoses and connections to the filter pump are secure and free of leaks. Air leaks can reduce pump efficiency.
- **Maintain Water Levels:** Ensure the pool water level is adequate for the pump to operate effectively.
- **Inspect for Debris:** Check the pump's strainer basket for large debris that might be obstructing water flow.

Specifications

Attribute	Detail
Model Number	29002E
Material	Plastic, Dacron Paper
Product Dimensions	4.2"D x 8.4"W x 8.1"H
Item Weight	6.4 Ounces
External Testing Certification	NSF
Product Benefits	Removes Impurities
UPC	078257306565
Unit Count	2.0 Count (Twin Pack)
Manufacturer	Intex Recreation Corp L&G - Imports
Compatible Filter Pump Models	28603EG, 28637EG, 28635EG

Warranty & Support

Specific warranty details for the Intex Type A Pool Filter Cartridge are typically provided with the original product packaging or can be found on the official Intex website. For technical support, product inquiries, or further assistance, please contact Intex customer service directly through their official channels.