

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› **T POWER /**

› T POWER 24V AC DC Adapter User Manual for Epson Scanners and Printers

T POWER TP- Epson DA-36E24 EADP-31AB C A411E

T POWER 24V AC DC Adapter User Manual

For Epson Perfection, FastFoto, PictureMate, and WorkForce Scanners and Printers

INTRODUCTION

This manual provides essential information for the safe and effective use of your T POWER 24V AC DC Adapter. Please read this manual thoroughly before using the product and retain it for future reference.

The T POWER 24V AC DC Adapter is designed to provide reliable power to a wide range of compatible Epson photo printers and document scanning systems. It features an input voltage range of AC 100V - 240V and an output of 24V DC.



Image: T POWER 24V AC DC Adapter with power cord.

COMPATIBILITY

This adapter is compatible with numerous Epson models. Verify your device's model number or part number against the list below to ensure compatibility.

Compatible Epson Series:

- **Epson FastFoto Series:** FF-640 (J351B), FF-680W Wireless (A441H, A421H, A411B, A461H, A311B, A221B)
- **Epson PictureMate Series:** PM-400 Wireless Compact Color Photo Printer (C11CE84201)
- **Epson WorkForce Scanner Series:** DS-510 / DS510 (B11B209201), WorkForce Pro GT-S50 / GTS50, GT-D1000, GT-1500, GT-2500
- **Epson Perfection Scanner Series:**
 - V Series: V500, V600, V700, V750, V750-M Pro, V800, V850 (Part Numbers: B11B224201, B11B223201, B11B178061)

- 4000 Series: 4490 Photo Scanner (J192A, J211A, B12B813391)
 - Flatbed Scanners: A110B, A171B, A221B (2115842-00), A311B (B11B172011, B11B178011, B11B189071, B11B189081), A411B, A411E, 2124947-01, 212494701, 2125592-00
 - Additional Models: 640U, 1240U, 1650, 2400, 2480, 2580, 3170, 3490, 3590, 10000X, G812A, J111A, J161A, J221A
- **Epson RapidReceipt Series: RR-600W**
 - **Epson POS Printers (AC Adapter Part Numbers):**PN: DA-36E24, PN: EADP-31AB C, PN: A411E, A411B, PN: 2125592-00, 2124947-01, 212494701



Image: Epson FastFoto FF-680W Wireless Scanner, a compatible device.



Image: Epson PictureMate PM-400 Wireless Compact Color Photo Printer, a compatible device.



Image: Epson Perfection V750 Pro Scanner, a compatible device.



Image: Epson WorkForce Pro Printer, another compatible device.



Over-Current
Protection



Over-Temp
Protection



Over-Voltage
Protection



Short Circuit
Protection

SUPERIOR SAFETY POWER ADAPTER



Warm Tips


Please check our compatible Model List and Notice. Make sure the Model# or Part# match your device.

please feel free to contact us for any inquiries



Professional of Power Adapters

T-Power adapters are tested on the original device to ensure compatibility. Certified by T-power technicians 100% compatible.



Safety Features with Safety certified

Safeguards against incorrect voltage, short circuit, and internal overheating. (CE/FCC/RoHS certified)



Reinforced Power Cord

Long lasting DC cord for your convenience and charge your device.

T-Power is a globally trusted provider of premier power supplies and power supply products.



30-Day Return for Any Reason

You may return your undamaged product and packaging within 30 days of purchase to receive a FULL REFUND for any reason.



12-Month Warranty

We will take care of all quality-related issues, **Easy Exchang** with a REPLACEMENT including any return shipping costs.



Technical Support

Received the wrong item?
Looking for Charger for your device?
Adapter tip doesn't fit your device?
We can help, just let us know.

Image: Epson Perfection V500 Photo Scanner, another compatible device.

SETUP INSTRUCTIONS

Follow these steps to correctly set up your T POWER AC DC Adapter with your compatible Epson device.

- 1. Unpack the Adapter:** Carefully remove the T POWER AC DC Adapter and its power cord from the packaging.
- 2. Connect the AC Power Cord:** Insert the 2-pin end of the AC power cord into the corresponding receptacle on the T POWER adapter brick. Ensure it is firmly seated.
- 3. Connect to Power Outlet:** Plug the other end of the AC power cord into a standard wall power outlet (AC 100V - 240V). The adapter may have an indicator light to show it is receiving power.
- 4. Connect to Device:** Locate the power input port on your Epson scanner or printer. Insert the DC output connector (center pin connector) from the T POWER adapter into this port. Ensure a secure connection.
- 5. Power On Device:** Once connected, you can power on your Epson device.

Important Safety Note:

- Ensure the power outlet is easily accessible.
- Do not force connections. If the plug does not fit, check its orientation.
- Avoid plugging and unplugging the adapter rapidly, as this can cause wear or damage.

OPERATING INSTRUCTIONS

The T POWER AC DC Adapter operates automatically once connected. It converts the incoming AC voltage to the required 24V DC for your Epson device.

- **Voltage Compatibility:** The adapter is designed for universal input voltage (AC 100V-240V), making it suitable for use in various regions with appropriate plug adapters (not included).
- **Output:** Provides a stable 24V DC output, 3 Amps, with a maximum wattage of 90 watts, matching the power requirements of compatible Epson devices.
- **Indicator Light:** Some adapter models may feature an LED indicator to confirm power is being supplied.
- **Disconnection:** To disconnect power, first turn off your Epson device, then unplug the adapter from the wall outlet, and finally disconnect the DC connector from your device.

MAINTENANCE AND CARE

Proper maintenance ensures the longevity and safe operation of your T POWER AC DC Adapter.

- **Cleaning:** Disconnect the adapter from all power sources and devices before cleaning. Use a soft, dry cloth to wipe the adapter. Do not use liquid cleaners or aerosols.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cables to prevent damage.
- **Cable Inspection:** Regularly inspect the power cords and adapter for any signs of damage, such as cuts, fraying, or bent pins. Do not use if damaged.
- **Ventilation:** Ensure the adapter is placed in a well-ventilated area during operation to prevent overheating. Do not cover the adapter.

TROUBLESHOOTING

If you encounter issues with your T POWER AC DC Adapter, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
Device not powering on.	<ul style="list-style-type: none">• Adapter not properly connected.• Power outlet is not active.• Adapter or cable is damaged.• Device is incompatible.	<ul style="list-style-type: none">• Ensure all connections (wall outlet, adapter to cord, adapter to device) are secure.• Test the power outlet with another device.• Inspect the adapter and cables for visible damage. Replace if necessary.• Verify your device model is listed in the compatibility section.

Problem	Possible Cause	Solution
Adapter feels hot during use.	<ul style="list-style-type: none"> • Normal operation (slight warmth). • Poor ventilation. • Overload or internal fault. 	<ul style="list-style-type: none"> • A slight warmth is normal. • Ensure the adapter is in a well-ventilated area and not covered. • If excessively hot or emitting smoke/smell, immediately unplug and discontinue use. Contact support.
Sparking when plugging into outlet.	<ul style="list-style-type: none"> • Normal inrush current. • Loose outlet or faulty adapter. 	<ul style="list-style-type: none"> • A small, brief spark is common due to inrush current. • If sparking is excessive, continuous, or accompanied by smoke/smell, unplug immediately. Check the outlet for looseness or damage. Do not use a faulty outlet or adapter.

PRODUCT SPECIFICATIONS

Feature	Detail
Brand	T POWER
Model Number	TP- Epson DA-36E24 EADP-31AB C A411E
Input Voltage Range	AC 100V - 240V
Output Voltage	24 Volts (DC)
Output Current	3 Amps
Wattage	90 watts
Connector Type	Center Pin Connector
Power Source	Corded Electric
Frequency Range	50-60 Hz
Main Power Connector Type	2 Pin (North American Type A plug for AC cord)
Item Weight	4 Ounces
Material	Plastic
Certifications	CE/FCC/RoHS certified

WARRANTY INFORMATION

This T POWER AC DC Adapter comes with a **1-year Limited Warranty** from the date of purchase. This warranty covers manufacturing defects and ensures the product meets its specified performance standards under normal use.

For warranty claims or inquiries, please retain your proof of purchase and contact customer support.

CUSTOMER SUPPORT

If you have any questions, require assistance, or need to report an issue with your T POWER AC DC Adapter, please contact our customer support team.

For the quickest resolution, please have your product model number (TP- Epson DA-36E24 EADP-31AB C A411E) and purchase details ready.

You can typically find support contact information on the retailer's website where you purchased the product or on the T POWER brand website.