

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Winegard](#) /

› [Winegard PA2000R Pathway X1 Automatic Portable Satellite TV Antenna User Manual](#)

Winegard PA2000R

Winegard PA2000R Pathway X1 Automatic Portable Satellite TV Antenna User Manual

Model: PA2000R | Brand: Winegard

PRODUCT OVERVIEW

The Winegard Pathway X1 portable satellite antenna is specifically designed for watching DISH HD programming, ideal for use in trucks, RVs, or during outdoor activities. This easy-to-use portable satellite system automatically finds satellite programming, eliminating the need for manual antenna pointing. This product is often bundled with a DISH Wally HD receiver for a complete viewing solution.

Key features include:

- Rigorously tested for durability, capable of withstanding over 600,000 miles of travel.
- 100% automatic operation, utilizing the DISH receiver interface for rapid satellite acquisition.
- Supports two receivers for simultaneous viewing on two televisions.
- Lightweight and compact design for easy portability and minimal storage space.
- Compatible with various optional mounts (sold separately) for versatile placement.



Image: The Winegard Pathway X1 antenna, a compact white dome, shown mounted on an optional tripod for portable use.

SETUP AND INSTALLATION

The Pathway X1 is designed for effortless setup, allowing users to quickly get their satellite TV system operational. Follow these steps for a quick and simple installation:

1. **Placement:** Ensure the portable antenna is placed on a stable surface with a clear view of the southern sky.
2. **Connection:** Connect the included coaxial cable between the Pathway X1 antenna and the primary DISH satellite receiver. The antenna is powered directly through the DISH HD Solo receiver via this single coax connection, eliminating the need for an additional power cord for the antenna.
3. **TV Connection:** Connect an HDMI or coaxial cable from the satellite receiver to your television.
4. **Power On:** Power on both the satellite receiver and the television.
5. **Receiver Setup:** Complete the satellite receiver setup process as guided by the on-screen interface. You will typically select your current state or location, and the system will automatically scan and lock onto the correct

satellites.

For a visual guide to the setup process, please refer to the official product video below:

Your browser does not support the video tag.

Video: An official Winegard video demonstrating the features and simple setup of the Pathway X1 satellite antenna, including its automatic satellite acquisition and compact design.

OPERATION

Once set up, the Winegard Pathway X1 provides a seamless viewing experience:

- **Automatic Satellite Acquisition:** The antenna automatically finds the correct DISH HD satellite orbital locations, ensuring quick access to your favorite programming.
- **Dual TV Viewing:** Equipped with two coaxial outputs, the Pathway X1 supports connecting up to two DISH receivers, allowing for independent viewing on two separate televisions.
- **Programming Compatibility:** The system is compatible with your existing DISH subscription or can be used with DISH Pay-As-You-Go satellite programming. This offers flexibility with no long-term contracts or commitments, allowing you to pay only for the months you use the antenna.
- **HD Programming:** Enjoy standard definition (SD) and high definition (HD) programming wherever you are.



Image: A family enjoying outdoor television viewing at a campsite, with the Winegard Pathway X1 antenna positioned nearby, demonstrating its portable use.

MOUNTING OPTIONS

The Pathway X1 offers versatile mounting solutions to suit various needs (mounts sold separately):

- **MT-SM10 Rear Cab Mount:** For secure attachment to the rear cab of a truck.
- **RK-2000 Roof Mount Kit:** Allows permanent mounting to the roof of an RV or vehicle for stationary use. This transforms the portable antenna into a fixed solution.
- **MT-SM30 Window/Side Vehicle Mount:** Provides flexible mounting to a window or side of a vehicle.
- **TR-1518 Adjustable Tripod Mount:** Offers a stable, portable setup on the ground, as seen in the product images.

These options enhance the antenna's adaptability for different outdoor and mobile environments.

TECHNICAL SPECIFICATIONS

Feature	Detail
Model Number	PA2000R
Brand	Winegard
Item Weight	10 lbs (Antenna only), 14 lbs (Shipping weight)
Product Dimensions	14.3" diameter, 13.5" tall (Antenna only)
Color	White
Antenna Type	Television, Satellite
Power Source	Powered through DISH HD Solo receiver at 120 VAC power source
Receiver Support	Supports up to two receivers
Coax Outputs	2
Included Cable	25' coax cable
Elevation Range	18-65°
Satellite Reception	Receives programming from satellites 110°, 119°, 129°
Use Condition	For stationary use only; must be in fixed position during use

WARRANTY AND SUPPORT

For detailed warranty information and technical support, please refer to the official Winegard resources.

- **User Manual (PDF):** For comprehensive instructions and troubleshooting, download the official user manual: [Download User Manual](#)
- **Protection Plans:** Extended protection plans are available for purchase to cover your investment. These plans offer additional coverage beyond the standard manufacturer's warranty.
- **Manufacturer Support:** Visit the official Winegard website or contact their customer service for assistance with

product registration, technical issues, or warranty claims.

© 2024 Winegard. All rights reserved. Information subject to change without notice.
For more products and information, visit the [Winegard Store](#).