

Manuals.plus /

› Rabalux /

› Rabalux 1956 ART FLOWER Pendant Lamp User Manual

Rabalux 1956

Rabalux 1956 ART FLOWER Pendant Lamp User Manual

Model: 1956

1. INTRODUCTION AND SAFETY INFORMATION

Thank you for choosing the Rabalux 1956 ART FLOWER Pendant Lamp. This manual provides essential information for the safe installation, operation, and maintenance of your new lighting fixture. Please read these instructions carefully before installation and retain them for future reference.

Important Safety Instructions:

- Always disconnect power at the main fuse or circuit breaker before installation, maintenance, or bulb replacement.
- Installation should be performed by a qualified electrician to ensure compliance with local electrical codes.
- Do not exceed the maximum wattage specified for the bulb (1x E27 MAX 60W).
- Ensure all connections are secure and properly insulated.
- This fixture is rated IP20, meaning it is protected against solid objects larger than 12.5mm but has no protection against water. Do not install in damp or wet locations.
- Handle glass components with care to prevent breakage.

2. SETUP AND INSTALLATION

The Rabalux 1956 is a pendant lamp designed for ceiling installation. Professional installation is highly recommended.

Installation Steps:

1. **Prepare for Installation:** Turn off the power at the circuit breaker. Ensure the area is clear and you have all necessary tools (screwdriver, wire strippers, ladder, etc.).
2. **Mount the Mounting Bracket:** Secure the lamp's mounting bracket to the ceiling junction box using appropriate screws. Ensure it is firmly attached and can support the lamp's weight (2.15 kg).
3. **Adjust Cord Length:** The pendant lamp features an adjustable cord. Carefully adjust the cord length

to your desired height. Secure any excess cord within the canopy or as per the fixture's design.

4. **Wire the Fixture:** Connect the fixture's wires to the corresponding household electrical wires. Typically, this involves connecting live (brown/black) to live, neutral (blue/white) to neutral, and ground (green/yellow) to ground. Use appropriate wire connectors and ensure all connections are secure.
5. **Attach the Canopy:** Carefully push the lamp's canopy up to the ceiling, covering the junction box and wiring. Secure it in place with the provided screws or fasteners.
6. **Install the Bulb:** Insert one E27 base bulb (not included) into the lamp socket. Ensure the bulb's wattage does not exceed 60W.
7. **Restore Power:** Once installation is complete and all components are secure, restore power at the circuit breaker.




Image 1: The Rabalux 1956 ART FLOWER Pendant Lamp, showcasing its design with bronze-colored accents and a decorative glass shade.

3. OPERATING INSTRUCTIONS

The Rabalux 1956 pendant lamp is designed for simple operation.

Turning On/Off:

- This lamp is equipped with a pull cord mechanism. To turn the lamp ON or OFF, gently pull the cord extending from the fixture.

Dimming Functionality:

- The Rabalux 1956 lamp is dimmable. To utilize this feature, you must use a dimmable E27 bulb and connect the fixture to a compatible external dimmer switch (not included).
- Follow the instructions provided with your dimmable bulb and dimmer switch for proper operation.

4. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your lamp.

Cleaning:

- Always ensure the lamp is turned off and cool before cleaning.
- Wipe the metal and glass surfaces with a soft, dry, or slightly damp cloth.
- Do not use abrasive cleaners, solvents, or polishes as they may damage the finish.

Bulb Replacement:

- Turn off the power at the circuit breaker and allow the bulb to cool completely.
- Carefully unscrew the old E27 bulb from the socket.
- Screw in a new E27 bulb, ensuring it does not exceed the maximum 60W rating.
- Restore power.

5. TROUBLESHOOTING

If you encounter issues with your lamp, refer to the following common problems and solutions:

- **Lamp does not light up:**
 - Check if the power is on at the circuit breaker.
 - Ensure the bulb is correctly installed and not faulty. Try a new bulb.
 - Verify that the pull cord mechanism is functioning correctly.
 - Check electrical connections for looseness (only by a qualified electrician).
- **Lamp flickers:**
 - Ensure the bulb is fully screwed into the socket.
 - If using a dimmable bulb with a dimmer, ensure both are compatible and the dimmer is correctly installed.
 - Check for loose wiring connections (only by a qualified electrician).

If these steps do not resolve the issue, please contact a qualified electrician or Rabalux customer support.

6. SPECIFICATIONS

Model Number	1956
Brand	Rabalux
Dimensions (Height x Diameter)	1200 mm x 400 mm (H: 120cm, Ø40cm)
Weight	2.15 kg
Bulb Type / Fitting	1x E27
Max Wattage	60W
Material	Glass, Plastic
Color	Bronze / Raspsteen glass
Protection Rating	IP20
Energy Source	Corded Electric
Dimmable	Yes (with dimmable bulb and compatible dimmer switch)

7. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation provided with your purchase or contact your retailer. You may also visit the official Rabalux website for further assistance.

Please retain your proof of purchase for any warranty claims.