

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [SentrySafe](#) /

› [SentrySafe SFW205CWB Fireproof Waterproof Safe User Manual](#)

SentrySafe SFW205CWB

SentrySafe SFW205CWB Fireproof Waterproof Safe User Manual

Essential instructions for setup, operation, and maintenance of your SentrySafe SFW205CWB safe.

1. INTRODUCTION

Welcome to your SentrySafe SFW205CWB Fireproof Waterproof Safe. This manual provides important information for the proper installation, use, and care of your safe. Please read all instructions carefully before operating your safe.

2. SAFETY INFORMATION

- **Fire Protection:** This safe is UL Classified to endure 1 hour at 1700°F (927°C), ensuring the interior temperature remains safe for irreplaceable documents, valuables, DVDs, and USBs.
- **Water Protection:** The safe is ETL Verified for 24 hours of protection in water up to 8 inches (20 cm) deep, offering peace of mind against floods.
- **Impact Resistance:** ETL Verified to withstand a 15-foot (4.5 meter) fall during a fire and remain closed, protecting contents from structural collapse.
- **Security Features:** Equipped with a preset dial combination lock, six large 1-inch (2.5 cm) live-locking bolts, steel construction, and a pry-resistant hinge bar for enhanced security against theft.
- **Important Note:** Do not remove the desiccant bag provided inside the safe. It helps absorb moisture and protect contents.
- **Warning:** Drilling into the safe for bolt-down installation will compromise its waterproof rating.



Image description: A SentrySafe SFW205CWB safe with its door slightly ajar, set against a backdrop of flames. Text overlays indicate "FIREPROOF FOR 1 HOUR UP TO 1700°F" and a UL Classified logo.

WATERPROOF FOR 24 HOURS IN 8 INCHES OF WATER



Image description: A SentrySafe SFW205CWB safe with water splashing around its base, illustrating its waterproof capabilities. Text overlays state "WATERPROOF FOR 24 HOURS IN 8 INCHES OF WATER" and an ETL Verified logo.

3. SETUP

3.1 Unpacking

Carefully remove the safe from its packaging. Inspect the safe for any visible damage before proceeding with setup.

3.2 Initial Access

Your SentrySafe SFW205CWB comes with a factory-set dial combination. This combination is unique to your safe and cannot be changed. Locate the combination on the back cover of your owner's manual or on a sticker provided with the safe. Keep this information in a secure location separate from the safe.

3.3 Bolt-Down Installation (Optional)

The safe includes hardware for optional bolt-down installation to secure it to the floor. If you choose to bolt down the safe, follow the instructions provided in the bolt-down kit. Be aware that drilling into the safe for this purpose will compromise its waterproof rating.

FIREPROOF FOR 1 HOUR UP TO 1700°F



Image description: A SentrySafe SFW205CWB safe with its door open, revealing the interior. The image highlights the bolt-down holes at the bottom of the safe, indicating where the safe can be secured to the floor.

4. OPERATING YOUR SAFE

4.1 Opening the Safe (Dial Combination)

To open your safe, carefully follow the specific dial combination sequence provided with your safe. Turn the dial to the correct numbers as instructed, then turn the handle to open the door.

Your browser does not support the video tag.

Video description: An official SentrySafe video demonstrating the process of opening and closing the SFW205CWB safe using its dial combination lock. The video shows the handle being turned to engage and disengage the locking bolts.

4.2 Interior Organization

The safe's interior is designed for optimal organization. It features adjustable shelves, a deep organizer tray, and a drawer to accommodate various items. The inside of the door also includes key hooks and a small pocket for additional storage.

MAXIMUM SECURITY

Factory-Set Combination



Image description: A detailed view of the SentrySafe SFW205CWB's interior, highlighting its organizational features. This includes adjustable shelves, a removable tray, a drawer, and key hooks on the inside of the door for small items.

5. MAINTENANCE

- **Cleaning:** Keep the exterior and interior of your safe clean and dry. Use a soft, damp cloth for cleaning; avoid abrasive cleaners.
- **Moisture Control:** Ensure the desiccant bag provided inside the safe remains in place to help prevent moisture buildup. Replace the desiccant bag if it becomes saturated or ineffective.
- **Lock Mechanism:** Periodically check the dial combination and handle for smooth operation. Do not force the mechanism if it feels stiff.

6. TROUBLESHOOTING

- **Safe not opening:** Double-check that the dial combination is entered precisely according to the instructions. Ensure the handle is turned fully after entering the combination.
- **Door not closing properly:** Inspect the door frame and locking bolts for any obstructions. Ensure the handle is fully engaged to extend the bolts.
- **Moisture inside the safe:** Verify the desiccant bag is present and not saturated. If moisture persists,

consider placing additional desiccant packs inside and ensure the safe is located in a dry environment.

7. SPECIFICATIONS

Feature	Detail
Brand	SentrySafe
Model	SFW205CWB
Exterior Dimensions (W x D x H)	19.3" x 18.6" x 23.8" (49 cm x 47.2 cm x 60.4 cm)
Interior Dimensions (W x D x H)	14.8" x 11.9" x 19.6" (37.6 cm x 30.2 cm x 49.8 cm)
Capacity	2.05 Cubic Feet (57.9 liters)
Lock Type	Mechanical Dial Combination
Fire Protection	UL Classified for 1 hour at 1700°F (927°C)
Water Protection	ETL Verified for 24 hours in 8 inches (20 cm) of water
Drop Test	ETL Verified to withstand a 15-foot (4.5 meter) fall during fire
Weight	124.8 Pounds (56.6 kg)
Material	Alloy Steel
Color	Black

PROTECTION & ORGANIZATION




Image description: A SentrySafe SFW205CWB safe with its key dimensions (height, width, depth) and internal capacity (2.1 cubic feet) clearly labeled. Icons represent items that can be stored, such as passports, jewelry, and digital media.

8. WARRANTY AND SUPPORT

Your SentrySafe SFW205CWB is backed by a Limited One Year Warranty. SentrySafe is committed to protecting your valuables and offers a replacement safe should your product be damaged by fire or water.

For detailed warranty information, product registration, or to contact customer support, please visit the official SentrySafe website or refer to the warranty card included with your safe.

[Visit the SentrySafe Store on Amazon](#)