Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

John Deere LP93917

John Deere Standard Riding Mower Cover LP93917 Instruction Manual

Model: LP93917

Product Overview

The John Deere Standard Riding Mower Cover, model LP93917, is designed to provide all-season protection for your riding mower. This cover helps shield your equipment from various environmental elements, ensuring its longevity and maintaining its appearance.
Key features include:

- **Dual Vents:** Allow air circulation to prevent moisture buildup and reduce ballooning in windy conditions.
- **Coated Fabric:** Provides maximum water protection.
- **Protection:** Guards against sun damage, rain, dust, birds, and tree sap.
- **Elastic Shock Cord:** Located in the bottom hem for a quick and custom fit around your mower.
- **Storage Pocket:** Reverses into an attractive storage case for convenience.

This cover is suitable for John Deere Models 100-X300 series riding mowers.

Setup and Installation

Follow these steps to properly install your John Deere Riding Mower Cover:

1. **Prepare the Mower:** Ensure your riding mower is clean and dry before applying the cover. Allow hot engine components to cool down completely to prevent damage to the cover material.
2. **Unfold the Cover:** Carefully unfold the cover, identifying the front and rear sections. The John Deere logo is typically positioned on the sides.
3. **Position the Cover:** Drape the cover over the riding mower, starting from the front. Ensure the cover is centered and evenly distributed over the entire machine.
4. **Secure the Fit:** Pull the cover down firmly around the base of the mower. The elastic shock cord in the bottom hem will help create a snug, custom fit, securing the cover in place and preventing it from being dislodged by wind.



Image: The John Deere Standard Riding Mower Cover installed on a riding mower, demonstrating its protective coverage.

Important Note: This cover is designed for the main body of the riding mower. It will *not* cover attachments such as baggers, sprayers, or other extended accessories.

Operating (Usage)

The John Deere Standard Riding Mower Cover is intended for stationary use to protect your equipment when not in operation. Its design focuses on passive protection against environmental factors.

- **Weather Protection:** The coated fabric provides water resistance, protecting your mower from rain and moisture.
- **UV Protection:** Helps to prevent sun damage and fading of your mower's paint and plastic components.
- **Debris Shield:** Acts as a barrier against dust, dirt, leaves, bird droppings, and tree sap.
- **Ventilation:** Integrated dual vents promote airflow, reducing condensation and heat buildup under the cover, which can help prevent rust and mildew.

Maintenance and Care

Proper care will extend the life of your mower cover:

- **Cleaning:** To clean the cover, wipe it down with a damp cloth and mild soap. Rinse thoroughly with water and allow it to air dry completely before folding or storing. Do not use harsh chemicals or abrasive cleaners.
- **Drying:** Always ensure the cover is completely dry before storing to prevent mildew and odors.
- **Storage:** When not in use, fold the cover neatly and store it in its integrated storage pocket. Keep it in a cool, dry place away from direct sunlight.
- **Inspection:** Periodically inspect the cover for any signs of wear, tears, or damage. Promptly repair small tears to prevent them from enlarging.

Troubleshooting

- **Cover Does Not Fit Snugly:** Ensure the cover is correctly oriented on the mower. The elastic shock cord should be fully engaged around the bottom perimeter. Verify your mower model is within the recommended range (100-X300 series).
- **Cover Blows Off in Wind:** Confirm the elastic shock cord is properly secured. For extremely windy conditions, additional tie-downs (not included) may be considered, though the integrated elastic is designed for a secure fit.
- **Water Accumulation:** Ensure the cover is draped smoothly without large depressions where water can pool. The coated fabric is water-resistant, but prolonged pooling can stress the material.
- **Pest Activity Under Cover:** While the cover protects the mower, it does not prevent pests from seeking shelter underneath. Regularly check under the cover, especially during colder months, and consider pest deterrents if this becomes an issue.

Specifications

Model Number:	LP93917
Material:	Plastic (Coated Fabric)
Color:	Black
Item Weight:	Approximately 2 Pounds
Water Resistance Level:	Water Resistant
Closure Type:	Pull On (with elastic hem)

Warranty Information

For specific warranty details regarding your John Deere Standard Riding Mower Cover (LP93917), please refer to the documentation included with your purchase or contact John Deere customer service directly. Warranty terms and conditions may vary.

Customer Support

If you have any questions, require assistance, or need to report an issue with your John Deere Standard Riding Mower Cover, please contact John Deere customer support through their official website or authorized dealers. When contacting support, please have your model number (LP93917) available.
You can find more information and contact details on the official John Deere website:www.deere.com

© 2024 John Deere. All rights reserved. This manual is for informational purposes only.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B00I2Y0FKG

More documents and user manuals: **https://manuals.plus/**