Schock MONN100USTO

Schock Mono N100 MONN100USTO Kitchen Sink Instruction Manual

Model: MONN100USTO | Brand: Schock

1. Product Overview

The Schock Mono N100 MONN100USTO is a high-quality single bowl kitchen sink designed for integrated (undermount) installation. Constructed from durable stone material, it offers a classic style with a brushed finish, suitable for various kitchen designs. This manual provides essential information for the safe installation, operation, and maintenance of your new kitchen sink.
Please read these instructions carefully before beginning installation or use, and retain them for future reference.

2. Safety Instructions

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during installation.
- Ensure all water supply lines are turned off before commencing any plumbing work.
- Handle the sink with care; it is heavy (approximately 10.5 kg net weight) and can cause injury if dropped.
- Verify that the countertop material and cabinet structure can support the weight of the sink when filled with water.
- If you are unsure about any installation steps, consult a qualified plumber or professional installer.

3. Package Contents

The package should contain the following items:

- Schock Mono N100 MONN100USTO Kitchen Sink
- Drain assembly (grid type)
- Installation clips/fasteners (may vary by region)
- Installation template (if provided)

Inspect all components for damage before installation. Contact your supplier immediately if any parts are missing or damaged.

4. Setup and Installation

The Schock Mono N100 is designed for integrated (undermount) installation. Accurate measurements and proper sealing are crucial for a successful installation.

4.1. Preparation

1. Ensure the countertop opening is precisely cut according to the provided template or the specified cutout dimensions.
2. Clean the underside of the countertop and the rim of the sink thoroughly to ensure proper adhesion of sealant.

4.2. Cutout Dimensions

Refer to the technical drawing for precise dimensions. The recommended cutout dimensions are **543 x 483 mm**.



Figure 1: Technical drawing showing overall sink dimensions (570 x 510 mm), bowl dimensions (358 x 514 x 180 mm), and recommended cutout dimensions (543 x 483 mm).

4.3. Installation Steps

1. Apply a continuous bead of silicone sealant around the perimeter of the sink's rim that will contact the underside of the countertop.
2. Carefully lift the sink and position it underneath the countertop opening. Ensure it is centered and aligned correctly.

3. Secure the sink to the countertop using the provided installation clips/fasteners. Tighten them evenly to create a watertight seal, but do not overtighten.
4. Install the drain assembly according to its specific instructions, ensuring all seals are properly seated to prevent leaks.
5. Connect the plumbing (drainage and faucet, if applicable) to the installed sink.
6. Allow the sealant to cure completely as per the manufacturer's instructions before using the sink or testing for leaks.

Figure 2: Example of an undermount installation of the Schock Mono N-100 sink, showcasing its integrated appearance.



Figure 3: Detailed view illustrating the undermount installation type, where the sink is mounted below the countertop surface.

5. Operating Instructions

The Schock Mono N100 sink is designed for everyday kitchen tasks. Its durable stone material is resistant to common household acids and impacts. Use it for washing dishes, preparing food, and other general kitchen activities.

Figure 4: The Schock Mono N100 sink in a typical kitchen setting, demonstrating its functionality and capacity for various tasks.

6. Maintenance and Care

Proper care will ensure the longevity and appearance of your Schock stone sink.

- **Daily Cleaning:** Clean the sink regularly with warm water, a soft cloth or sponge, and a mild dish soap. Rinse thoroughly and wipe dry to prevent water spots.
- **Stain Removal:** For stubborn stains, use a non-abrasive cleaner specifically designed for composite or stone sinks. Avoid harsh chemicals, abrasive pads, or steel wool, as these can damage the surface.
- **Heat Resistance:** While stone sinks are highly heat resistant, it is recommended to use a trivet or hot pad for extremely hot pots and pans to prevent potential thermal shock or discoloration over time.
- **Avoid Impact:** Although durable, heavy impacts from sharp objects can cause chipping or cracking. Exercise caution when handling heavy cookware.
- **Drain Care:** Regularly clean the drain assembly to prevent blockages and maintain hygiene.

7. Troubleshooting

This section addresses common issues you might encounter with your kitchen sink.

- **Leaks around the sink rim:** This usually indicates an improper seal during installation. Ensure the sealant has cured properly and that installation clips are tightened evenly. Re-sealing may be necessary.
- **Slow drainage:** Check the drain assembly for food debris or other blockages. Clean the drain trap if necessary.
- **Water spots or mineral buildup:** These can occur in hard water areas. Regular drying after use helps prevent this.

For existing spots, use a mild descaling agent or a solution of vinegar and water, followed by thorough rinsing.

- **Discoloration:** Ensure you are following the recommended cleaning procedures. Avoid leaving highly pigmented foods or liquids in the sink for extended periods. Specialized stone sink cleaners can help restore color.

If you encounter issues not covered here or require further assistance, please contact Schock customer support or your retailer.

8. Specifications

Model Number	MONN100USTO
Brand	Schock
Material	Stone
Style	Classic
Installation Type	Integrated (Undermount)
Finish Type	Brushed
Shape	Oblong
Drain Type	Grid
Overall Sink Dimensions	570 x 510 mm
Recommended Cutout Dimensions	543 x 483 mm
Interior Bowl Dimensions	358 x 514 x 180 mm (Length x Width x Depth)
Net Weight	10.5 kg
Package Weight	18.2 kg
Package Dimensions	73.6 x 61.2 x 29 cm
ASIN	B00IEZVIDQ
International Article Code	04014949329142

9. Warranty and Support

For information regarding warranty coverage, terms, and conditions, please refer to the documentation provided with your purchase or visit the official Schock website. For technical support, spare parts, or service inquiries, please contact your retailer or Schock customer service directly. When contacting support, please have your model number (MONN100USTO) and proof of purchase readily available.
You can find more information and contact details on the official Schock website:www.schock.de

© 2023 Schock GmbH. All rights reserved. Information in this manual is subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question