

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Focal](#) /

› [Focal ISS-200 8-inch 2-Way Component Speaker System User Manual](#)

Focal ISS-200

Focal ISS-200 8-inch 2-Way Component Speaker System User Manual

Model: ISS-200



Figure 0.1: The Focal ISS-200 8-inch 2-Way Component Speaker System, including woofers, tweeters, and wiring.

This image displays the complete Focal ISS-200 component speaker system, showcasing the woofers, tweeters, and associated wiring components.

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Focal ISS-200 8-inch 2-Way Component Speaker System. Please read this manual thoroughly before attempting installation or operation to ensure proper function and longevity of your speakers. The Focal ISS-200 system is designed to deliver high-fidelity audio performance in a vehicle environment.

2. SAFETY INFORMATION

Always observe the following safety precautions during installation and operation:

- Disconnect the vehicle's battery before beginning any electrical work to prevent short circuits.
- Ensure all wiring is properly insulated and secured to prevent damage from vibration or sharp edges.
- Do not install speakers in locations that obstruct airbags, driver visibility, or vehicle controls.
- Use appropriate tools and personal protective equipment during installation.
- Consult a professional installer if you are unsure about any part of the installation process.
- Avoid prolonged exposure to high volume levels, which can cause hearing damage.

3. PACKAGE CONTENTS

Verify that all items listed below are present in your package:

- Two (2) 8-inch Woofers
- Two (2) Inverted Dome Tweeters (with pre-attached speaker wire)
- Two (2) Surface Mount Tweeter Housings (pre-installed)
- Two (2) Angled Surface Mount Tweeter Housings
- Two (2) 19-inch Lengths of Speaker Wire with In-line Tweeter Crossovers
- Two (2) 7-inch Lengths of Speaker Wire with In-line Woofer Crossovers
- Two (2) Foam Woofer Gaskets
- Eight (8) Speed Clips
- Four (4) 7/8-inch Flathead Screws
- Eight (8) 1-inch Self-tapping Screws
- Owner's Manual (English/French)
- Focal Window Sticker



Figure 3.1: Included hardware and user manual for the Focal ISS-200 system.

This image displays the user manual, various screws, and speed clips included with the Focal ISS-200 component speaker system, essential for installation.

4. INSTALLATION

The Focal ISS-200 system is designed for straightforward installation, featuring built-in crossovers for simplified wiring. However, professional installation is recommended for optimal performance and to avoid damage to your vehicle or the speakers.

4.1 Woofer Installation

The 8-inch woofers are designed with a shallow mounting depth of 2.5 inches (63.5 mm), allowing for compatibility with various vehicle door panels. Ensure the mounting location provides adequate clearance and is free from obstructions. The woofers feature built-in crossovers, simplifying the wiring process by eliminating the need for external crossover units.



Figure 4.1: Two Focal ISS-200 8-inch woofers, ready for installation.

This image shows the two 8-inch woofers from the Focal ISS-200 component speaker system, highlighting their design and size.



Figure 4.2: Rear view of the Focal ISS-200 woofers, showing the magnet structure and terminals.

This image provides a view of the rear of the Focal ISS-200 woofers, illustrating their magnet assembly and connection terminals.

4.2 Tweeter Installation

The inverted dome tweeters can be installed using either the surface mount housings (pre-installed) or the angled surface mount housings, depending on your vehicle's interior and desired sound staging. The compact size of the tweeters allows for flexible mounting options. Connect the tweeters using the provided speaker wire with in-line crossovers.



Figure 4.3: Focal ISS-200 inverted dome tweeters with their protective grilles.

This image displays the two inverted dome tweeters included in the Focal ISS-200 system, featuring their grilles.



Figure 4.4: Various tweeter mounting housings provided with the Focal ISS-200 system.

This image illustrates the different tweeter mounting housings available for the Focal ISS-200, offering flexibility for installation.

4.3 Wiring

The Focal ISS-200 system utilizes in-line crossovers for both woofers and tweeters. Connect the provided speaker wires to the corresponding components and then to your amplifier or head unit outputs. Ensure correct polarity (+/-) for all connections to maintain proper sound reproduction.



Figure 4.5: Speaker wiring harnesses with integrated in-line crossovers for the Focal ISS-200 system.

This image shows the speaker wiring provided with the Focal ISS-200, featuring integrated in-line crossovers for simplified connection.

5. OPERATION

Once properly installed, the Focal ISS-200 component speaker system is ready for use. These speakers are designed to be driven by a car audio amplifier or a head unit with sufficient power output. The system has a nominal impedance of 4 ohms and can handle up to 80 Watts RMS (Root Mean Square) and 160 Watts maximum power.

5.1 Initial Power-Up and Testing

1. After completing all wiring, reconnect the vehicle's battery.
2. Turn on your car audio system at a low volume level.
3. Gradually increase the volume and listen for clear, balanced sound from all speakers.
4. Check for any distortion or unusual noises. If present, immediately reduce volume and re-check wiring connections.

5.2 Sound Adjustment

Utilize your head unit's or amplifier's equalizer and balance/fader controls to fine-tune the sound to your preference. The ISS-200 system offers a frequency response from 40Hz to 20kHz, providing a wide range of audio reproduction.

6. MAINTENANCE

The Focal ISS-200 speakers require minimal maintenance. Follow these guidelines to ensure their longevity:

- Keep the speakers free from dust and debris. Use a soft, dry cloth for cleaning.
- Avoid exposing the speakers to excessive moisture or direct sunlight for prolonged periods.
- Regularly check wiring connections for tightness and corrosion, especially after significant vehicle vibrations or temperature changes.
- Do not apply any chemical cleaners or solvents to the speaker cones or surrounds.

7. TROUBLESHOOTING

If you experience issues with your Focal ISS-200 speaker system, refer to the following common troubleshooting steps:

7.1 No Sound from Speakers

- **Check Power:** Ensure your amplifier or head unit is receiving power and is turned on.
- **Verify Connections:** Inspect all speaker wires for secure connections at both the speaker and amplifier/head unit ends. Check for any loose or disconnected wires.
- **Check Polarity:** Incorrect wiring polarity can cause phase issues, leading to weak or no sound. Ensure positive (+) and negative (-) terminals are correctly matched.
- **Examine Fuses:** Check the fuses on your amplifier or head unit.

7.2 Distorted or Unclear Sound

- **Volume Level:** Reduce the volume. Distortion often occurs when the amplifier or speakers are overdriven.
- **Gain Settings:** If using an external amplifier, ensure the gain settings are properly adjusted. Too high a gain can cause clipping and distortion.
- **Equalizer Settings:** Adjust your head unit's or amplifier's equalizer settings. Extreme bass or treble boosts can introduce distortion.
- **Wiring Integrity:** Check speaker wires for any damage, fraying, or short circuits.
- **Speaker Mounting:** Ensure speakers are securely mounted and not vibrating against vehicle panels.

7.3 Imbalanced Sound (One Speaker Louder/Softer)

- **Balance/Fader Control:** Adjust the balance and fader controls on your head unit.
- **Wiring:** Check the wiring for the affected speaker. A loose connection or incorrect polarity can cause reduced output.
- **Speaker Damage:** Inspect the speaker cone and surround for any visible damage.

8. SPECIFICATIONS

Technical specifications for the Focal ISS-200 8-inch 2-Way Component Speaker System:


Feature	Specification
Model Name	Focal ISS 200
Speaker Type	2-Way Component System
Woofer Diameter	8 inches (200mm)
Tweeter Type	Inverted Dome
RMS Power Handling	80 Watts
Maximum Power Handling	160 Watts
Impedance	4 Ohm
Frequency Response	40Hz - 20kHz
Sensitivity (2.83V/1m)	91.4 dB
Woofer Mounting Depth	2.5 inches (63.5 mm)
Approximate System Weight	0.01 Ounces (Note: This value may represent shipping weight or a partial component weight and not the full system.)
Crossovers	Integrated In-line

9. WARRANTY AND SUPPORT


Focal products are manufactured to high-quality standards. This product is covered by a manufacturer's warranty against defects in materials and workmanship. The specific terms and duration of the warranty may vary by region and retailer. Please retain your proof of purchase for warranty claims.

For technical assistance, warranty service, or further information, please contact your authorized Focal dealer or visit the official Focal website. Do not attempt to repair the speakers yourself, as this may void the warranty.

Related Documents - ISS-200

	<p><u>Focal Integration Universal ISS Car Speaker User Manual and Installation Guide</u></p> <p>Comprehensive user manual for the Focal Integration Universal ISS car speaker system. Includes detailed installation instructions for tweeters and woofers, wiring diagrams, compatibility information, and warranty details. Learn how to properly install and register your Focal speakers.</p>
---	---

 LITTORA 200 OD STONE 8 - OD SAT 5 - OD SUB 12	<p>Focal Littora 200 Outdoor Speakers: User Manual & Specifications</p> <p>Discover the Focal Littora 200 series of outdoor speakers (OD Stone 8, OD Sat 5, OD Sub 12). This user manual provides essential guidance on installation, connections, specifications, and safety for high-fidelity outdoor audio experiences, featuring IP55 durability.</p>
 SLATEFIBER PC 165 SF PS 165 SF	<p>Focal PC 165 SF PS 165 SF User Manual and Specifications</p> <p>User manual and technical specifications for Focal PC 165 SF and PS 165 SF car speakers, featuring Slatefiber cones and high-efficiency design.</p>
 T3Y IW T3Y 200 ICC T3Y 100 IS T3Y 100 IC T3Y 100	<p>Focal T3Y Series Car Speakers: User Manual, Specifications, and Installation Guide</p> <p>Comprehensive user manual, technical specifications, and installation guide for the Focal T3Y series car speakers, including IW T3Y 200, ICC T3Y 100, IS T3Y 100, and IC T3Y 100. Features safety instructions, product details, and compatibility information.</p>
 FLAX EVO™ PS 165 FE PS 165 FSE PS 165 FCE PS 165 FSE	<p>Focal FLAX EVO™ Car Speaker Systems: User Manual & Specifications</p> <p>Explore the Focal FLAX EVO™ series car audio speakers with this comprehensive guide. It includes user manuals, installation instructions, safety guidelines, and detailed technical specifications for models like PS 165 FE, PS 165 FSE, and more. Learn about Focal's 'Listen Beyond' philosophy and product features.</p>
 T3Y IW T3Y 200 ICC T3Y 100 IS T3Y 100 IC T3Y 100	<p>Focal T3Y Series Car Audio Speakers User Manual and Installation Guide</p> <p>Comprehensive user manual and installation guide for Focal T3Y series car audio speakers, including models IW T3Y 200, ICC T3Y 100, IS T3Y 100, and IC T3Y 100. Features safety instructions, specifications, and setup details.</p>




[pdf] User Manual

Provided by ManualsAndMore Download User Manual Focal INTEGRATION UNIVERSAL ISS 165 manualsandmore |||

INTEGRATION UNIVERSAL ISS User manual | Manuel d utilisation Engl1sh page 2 Franyals page 8 INTEGRATION UNIVERSAL ISS User manual M ifibllef Thank you for choosing Focal and for sharing our passion for the Spirit of Sound . Designed using the Latest technology, these speakers integrate Focal s ...

lang:en score:24 filesize: 563.09 K page_count: 10 document date: 2019-07-23



[Focal Integration Universal ISS Car Speaker User Manual and Installation Guide](#)

Comprehensive user manual for the Focal Integration Universal ISS car speaker system. Includes detailed installation instructions for tweeters and woofers, wiring diagrams, compatibility information, and warranty details. Learn how to properly install and register your Focal speakers.

lang:en score:24 filesize: 541.63 K page_count: 10 document date: 2013-07-21



[pdf] User Manual Specifications Documentation Accessories

Car speaker Focal Integration ISS 170 English language manual for buy car Kiev price description Kyiv Ukraine technical specifications documentation in internet store 130 ua Manual Speaker User 3 Tweeter 1 accessories 2 Assembling the tweeters to mounts assembly original space Remove tweeter adapt it Handle with care do not touch aluminum dome and let come into contact rear of s grill unlocked NB is wire manuals en

PHONES 044 360-7-130 050 336-0-130 063 788-0-130 067 233-0-130 068 282-0-130 Internet store of autogoods ICQ 294-0-130 597-0-130 SKYPE km-130 CAR RECEIVERS -- Receivers Media receivers and stations Native receivers CD/DVD changers FM-modulators/USB adapters Flash memory Facia plat...

lang:en score:22 filesize: 3.29 M page_count: 22 document date: 2013-09-13



[pdf] Specifications Accessories Catalog

UNIVERSAL ISS 200 Focal Processed aluminum inverted dome tweeter Smoothness and definition without directivity Partial horn oadingl Best positioning in the soundstage iss200 specification sheet focal sites fr files shared catalog document |||

UNIVERSAL ISS 200 2-way component kit Butyl surround Perfect reliability Polyglass cone Neutral sound without coloration Integrated crossover woofer tweeter Easy installation ADVANTAGES High sensitivity Shallow mounting depth 63.5mm Partial horn loading tweeter Dynamics and neutrality...

lang:en score:20 filesize: 257.95 K page_count: 1 document date: 2013-04-22




[\[pdf\] User Manual Catalog](#)

CAR AUDIO Focal manual precision and acoustic expertise By combining a structural foam core between two layers of composite fibres we are able to give you the best catalog car 2014 focal cn sites fr files shared document

CAR AUDIO Elite Performance Integration PAGE 1 The Spirit of Sound Focal has been a leader in the international high-end audio industry since 1979. Today, thanks to more than 35 years of expertise in designing and manufacturing speaker drivers, the brand's innovation, its know-how made in F...

lang:en score:18 filesize: 12.29 M page_count: 19 document date: 2014-07-15




[\[pdf\] User Manual Accessories Catalog](#)

INTEGRATION UNIVERSAL ISS Focal User manual Thank you for choosing and sharing our passion the Spirit of Sound Designed using latest technology these speakers integrate 3 Tweeter 1 accessories 2 Assembling tweeters to mounts assembly in original space Remove tweeter adapt it Handle with care do not touch aluminum dome let come into contact rear car's grill unlocked NB is wire iss notice user 29448231 0d561c focal cn sites fr files shared catalog document shopcdn2 textalk se shop ws77 46977 art31 shopcdn

INTEGRATION UNIVERSAL ISS User manual / Manuel d'utilisation English page 2 Franais page 8 INTEGRATION UNIVERSAL ISS User manual English version Thank you for choosing Focal and for sharing our passion for the Spirit of Sound . Designed using the latest technology, these speakers integrate Foca...

lang:en score:18 filesize: 2.9 M page_count: 20 document date: 2012-11-05



[\[pdf\] User Manual Accessories](#)

INTEGRATION UNIVERSAL ISS Focal User manual Thank you for choosing and sharing our passion the Spirit of Sound Designed using latest technology these speakers integrate 3 Tweeter 1 accessories 2 Assembling tweeters to mounts assembly in original space Remove tweeter adapt it Handle with care do not touch aluminum dome let come into contact rear car's grill unlocked NB is wire 20130611111114 iss notice user low rgsound prodotti atch

INTEGRATION UNIVERSAL ISS User manual / Manuel d'utilisation English page 2 Franais page 8 INTEGRATION UNIVERSAL ISS User manual English version Thank you for choosing Focal and for sharing our passion for the Spirit of Sound . Designed using the latest technology, these speakers integrate Foca...

lang:en score:17 filesize: 2.79 M page_count: 20 document date: 2013-06-11



[pdf] User Manual Catalog

AUDIO Catalog CAR Focal The Spirit of Sound has been a leader in the international high end audio industry since 1979 Today thanks to more than 35 years expertise designing and manufacturing speaker drivers design our W composite sandwich cones is wise compromise between ingenuity manual precision acoustic By combining structural catalog caraudio 2015 focal cn sites fr files shared document en index controller attachment id 4406

CAR AUDIO Elite Performance Integration PAGE 1 The Spirit of Sound Focal has been a leader in the international high-end audio industry since 1979. Today, thanks to more than 35 years of expertise in designing and manufacturing speaker drivers, the brand's innovation, its know-how made in ...

lang:en score:15 filesize: 12.44 M page_count: 36 document date: 2014-11-18



[pdf] Accessories

ISS200Info focal america 2014 04

UNIVERSAL ISS 200 2 way component kit Butyl surround Perfect reliability Polyglass cone Neutral sound without coloration C connecteur avec filtre integr woofer tweeter Facilit de montage ADVANTAGES High sensitivity Shallow mounting depth 63.5mm Partial horn loading tweeter Dynamics and ...

lang:en score:15 filesize: 265.94 K page_count: 1 document date: 2012-12-06



[pdf] Specifications

ISS200Specs focal america 2014 04

INTEGRATION ISS 200 2-way component kit Polyglass cone Reduced height

FREQUENCY RESPONSE/IMPEDANCE dB SPL Ohm mechanical drawing 209.60

4x 4.50 197 90 178.7 72.2 63.50 27 Specifications Nominal power Maximum power

Sensitivity Cone Surround Nom. impedance DC resistance VC diameter VC height...

lang:en score:15 filesize: 254.83 K page_count: 1 document date: 2012-12-11



[pdf] Catalog

iss200 fiche produit focal sites fr files shared catalog document |||

UNIVERSAL ISS 200 Kit 2 voies spares Suspension Butyle Excellente fiabilit

Membrane Polyglass Son naturel sans coloration Connexions avec filtre intégré woofer tweeter Facilité de montage Ce qui fait la différence Une sensibilité élevée Profondeur d'encastrement 63,5 mm Amorce de pavé...

lang:fr score:14 filesize: 256.66 K page_count: 1 document date: 2013-04-22



[pdf] Specifications Tech Sheet

UNIVERSAL ISS 200 RG Sound FREQUENCY RESPONSE IMPEDANCE MECHANICAL DRAWING

Polyglass cone Reduced height woofer Nominal power 80W Maximum 160W Sensitivity 91 4dB Cone

Surround Butyl Nom impedance 4 Ohms DC resistance 3 1 VC diameter 25 5mm 12 2mm 01 2 Former

Kapton Layers Wire Copper Inductance 0 16mH Xmax 6mm 8 Magnet d x h 90x17mm 39 16 02

20130611115334 iss200 technical sheet rgsound it prodotti attach

UNIVERSAL ISS 200 Woofer Polyglass cone Reduced height FREQUENCY

RESPONSE/IMPEDANCE dB SPL Ohm mechanical drawing 209.60 4x 4.50 197 90

178.7 72.2 63.50 27 Specifications Nominal power Maximum power Sensitivity Cone

Surround Nom. impedance DC resistance VC diameter VC height Former Layers ...

lang:en score:14 filesize: 248.13 K page_count: 1 document date: 2013-04-22



[pdf] Accessories

2013CarCat focal america 2013 09

CAR audio Elite Performance Integration Elite haute couture sound Is your car a gem bespoke to you Is ultimate sound quality never far from your thoughts If so, then Elite is for you: The Focal name is synonymous with unique, hand-made equipment to help you achieve the absolute performance...

lang:en score:12 filesize: 3.8 M page_count: 32 document date: 2013-03-14



[pdf] Catalog

Catalog CarAudio 2016 focal sites fr files shared catalog document

CAR audio Elite Performance Integration The Spirit of Sound Focal has been a leader in the international high-end audio industry since 1979. Today, thanks to more than 35 years of expertise in designing and manufacturing speaker drivers, the brand's innovation, its know-how made in France a...

lang:en score:11 filesize: 2.75 M page_count: 36 document date: 2016-01-08



[\[pdf\] Catalog](#)

catalogue car 2014 focal sites fr files shared catalog document |||

CAR AUDIO lite Performance Intgration PAGE 1 The Spirit of Sound Depuis 1979, Focal est l'un des leaders mondiaux de l'acoustique haut de gamme. Forte de son expertise dans la conception et la fabrication de haut-parleurs depuis plus de 35 ans, l'innovation, le savoir-faire Made in France ...

lang:fr score:11 filesize: 11.09 M page_count: 17 document date: 2014-07-01



[\[pdf\] Catalog](#)

catalogue caraudio 2015 focal fr index controller attachment id 4405

CAR AUDIO lite Performance Intgration PAGE 1 The Spirit of Sound Depuis 1979, Focal est l'un des leaders mondiaux de l'acoustique haut de gamme. Forte de son expertise dans la conception et la fabrication de haut-parleurs depuis plus de 35 ans, l'innovation, le savoir-faire Made in France ...

lang:fr score:11 filesize: 12.19 M page_count: 19 document date: 2014-11-18



[\[pdf\] Catalog](#)

Catalogue CarAudio 2016 focal sites fr files shared catalog document |||

CAR audio lite Performance Intgration The Spirit of Sound Depuis 1979, Focal est l'un des leaders mondiaux de l'acoustique haut de gamme. Forte de son expertise dans la conception et la fabrication de haut-parleurs depuis plus de 35 ans, l'innovation, le savoir-faire Made in France et le ...

lang:fr score:11 filesize: 2.74 M page_count: 36 document date: 2016-01-08



[\[pdf\] Specifications Catalog](#)

CAR AUDIO Car audio Catalogue focal sites fr files shared catalog document |||

FOCAL is a trademark of FOCAL-JMLAB R5457 PC1122 Focal-JMlab - BP 374 - 108, rue de l'Avenir - 42353 La Talaudire cedex - France Tel . 33 0 477 435 700 - Fax 33 0 477 435 704 - Focal-JMlab 2015 - SCAB -15/11/20/4 Focal, Focal The Spirit of Sound, Utopia, Dme, Bird, Electra, Chorus, Easya,...

lang:en score:11 filesize: 12.32 M page_count: 18 document date: 2016-06-17



[\[pdf\] Catalog](#)

Car audio Catalog focal cn sites fr files shared catalog document |||

FOCAL est une marque de FOCAL-JMLAB R5456 PC1121 Focal-JMlab - BP 374 - 108, rue de l'Avenir - 42353 La Talaudire cedex - France Tel. 33 0 477 435 700 - Fax 33 0 477 376 587 - Focal-JMlab 2015 - SCAB -16/03/18/5 Focal, Focal The Spirit of Sound, Utopia, Dme, Bird, Electra, Chorus, Eeasya, ...

lang:fr score:11 filesize: 12.89 M page_count: 18 document date: 2016-06-17