

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Evenflo](#) /

› [Evenflo Symphony DLX All-In-One Convertible Car Seat Instruction Manual \(Model 34631358\)](#)

**Evenflo 34631358**

# Evenflo Symphony DLX All-In-One Convertible Car Seat

Instruction Manual - Model 34631358

[Introduction](#) [Safety](#) [Components](#) [Installation](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) \

## 1. INTRODUCTION

This manual provides essential instructions for the safe and proper use of your Evenflo Symphony DLX All-In-One Convertible Car Seat. This car seat is designed to accommodate children through three stages: rear-facing infant, forward-facing toddler, and booster mode. Please read all instructions carefully before installation and use to ensure maximum safety and comfort for your child.



**Image 1.1:** Front view of the Evenflo Symphony DLX All-In-One Convertible Car Seat, showcasing its design and harness system.

## 2. SAFETY INFORMATION

The Evenflo Symphony DLX All-In-One Convertible Car Seat meets or exceeds all applicable Federal Safety Standards. Key safety features include:

- **e3 Side Impact Protection:** This advanced system significantly reduces side impact crash forces through energy absorption and an expanded zone of protection.
- **5-Point Infinite Slide Harness:** Ensures a secure and accurate fit for your child every time, adjusting easily as they grow.
- **Energy Absorbing Foam Liner:** Provides additional protection and comfort.
- **Integrated Dual Cup Holders:** Designed for convenience without compromising safety.

**Important Safety Warning: Do not lubricate or immerse in water any part of this child restraint.**

## 3. PRODUCT COMPONENTS

Familiarize yourself with the various parts of your Evenflo Symphony DLX car seat:

- **Headrest:** Adjustable for height and support.
- **Harness System:** 5-point harness with Infinite Slide adjusters.
- **Buckle:** Central buckle for securing the harness.
- **Recline Mechanism:** Front-facing multi-position recline.
- **Sure LATCH Connectors:** For easy and secure installation.
- **Removable Head and Body Pillow:** For additional comfort and support, especially for infants.
- **Integrated Cup Holders:** Located on both sides of the seat.
- **Car Seat Pad:** Removable and machine-washable.



Image 3.1: Detailed front view of the car seat, highlighting the headrest, harness, and integrated cup holders.

#### 4. INSTALLATION

The Evenflo Symphony DLX supports three modes of use. Always refer to your vehicle's owner's manual for specific car seat installation instructions and LATCH system weight limits.

#### **4.1. Rear-Facing Mode (Infant)**

For infants weighing 5-40 lbs and measuring 19-40 inches in height. The car seat must be installed rear-facing in the back seat of the vehicle.

- Ensure the car seat is reclined to the appropriate angle for a rear-facing infant.
- Use either the vehicle's seat belt or the Sure LATCH connectors for installation.
- When using Sure LATCH, simply click the connectors onto your vehicle's lower anchors and push the car seat firmly into place. The self-tightening mechanism will secure the seat in approximately 60 seconds.
- Verify the car seat is securely installed and does not move more than one inch side-to-side or front-to-back at the belt path.

#### **4.2. Forward-Facing Mode (Toddler)**

For toddlers weighing 22-40 lbs and measuring 28-50 inches in height. The car seat must be installed forward-facing in the back seat of the vehicle.

- Adjust the car seat to the upright forward-facing recline position.
- Use either the vehicle's seat belt or the Sure LATCH connectors, along with the top tether strap.
- Attach the top tether to the designated anchor point in your vehicle and tighten.
- Ensure the car seat is securely installed and does not move more than one inch side-to-side or front-to-back at the belt path.

#### **4.3. Booster Mode**

For children weighing 40-110 lbs and measuring 44-57 inches in height. In booster mode, the car seat uses the vehicle's seat belt to secure the child.

- Remove the 5-point harness system and store it according to the instructions in the full manual.
- Position the car seat in the vehicle's back seat.
- Route the vehicle's lap and shoulder belt correctly through the designated guides on the booster seat and across the child.
- Ensure the shoulder belt lies flat across the child's collarbone and chest, and the lap belt is low on the hips, touching the thighs.



**Image 4.1:** This image illustrates the Evenflo Symphony DLX car seat in its three configurations: rear-facing for an infant, forward-facing for a toddler, and booster mode for an older child, demonstrating its versatility.

## 5. OPERATION

### 5.1. Harness Adjustment

The Evenflo Symphony DLX features an **Infinite Slide Harness** for easy and precise adjustment. To tighten or loosen the harness, locate the harness adjuster strap at the front of the seat. Pull the strap to tighten, or press the release button and pull the shoulder straps to loosen. Ensure the harness straps are snug against your child's body, with no slack, and positioned at or below the shoulders for rear-facing, and at or above the shoulders for forward-facing.



**Image 5.1:** Close-up view of hands demonstrating the adjustment of the 5-point harness system, showing the ease of use for securing a child.

## 5.2. Headrest Adjustment

The headrest can be adjusted with one hand to ensure proper head and neck support as your child grows. Locate the headrest adjustment handle at the top of the seat. Squeeze the handle and slide the headrest up or down to the desired position.



**Image 5.2:** A hand is shown adjusting the height of the car seat's headrest, illustrating the one-hand adjustment feature for optimal child comfort and safety.

### 5.3. Recline Positions

The car seat offers multiple recline positions for your child's comfort, whether awake or asleep. The recline adjustment lever is located at the front of the seat. Adjust the recline angle according to the child's age and the car seat mode (rear-facing or forward-facing).



**Image 5.3:** Angled view of the car seat, highlighting the recline mechanism at the base, which allows for multiple comfortable positions.

## 6. MAINTENANCE

### 6.1. Cleaning Instructions

The car seat pad is easy-off and machine-washable. Refer to the care label on the pad for specific washing instructions. For plastic and metal parts, wipe clean with mild soap and water. Do not use abrasive cleaners or solvents.



**Image 6.1:** A hand is shown detaching a section of the car seat's padding, demonstrating the ease of removal for cleaning.

## 6.2. Storage

When not in use, store the car seat in a cool, dry place away from direct sunlight. Ensure all components are clean and dry before storage. Do not store heavy objects on the car seat.

## 7. TROUBLESHOOTING

If you encounter any issues with your Evenflo Symphony DLX car seat, please consult the following common solutions:

- **Harness difficult to adjust:** Ensure the harness straps are not twisted. Check for any obstructions in the harness adjustment mechanism.
- **Car seat feels loose after installation:** Re-read the installation instructions carefully. Ensure Sure LATCH connectors are fully engaged and the seat belt is tightened correctly. Apply firm pressure to the car seat while tightening.
- **Child's head slumps forward:** In rear-facing mode, ensure the car seat is reclined to the correct angle. A rolled towel or pool noodle can be used at the vehicle seat crease to achieve the proper recline angle, as permitted by the full instruction manual and your vehicle's manual.

For further assistance, refer to the complete instruction manual or contact Evenflo customer support.

## 8. SPECIFICATIONS

Feature	Detail

Model Number	34631358
Minimum Weight Recommendation	5 lbs (2.27 kg)
Maximum Weight Recommendation	110 lbs (49.9 kg)
Material Type	Foam
Harness Type	5-point
Installation Type	LATCH / Seat Belt
Product Dimensions	76.2 x 50.8 x 50.8 cm (30 x 20 x 20 inches)
Product Weight	6.35 kg (14 lbs)


## 9. WARRANTY AND SUPPORT

Evenflo products are designed for durability and safety. For specific warranty details, please refer to the warranty card included with your product or visit the official Evenflo website. For customer support, product registration, or to order replacement parts, please contact Evenflo directly through their official channels.

**Evenflo Customer Service:** Please refer to the contact information provided in your product packaging or on the official Evenflo website.

© 2023 Evenflo. All rights reserved.

### Related Documents - 34631358

 <p>evenflo. everystage™ dlx/lx Child Restraint System Owner's Manual Keep instructions for future use.</p> <p><b>Rear-facing*</b> 13 to 22 lbs (6 to 10 kg) 43 to 52 lbs (19 to 24 kg)  <b>Forward-facing with Harness*</b> 13 to 40 lbs (6 to 18 kg) 43 to 65 lbs (19 to 29 kg) At least 2 years old  <b>Booster*</b> 18 to 40 lbs (8 to 18 kg) 40 to 120 lbs (18 to 54 kg) 13 to 100 lbs (6 to 45 kg) At least 4 years old </p> <p>* See page 4 for complete requirements. Para instrucciones en Español, llamar al 1-800-322-2211.</p> <p><b>WARNING!</b> To reduce the risk of serious injury or death, read this owner's manual prior to installing and using this child restraint.</p> <p>© 2019 Evenflo Company Inc. 2510856 8/19</p>	<p><a href="#">Evenflo EveryStage DLX/LX Child Restraint System Owner's Manual</a></p> <p>This owner's manual provides comprehensive instructions for the safe installation and use of the Evenflo EveryStage DLX/LX Child Restraint System, covering rear-facing, forward-facing with harness, and booster modes. It includes critical safety warnings, usage requirements, and installation guides to ensure child safety in vehicles.</p>
 <p>evenflo. Symphony™ All-in-One Child Restraint System Owner's Manual Keep instructions for future use.</p> <p><b>Rear-facing*</b> 23 to 35 lbs (10 to 16 kg) 40 to 102 lbs (18 to 46 kg) 19 to 40 in.  <b>Forward-facing*</b> 13 to 35 lbs (6 to 16 kg) 40 to 102 lbs (18 to 46 kg) 19 to 40 in. At least 2 years old  <b>Booster*</b> 18 to 49 lbs (8 to 22 kg) 40 to 130 lbs (18 to 59 kg) 12 to 150 cm (44 to 57 in.) At least 4 years old </p> <p>* See page 4 for complete requirements. Para instrucciones en Español, llamar al 1-800-322-2211.</p> <p><b>WARNING!</b> To reduce the risk of serious injury or death, read this owner's manual prior to installing and using this child restraint.</p> <p>© 2020 Evenflo Company Inc. 2510862 1/21</p>	<p><a href="#">Evenflo Symphony All-in-One Child Restraint System Owner's Manual</a></p> <p>This owner's manual provides detailed instructions for the Evenflo Symphony All-in-One Child Restraint System, covering rear-facing, forward-facing, and booster modes. Learn about installation, safety features, and child requirements to ensure safe travel.</p>

 <p><b>evenflo</b> LiteMax™ Rear-facing Child Restraint System Owner's Manual Keep for future use</p> <p>Rear-facing* 13 to 35 kg (4 to 35 lbs) 43 to 81 cm (17 to 32 in.) * See inside cover for complete requirements.</p> <p>Para instrucciones en Español, llame al 1-800-233-0921. * See page 4 for complete requirements.</p> <p><b>WARNING:</b> To reduce the risk of serious injury or death, always use proper child safety seat installation and use.</p> <p>© 2016 Evenflo Company, Inc. 253006a 8/16</p>	<p><a href="#">Evenflo LiteMax Rear-facing Child Restraint System Owner's Manual</a></p> <p>Comprehensive owner's manual for the Evenflo LiteMax rear-facing child restraint system, covering installation, usage, safety warnings, and maintenance.</p>
 <p><b>evenflo</b> Triumph™ Child Restraint System Owner's Manual Keep for future use</p> <p>Rear-facing* 2.3 to 10 kg (5 to 22 lbs) 46 to 94 cm (19 to 37 in.) Forward-facing* 7.1 to 25 kg (15 to 55 lbs) 71 to 127 cm (22 to 50 in.) At least 2 years old * See page 4 for complete requirements.</p> <p>Para instrucciones en Español, llame al 1-800-233-0921. * See page 4 for complete requirements.</p> <p><b>WARNING:</b> To reduce the risk of serious injury or death, always use proper child safety seat installation and use.</p> <p>© 2016 Evenflo Company, Inc. 253044a 7/16</p>	<p><a href="#">Evenflo Triumph Child Restraint System Owner's Manual &amp; Installation Guide</a></p> <p>Comprehensive owner's manual and installation guide for the Evenflo Triumph Child Restraint System. Provides detailed instructions for rear-facing and forward-facing installation, safety warnings, features, and maintenance for optimal child safety.</p>
 <p><b>evenflo</b> SafeMax™ Infant Car Seat Rear-facing Child Restraint System Owner's Manual Keep for future use</p> <p>Rear-facing* 1.8 to 15 kg (4 to 35 lbs) 43 to 81 cm (17 to 32 in.) * See page 1 for complete requirements.</p> <p>Para instrucciones en Español, llame al 1-800-233-0921. * See page 1 for complete requirements.</p> <p><b>WARNING:</b> To reduce the risk of serious injury or death, always use proper child safety seat installation and use.</p> <p>© 2016 Evenflo Company, Inc. 253015a 4/16</p>	<p><a href="#">Evenflo SafeMax Infant Car Seat Owner's Manual</a></p> <p>Comprehensive owner's manual for the Evenflo SafeMax Infant Car Seat, covering rear-facing installation with and without the convenience base, securing the child, adjustments, aircraft use, care, and safety warnings. It includes detailed steps, diagrams described textually, and important safety information for parents and caregivers.</p>
 <p><b>evenflo</b> Maestro™ Sport Child Restraint System Owner's Manual Keep instructions for future use.</p> <p>Exclusive RightFit™ Belt Path</p> <p>5-point Harness* 9 to 45 kg (20 to 100 lbs) 71 to 127 cm (28 to 50 in.) At least 2 years old * See page 4 for complete requirements.</p> <p>Para instrucciones en Español, llame al 1-800-233-0921. * See page 4 for complete requirements.</p> <p><b>WARNING!</b> To reduce the risk of serious injury or death, always use proper child safety seat installation and use.</p> <p>© 2016 Evenflo Company, Inc. 253043a 7/16</p>	<p><a href="#">Evenflo Maestro Sport Child Restraint System Owner's Manual</a></p> <p>Owner's manual for the Evenflo Maestro Sport Child Restraint System, detailing its features, installation, and usage for both 5-point harness and booster modes. Includes safety warnings and care instructions.</p>