Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

T POWER TP-Cr6-GAY

T POWER AC/DC Adapter Instruction Manual

For Pool Blaster Max Li and Water Tech Vacuums (Model: TP-Cr6-GAY)

Introduction

Thank you for choosing the T POWER AC/DC Adapter. This adapter is designed to provide reliable power for various Pool Blaster Max Li and Water Tech vacuum models. Please read this manual carefully to ensure proper usage, optimal performance, and longevity of your device.

This power supply charger features a 6.6-foot long cable and operates within an input voltage range of AC 100V - 240V, providing an output of 10V to 12.8V. It is compatible with models such as Pool Blaster Max Li, Max Li CG, Max Li HD, Millennium Li, iVac 350 Li, and Volt FX-8 Li, including specific part numbers like PBA003, PBA003CH, PBA003CGCH, PBA099-8-US-EU, PBA099-8-US-EU-QUICK MFD 073015, Water Tech PBA099-US-EU, PBA099, PBA099L, TL02-128025U, WTPBA099, PBA099-EU, LC099-3S, and others listed in the specifications.



Image: The T POWER AC/DC Adapter, a black rectangular unit with a power cord, designed for charging compatible devices.

Safety Information

The T POWER AC/DC Adapter is designed with multiple safety features to protect your devices and ensure safe operation. These include:

- **Over-Current Protection:** Prevents damage from excessive current flow.
- **Over-Temp Protection:** Safeguards against overheating.
- **Over-Voltage Protection:** Protects against voltage spikes.
- **Short Circuit Protection:** Prevents damage from short circuits.
- **Electrostatic Protection:** Shields against electrostatic discharge.
- **Magnetic Field Protection:** Reduces interference from magnetic fields.
- **Integrated Microchip:** A built-in microchip prevents overcharging and other malfunctions, prolonging battery life.

Always ensure the adapter is used in a well-ventilated area and avoid covering it during operation. Do not expose the adapter to water or extreme temperatures.



Image: Graphic illustrating the T POWER adapter's superior safety features, including over-current, over-temp, over-voltage, and short circuit protection.

Setup

1. **Verify Compatibility:** Before connecting, ensure your device's model number and power requirements match the specifications of this T POWER adapter. Refer to the "Specifications" section for a detailed list of compatible models.
2. **Connect to Device:** Insert the barrel connector of the T POWER adapter firmly into the charging port of your compatible Pool Blaster or Water Tech vacuum.
3. **Connect to Power Outlet:** Plug the AC end of the adapter into a standard AC 100V-240V wall outlet.
4. **Initiate Charging:** Once connected, the device should begin charging. Observe the LED indicator on the adapter for charging status.



Image: Close-up view of the adapter's barrel connector plugged into the charging port of a device, illustrating proper connection.

Operating Instructions

The T POWER AC/DC Adapter features an LED indicator to display the charging status of your device:

- **Charging:** Green light flashing.
- **Fully Charged:** Green light solid.
- **Defective:** Red light flashes fast.
- **Temperature Anomaly:** Red light flashes fast & slow.

Monitor the LED indicator to understand the charging progress and status of your device. Disconnect the adapter from the power outlet and the device once charging is complete or if any anomaly is indicated.



Image: The T POWER AC/DC Adapter showing its LED indicator and a description of the light patterns for charging status, full charge, defective state, and temperature anomaly.

Maintenance

To ensure the longevity and optimal performance of your T POWER AC/DC Adapter, follow these maintenance guidelines:

- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and moisture when not in use.
- **Cleaning:** Disconnect the adapter from power before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Cable Care:** Avoid sharp bends or kinks in the power cord. Do not pull the cord to disconnect the adapter from the outlet; always grasp the plug. The cable is designed for durability, tested to withstand 10,000 bends.
- **Inspection:** Periodically inspect the adapter and cable for any signs of damage, such as frayed wires, cracks, or loose connections. Discontinue use if damage is found.



Image: Graphic highlighting the T POWER adapter's cable durability, showing it's tested to withstand 10,000 bends, and made with high-quality materials for long-lasting use.

Troubleshooting

If you encounter issues with your T POWER AC/DC Adapter, refer to the following common troubleshooting steps:

- **No Power/Charging:**
  - Ensure the adapter is securely plugged into both the wall outlet and the device.
  - Check if the wall outlet is functional by plugging in another device.
  - Verify that your device is compatible with this adapter (refer to the "Specifications" section).
  - Inspect the adapter and cable for any visible damage.
- **LED Indicator Shows Red Light:**
  - A fast flashing red light indicates a defective adapter. Discontinue use and contact support.
  - A fast and slow flashing red light indicates a temperature anomaly. Disconnect the adapter, allow it to cool down in a well-ventilated area, and then try again. If the issue persists, contact support.

- **Device Not Fully Charging:**
  - Ensure the adapter is connected for the appropriate duration.
  - Check the device's battery health.
  - Confirm the adapter's output voltage and current match your device's requirements. While this adapter is designed for broad compatibility, some devices may have specific voltage requirements (e.g., 11.2V vs. 12.6V output). If you have concerns about voltage compatibility, consult your device's manual or contact support.

If these steps do not resolve the issue, please contact T POWER customer support for further assistance.

Specifications

Feature	Detail
Brand	T POWER
Model Number	TP-Cr6-GAY
Input Voltage Range	AC 100V - 240V
Output Voltage	10V ~ 12.8V (Compatible)
Wattage	10 Watts
Cable Length	6.6 Feet
Connector Type	Barrel Connector
Color	Black
Item Weight	4 Ounces
Included Components	AC Adapter
Compatible Devices	Compatible with various Pool Blaster Max Li series models (Max Li, Max Li CG, Max Li HD, Millennium Li, iVac 350 Li, Volt FX-8 Li) and Water Tech vacuum models. This includes an extensive range of part numbers such as PBA003, PBA003CH, PBA003CGCH, PBA099-8-US-EU, PBA099-8-US-EU-QUICK MFD 073015, PBA099-US-EU, PBA099, PBA099L, TL02-128025U, WTPBA099, PBA099-EU, LC099-3S, PBA099-8-US-EU, Pool Max HD, iVac M3, M2, 350 Vac Vacuum, Pool Blaster Max CG, Millennium, Eclipse XL PBA 099 Pool Vacs Max HD, PBA099AUL, TL02-128025A, PBA099AUS, PBA099-AUL, PBA099-AUS, CAT099, TL02128025U, PBAO99, iVacM3, iVacM2, iVac350, MaxCG, MaxHD, PBA099-AU, PBA099-UK, LC 099 3 S, LC099-3S-US-EU.

Warranty and Support

- **Warranty:** This T POWER AC/DC Adapter comes with a **1-Year Limited Manufacturer Warranty**. This warranty covers quality-related issues and allows for easy exchange or replacement.
- **Returns:** You may return your undamaged product and packaging within 30 days of purchase for a full refund.

- **Technical Support:** If you received the wrong item, need assistance finding a charger for your device, or if the adapter tip does not fit, please contact T POWER customer support. We are available to help resolve any issues.

For support, please visit the T POWER Store on Amazon or refer to the contact information provided with your purchase.

© 2024 T POWER. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B00JFL5GAY

More documents and user manuals: **https://manuals.plus/**