

## Ozone OES-BAS-22

# Ozone OES-BAS-22 Electronic Safe-Core User Manual

Your guide to secure and reliable operation

## 1. INTRODUCTION

This user manual provides essential information for the proper setup, operation, maintenance, and troubleshooting of your Ozone OES-BAS-22 Electronic Safe-Core. Please read this manual thoroughly before using the safe to ensure optimal performance and security. This electronic safe is designed to provide secure storage for your valuables.

## 2. PRODUCT OVERVIEW



*This image displays the front panel of the Ozone OES-BAS-22 Electronic Safe-Core, highlighting the electronic keypad, key override lock, and the overall compact design. The keypad allows for digital code entry, while the key provides an alternative access method.*

## 3. SETUP

### 3.1. Battery Installation

1. Locate the battery compartment, typically on the inside of the safe door.

2. Open the battery cover.
3. Insert the required number of batteries (usually AA or AAA, refer to the compartment label) ensuring correct polarity (+/-).
4. Close the battery cover securely.

### 3.2. Initial Code Setting

1. With the safe door open, locate the reset button (often a small red or green button) on the inside of the door or near the battery compartment.
2. Press the reset button. You should hear a beep or see an indicator light.
3. On the keypad, enter your desired new code (typically 3-8 digits).
4. Confirm the code by pressing the 'E' or '#' button.
5. Test the new code with the door open to ensure it works correctly before closing the safe.

## 4. OPERATING INSTRUCTIONS

---

### 4.1. Opening the Safe with Electronic Code

1. Enter your personal code on the keypad.
2. Press the 'E' or '#' button.
3. Within 5 seconds of a successful code entry, turn the handle clockwise (or counter-clockwise, depending on model) to open the door.

### 4.2. Opening the Safe with Override Key

1. Locate the keyhole, usually hidden behind a small cover on the keypad panel.
2. Insert the override key and turn it.
3. While holding the key turned, rotate the handle to open the safe door.

### 4.3. Closing and Locking the Safe

1. Close the safe door firmly.
2. Turn the handle counter-clockwise (or clockwise) until the bolts are fully extended and the door is securely locked.

### 4.4. Changing Your Personal Code

1. With the safe door open, press the reset button.
2. Enter your new desired code (3-8 digits) on the keypad.
3. Press the 'E' or '#' button to confirm.
4. Verify the new code by entering it with the door open before closing.

## 5. MAINTENANCE

---

- **Battery Replacement:** Replace batteries annually or when the low battery indicator (if present) illuminates. Always use new, high-quality batteries of the specified type.
- **Cleaning:** Clean the exterior of the safe with a soft, damp cloth. Avoid abrasive cleaners or solvents that

could damage the finish or keypad.

- **Key Storage:** Store override keys in a secure location away from the safe itself. Do not store them inside the safe.
- **Mechanism Check:** Periodically check the locking bolts and door hinges for smooth operation. Do not lubricate the electronic lock mechanism.

## 6. TROUBLESHOOTING

Problem	Solution
Safe does not open with code.	Ensure batteries are fresh and correctly installed. Re-enter code carefully. Try the override key.
Keypad does not respond.	Check battery power. Replace batteries if necessary. Ensure no foreign objects are obstructing buttons.
Alarm sounds unexpectedly.	This safe features a visual alarm. Ensure the safe is not being tampered with. If persistent, contact customer support.
Door does not close or lock properly.	Check for any obstructions inside the safe or around the door frame. Ensure the handle is fully turned to engage bolts.

## 7. SPECIFICATIONS

Feature	Detail
Brand	Ozone
Model	OES-BAS-22
Lock Type	Electronic
Special Feature	Portable
Item Weight	12.2 kg (26.9 Pounds)
Alarm	Visual
Water Resistance Level	Not Water Resistant
UPC	783942612165
Package Dimensions	42.9 x 38 x 20 cm

For further assistance, please refer to the manufacturer's official website or contact customer support.

